58MM Pos Mobile Pocket stampante per Android IOS Java di Windows (Modello: OCPP-M05)

Specifiche tecniche:

Dimensioni (L. v. D. v. A)	105 × 75 × 45 ***
Dimensioni (L × P × A)	105 × 75 × 45 mm
Peso	134 g
Colore	Nero
stampa efficace larghezza	48 mm
metodo di stampa	linea termica Stampa
comando Stampa	ESC / POS set di istruzioni compatibile
velocità di stampa	A 90mm / sec
Risoluzione	8 punti / mm (203DPI)
Stampa Font	In 12x24 / 24x24 in
capacità colonna	32 / 16columns
dimensione dei caratteri	1.5×3.0 millimetri (Larghezza x altezza) / 3.0×3.0 mm (larghezza x altezza)
Misura del foglio	Diametro di 58,0 mm a \pm 0,1 millimetri x40.0
Spessore carta	0.06 a 0.08 mm
set di caratteri	alfanumerico / testo cinese
Interfaccia	USB, RS-232, Bluetooth (facoltativo)
Veloce	256KB
Adattatore di alimentazione	9V DC / 2A
Carica batteria	II DC / 1500 mA 7.4V; batteria può rimanere in 4-5 giorni, quando è pieno di forza, può stampare carta 120-150m
Altre caratteristiche	rilevamento carta, rilevamento di potenza, arrestare manualmente
Lavoro condizioni	Temperatura: -10Celsius ~ 50CelsiusHumidity: 10% ~ 90%
Conservazione condizioni	Temperatura: -20Celsius ~ 70CelsiusHumidity: 5% ~ 95%
Nome del dispositivo	Può essere su misura per selezionare lettere e numeri fino a 30 caratteri ASCII.
parola d'ordine	input predefinita codice di accoppiamento "1234" Può essere personalizzato. Massimo 6 digitals.
Dimensioni della Spina di alimentazione	3.5 * 1.1 mm

Informazioni sull'ordine	P / N	Descrizione
	OCPP-M05-BB	Con Bluethooth e la batteria, Android Supprot
	I JL PP-1911.13-1515-141	Con Bluethooth e la batteria, supprot Android e IOS
	OCPP-M05-UB	con barrery Comunicazione USB,
	OCPP-M05-U	Comunicazione USB, senza BT, Batteria
	OCPP-M05-B	Blutooth Comunicazione, senza batteria
	OCPP-M05-UC	Comunicazione USB, con caricabatteria da auto
	()(PP-M()5-R(La comunicazione Bluetooth con caricabatteria da auto
	OCPP-M05-C	Altro su misura

Dettagli del prodotto:











Bluetooth, USB and RS232 communication for option;





Low power consumption and large capacity Lithium battery;











Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color Million	Black
Effective print width	48mm 34.0
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Printspeed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Printfont	12x24/24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/3.0x3.0mm(WxH)
Paper dimensions (0)	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Characterset	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232 Bluetooth (optional)
Flash	256KB
Power Adapter	9VDC/2A
Battery Power	7.4V DC/ 1500mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper
Other features	Paper detection, power detection, Manual shut down

Working conditions	Temperature:-10°C~50°C,Humidity:10%~90%	
Storage conditions	Temperature:-20°C~70°C,Humidity:5%~95%	
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.	01
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.	
Power plug dimension	3.5*1.1mm	

Applications

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

















Illegal Parking Ticket

Drugstore

Price Tag

Retail / Farm









Production Line



Capacity

· 100		200	100
Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
~	Thermal Printer	40,000 Sets / Month	250,000 Sets
1	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
1	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
V	Barcode Scanner	40,000 Sets / Month	20,000 Sets
1	POS Machine	5,000 Sets / Month	10,000 Sets
1	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

√ Indicates information has been verifed onsite by TUV on 2013.7.15

Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfication.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity	
1	Ageing Tester	No information	6	
4	Withstand Voltage Tester	CC2670A	1	
1	Oscilloscope	TBS1102	1	1.00
1	DC Power Supply	PS-305DM	6	24571
1 .00	Digital Torque Meter	HP100	1	www.ocomi
Maria	Calliper	GUANGLU	2	" NAN SI
~	Multi-meter	VC890D	7	- Ar
~	Test Computer	No Information	13	

✓ Indicates information has been verifed onsite by TUV on 2013.7.15

Certifications



Packing and Shipment



































Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.











Why you choose us?





Company Profile

This Assessed Supplier Has Been **Independently Verified**

Build Your Growth On Trust









OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Eruope, Australia, Asia, and other area.

OCOM has a professional teams including marketing, R&D, quality control; production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years " experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.



Contact us

Any queries, please contact us immediately, big supprise is waiting for you.

Sales Center:

Address: 11/F, Tower A, New Energy Building, #2009, Nanhai Ave., Nanshan district, Shenzhen

Guangdong, 518054, China;

E-mail: ocom@ocominc.com , ocomtech@gmail.com ;

Skype: ocominc2000, ocominc;

MSN: ocomtech@hotmail.com, ocominc@hotmail.com;

www.ocominc.com Trademanager: szocominc, cn1500439666;

QQ: 2485890637.190852203; Tel/Fax: +86.755.8605.3207. WWW.ocol





- *specificazione
- *Manuale di programma
- *Manuale di istruzioni
- *Driver per WinXP Win2000 WinVista Win8-32bit
- *Driver per Win8-64bit
- *Driver per Linux
- *Parametri stampante attrezzi di regolazione
- *Printdemo USB(Application Software demo)
- *Bluetooth Printdemo(Application Software demo)
- *SDK per Android
- *CD File

Video collegati:

Come è il OCPP-M05-bb funziona tramite cavo Bluetooth e USB OCPP-M05-BB-io lavoro con il sistema Android e IOS Video per il lavoro OCPP-M05 con tablet andriod tramite cavo USB

FAQ: