

**58 millimetri Piccolo palmare Bluetooth mobile Pos Thermal Receipt Printer
(Modello: OCPP-M03)**

Specifica:

Dimensioni (L x P x H)	105 x 75 x 45 mm
Peso	134 g
Colore	Nero
Larghezza di stampa effettiva	48 millimetri
Metodo di stampa	Thermal stampa Linea
Comando Stampa	ESC / POS set di istruzioni compatibile
Velocità di stampa	A 90mm / sec
Risoluzione	8 punti / mm (203DPI)
Print Font	In 12x24 / 24x24 in
Capacità Colonna	32 / 16columns
Dimensione dei caratteri	1,5 x 3,0 mm (larghezza x altezza) / 3.0x3.0mm (larghezza x altezza)
Formato carta	Diametro 58,0 millimetri a 0,1 millimetri ± x40.0
Spessore carta	0,06-0,08 mm
Set di caratteri	Alfanumerica / Testo cinese
Interfaccia	USB, RS-232, Bluetooth (opzionale)
Flash	256KB
Adattatore Di Alimentazione	9V DC / 2A
Alimentazione a batteria	Il DC / 1500 mA 7.4V; la batteria può rimanere in 4-5 giorni, quando è piena di forza, può stampare 120-150m carta
Altre Caratteristiche	Rilevamento di carta, il rilevamento di alimentazione, arrestare manualmente
Condizioni di lavoro	Temperatura: -10Celsius ~ 50CelsiusHumidity: 10% ~ 90%
Condizioni di stoccaggio	Temperatura: -20Celsius ~ 70CelsiusHumidity: 5% ~ 95%
Nome Del Dispositivo	Può essere personalizzato per selezionare lettere e numeri fino a 30 caratteri ASCII.
Password	Input predefinita abbinamento codice "1234" Può essere adattato. Massimo 6 digitals.
Dimensioni della spina di alimentazione	3,5 * 1,1 millimetri

Informazioni sull'ordine	P / N	Descrizione
	OCP-PP-M03-BB	Con Bluetooth e la batteria, supporta Android
	OCP-PP-M03-BB-AI	Con Bluetooth e la batteria, supporta Android e IOS
	OCP-PP-M03-UB	Con batteria di comunicazione USB,
	OCP-PP-M03-U	Comunicazione USB, senza BT, Battery
	OCP-PP-M03-B	Bluetooth Comunicazione, senza batteria
	OCP-PP-M03-UC	Comunicazione USB, con caricabatteria da auto
	OCP-PP-M03-BC	La comunicazione Bluetooth con caricabatteria da auto
	OCP-PP-M03-C	Altro su misura



Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows,Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,
Warehouse management, Delivery, Illegal Parking Ticket,
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com, Together we quest for the best.



I documenti rilevanti:

*[Specificazione](#)

*[Manuale del programma](#)

*[Manuale D'Istruzioni](#)

*[Driver per WinXP Win2000 WinVista Win8-32bit](#)

*[Driver per Win8-64bit](#)

*[Driver per Linux](#)

*[Parametri stampante Impostazione Tools](#)

*[Printdemo USB\(Application Software demo\)](#)

*[Bluetooth Printdemo\(Application Software demo\)](#)

*[SDK per Android](#)

*[CD File](#)

Video Collegati:

[Come è la OCPP-M05-bb funziona tramite cavo Bluetooth e USB](#)

[OCPP-M05-BB-io lavoro con Android e IOS Sistema](#)

[Video per il lavoro OCPP-M05 con tavoletta andriod tramite cavo USB](#)

FAQ: