

## Bluetooth Laser Barcode Scanner --OCBS-W700-B

### Specifica:

Characterstics FISICHE	
Sorgente luminosa	Visibile laser rosso 650 nm
Scanner Dimensioni (W * H * D)	160 millimetri * 70mm * 40mm
Peso	300G
Materiale	ABS + PC
Modalità di scansione	Una linea di scansione; Manuale / Automatico
Indicatore Way	Cicalino e spia
Characterstics PERFORMANCE	
Larghezza del campo di lettura	Finestra @ scanner 20 millimetri @ 260 millimetri 260 millimetri
Profondità del campo di lettura	4mil (0,1 millimetri) / 5-60mm 5mil (0,12 millimetri) / 10-100mm 10mil (0,25 millimetri) / 15-250mm 35mil (0,89 millimetri) / 140-600mm 43mil (1,1 millimetri) / 150-800mm
Velocità di scansione	120 scansioni / sec
Precision Scan	0,10 millimetri (pcs0.9)
Contrasto di stampa	Minimo del 30% la differenza di riflessione
Error Rate	1 / (6 milioni)
Capacità di decodifica	Internazionali codici a barre 1D generali
Corrente	60mA (di lavoro); $\leq 5\mu A$ (standby)
Scansione Angolo	32 °
Scansione Elevation	68 °
Angolo di scansione di Avertence	52 °
Frequenza di lavoro	2.4 ~ 2.483GHz
Distanza di comunicazione	30m max
Comunicazione	Bluetooth
Characterstics AMBIENTE UTENTE	
Specifiche di caduta	2m caduta libera
Level Laser	Standard di sicurezza di livello-1 laser
Potenza di carica	5VDC



## *Bluetooth Barcode Scanner*

**OCBS-W700-B**

**Product Picture**





## Features

### *Simple but not easy*

Support Bluetooth V2.0 and above;  
Frequency: 2.4~2.483GHz;



Communication distance: 30m (max);



Integrated non-volatile memory  
(can store about 500 barcodes);



800mA big capacity Li-battery.



# ||| All-round show



## Parameter

PHYSICAL CHARACTERISTICS	
Light Source	Visible Red Laser 650 nm
Scanner Dimensions(W * H * D)	160mm * 70mm * 40mm
Weight	300G
Material	ABS + PC
Scanning Mode	One line scanning; Manual / Automatic
Indicator Way	Buzzer and Indicator Light
PERFORMANCE CHARACTERISTICS	
Width of Scan Field	20mm@scanner window 260mm@260mm
Depth of Scan Field	4mil (0.1mm)/5-60mm 5mil (0.12mm)/10-100mm 10mil (0.25mm)/15-250mm 35mil (0.89mm)/140-600mm 43mil (1.1mm)/150-800mm
Scan Speed	120 scans/sec
Scan Precision	0.10mm (pcs0.9)
Printing Contrast	Minimum 30% reflection difference
Error Rate	1/(6million)
Decode Capability	International general 1D barcodes
Current	60mA (working); $\leq$ 5uA(standby)
Scanning Corner	32°
Scanning Elevation	68°
Scanning Angle of Advertnce	52°
Working Frequency	2.4~2.483GHz
Communication Distance	30m max
Communication	Bluetooth
USER ENVIRONMENT CHARACTERISTICS	
Drop Specification	2m free fall

Laser Level	Level-1 laser safety standard
Charge Power	5VDC

## Production Line



## Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets

✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

✓ Indicates information has been verified onsite by TUV on 2013.7.15

## Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

## Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	UT400	4



✓	Original & unique meters	TUV SUD	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

✓ Indicates information has been verified onsite by TUV on 2013.7.15

## Certifications



## Packing and Shipment



## Payment

## Payment



## Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.





## Why you choose us?



## Company Profile

This Assessed Supplier Has Been  
**Independently Verified**

Build Your Growth On Trust





**TÜVRheinland®**  
Precisely Right.



OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Europe, Australia, Asia, and other area.

OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.





## Contact us

**Any queries, please contact us immediately, big surprise is waiting for you.**

**Sales Center:**

Address: 11/F, Tower A, New Energy Building, #2009, Nanhai Ave., Nanshan district, Shenzhen  
Guangdong, 518054, China;

E-mail: [ocom@ocominc.com](mailto:ocom@ocominc.com) , [ocomtech@gmail.com](mailto:ocomtech@gmail.com) ;

Skype: [ocominc2000](https://www.skype.com/add?contact=ocominc2000), [ocominc](https://www.skype.com/add?contact=ocominc);

MSN: [ocomtech@hotmail.com](https://www.hotmail.com/ocomtech), [ocominc@hotmail.com](https://www.hotmail.com/ocominc);

Trademanager: [szocominc](https://www.trademanager.com/szocominc), [cn1500439666](https://www.trademanager.com/cn1500439666);

QQ: 2485890637, 190852203;

Tel/Fax: +86.755.8605.3207.

