### Stampante termica per ricevute mobile Bluetooth 58mm

(OCPP -585)

Stampante termica per ricevute 58mm

Cutter: cutter manuale

Interfaccia: seriale / parallela / USB / LAN per opzione

Velocità di stampa: 90 mm / sec

MCBF (vita): 50 km

Supporta la stampa di download del logo NV

Supporta la stampa di più codici a barre 1D / QR (opzionale)

Compatibile con il comando Epson ESC / POS

SDK gratuito per Android

#### **Specifica:**

Metodo di stampa	Termica diretta	
Densità di stampa	384 dpi / linea (203 DPI)	
Dimensione del carattere	384 punti / linea, carattere ANK, carattere: A: 12 * 24 pun 1,5 (W) * 3,0 (H) mm Semplificato / Tradizionale: 24 * 24 punti, 3,0 (W) * 3,0 (I mm	
Tipo di codice a barre	JAN13(EAN13)JAN8(EAN8)CODE39 QR (opzionale)	
Comando di stampa	Compatibile con PSON ESC / POS	
linguaggio	Supporto linguistico dell'acquirente	
Velocità di stampa	90 millimetri / sec	
Larghezza della carta	57,5 ± 0,5 millimetri	
Spessore della carta	0.06-0.08mm	
MCBF (la vita)	50 km	
Dimensione	190 * 132 * 119 millimetri	
Peso lordo	1.2KG	
Taglierina automatica	taglierina manuale	
Sensore	Sensore carta esaurita, sensore fine carta, sensore coperchio aperto	
Rotolo di carta	Φ75mm	
Interfaccia	RS-232C, parallela, USB, LAN	
autista	Vinci 9 volte, Vinci 2000, Vinci 2003, Vinci XP, Win Vista, Win 7 compatibile con ESPON	
Ingresso tensione adattatore	AC 110 V / 220 V, 50-60hz	
Uscita tensione adattatore	DC12V / 3A	
Tensione di ingresso della stampante	DC12V / 3A	
Controllo del cassetto contanti	DC12V / 1A	

Temperatura di lavoro	0-45°C, Umidità: 10-80%
Risparmio di temperatura	-10-60°C, Umidità: 10-90%
Certificato	CE / FCC / CCC / RoHS















# Application Area

Food delivery, restaurant, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Price Tag, Retail/Farm









# Parameter


Printing Method	Direct thermal		
Print Density	384dots/line (203DPI)		
Character Size	384dots/line, ANK character, Font: A: 12*24dots, 1.5(W)*3.0(H mm Simplified/Traditional: 24*24dots, 3.0(W)*3.0(H)mm		
Barcode Type	JAN13 (EAN13) JAN8 (EAN8) CODE39		
Printing Command	Compatible with EPSON ESC/POS		
Language	Buyer language support		
Printing Speed	90mm/sec		
Paper Width	57.5±0.5mm		
Paper Thickness	0.06-0.08mm		
MCBF(life)	50km		
Dimension	190*132*119mm		
Gross Weight	1.2KG		
Auto Cutter	manual cutter		
Sensor	Paper Near End Sensor, Paper End Sensor, Cover open sensor		
Roll Paper	Ф75mm		
Interface	RS-232C, Parallel, USB, LAN		
Driver	Win 9X, Win 2000, Win 2003, Win XP, Win Vista, Win 7 compatible with ESPON		
Adapter Voltage Input	AC 110V/220V, 50-60Hz		


Adapter Voltage Output	DC12V/3A	
Printer Input Voltage	DC12V/3A	
Cash Drawer Control	DC12V/1A	
Working Temperature	0-45 °C, Humidity: 10-80%	
Saving Temperature	-10-60°C, Humidity: 10-90%	0
Certificate	CE/FCC/CCC/RoHS	- 1

## Paper Roll Installation



## Connection





- a. Plug the DC cord connector into the printer's power connector..
- b. Plug the data cable connector into the printer's interface connector.
- C. Plug the drawer cable into the drawer kick-out connector on the back of the printer next to the interface connector.

## Shipping and payment

- 1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
- 2. EXPRESS: around 3-7 working days to arrive

- INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
- 4. By sea: depend on which destination port
- 5. T/T
- Western Union
- 7. Escrow
- 8. L/C

## **Company Profile**



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.











