

Contatore per banconote in euro Contatore per banconote da banco (M / N: N10)

Caratteristiche:

- I UNanalysis le caratteristiche anti-contraffazione della moneta in modo dinamico e quantitativo
- I Wcon elevata precisione e affidabilità
- I Easy per l'aggiornamento del software
- I Struttura ragionevole, funzionamento facile, aspetto bellissimo, prestazioni affidabili, display a cristalli liquidi
- I Valuta supportata: Dollaro USA, GBP, Euro, Rupia indiana, China yuan

specifiche tecniche:


Intervallo di cambio	DOLLARO STATUNITENSE ,euro,Sterlina inglese,Città di New York
Funzione	UV,MG,Display a LED
Dimensione della nota contabile	50mm * 88 millimetri-90mm * 168 millimetri
Consumo di energia:	AC220V 50Hz , AC110V 60Hz
Consumo di energia:	Dinamico $\geq 3,5$ W statico $\leq 0,15$ W
Hopper capacità:	1 pezzi
Stacker capacità:	1 pezzi
Dimensioni:	23.5 * 17.5 * 9cm
Netto Peso	500g
Dimensione del cartone	490 * 265 * 620mm (20 pezzi)
Schifoso Peso	18 kg (20 pezzi)

Adattatore di alimentazione per opzione:



Prodotti Immagini Show







Relieve the Simple Obstacle

The machine has a sensitivity parameter which can customize the settings. Press the "currency" button to enter the state of parameter setting. Press the "function" button to choose a different gear. Press the "reset" button to change the sensitivity parameter. While the real currency is false alarm (E2) adjusting the gear sensitivity to F85; spectrum 1850nm (launch tube); Real currency is false alarm E25; adjusting the gear sensitivity to F94; spectrum 2.044nm (launch tube). If the data is bigger, then the sensitivity is higher. The default of starting gear is 6. It is better to adjust the parameter with the help of technician. There is an unformatted function HF / GPF / ON built-in. If misadjusting, we can press "function" button back to HF gear and press the "reset" button to ON, then press "currency" button to exit.

CONTENT

Function	3
The Disposition of Currency Detector	4
Operating Instructions	4
Alarming code and fault code	7
Relieve the Simple Obstacle	8

Alarming Code and Fault Code

Alarming Code	The Meaning of Code
E01	no detection abnormal
E02	middle magnetism abnormal
E03	down magnetism abnormal
E04	reverse infrared reflec abnormal
E05	VR fault spectrum abnormal
E06	storage reflec abnormal
E07	infrared glass, overexposure
E08	width abnormal

Fault Code	Code Meaning
C01	encoder fault
C02	infrared camera tube fault
C03	fault - starting coupler
C04	key circuit
C05	key circuit
C06	up magnetism abnormal
C07	middle magnetism abnormal
C08	down magnetism abnormal


Open the package, please check whether the currency detector is intact, the attachment comprises the following materials: a currency detector, a manual, a warranty card, a power adapter 12VDC / 2A

Please carefully read the instructions before using the machine and operate it by following the steps.

The Disposition of Currency Detector

Open the package, please check whether the currency detector is intact, the attachment comprises the following materials: a currency detector, a manual, a warranty card, a power adapter 12VDC / 2A

Operating Instructions



1. Operation

the hopper. The detector will be started immediately and the banknotes will be sent into the machine. Then, the control panel will display the value or alert code. If the banknotes are sent into the machine by other way, the banknotes will back to the cash inlet and the alert code will be displayed with voice notice. In the process of identification, the real currency will exit from cash outlet, while the suspicious currency will exit from the cash inlet after alarming.

b. While detecting different currencies, press the corresponding "currency" button. Press "function" button to switch between the mode of single piece identification and the total continuous cumulative identification. Press the "reset" button to clear the interface and set zero.

c. In order to avoid the misjudgment, leveling the corner of the banknotes and removing the following banknotes. The repeating banknotes with plaster, soiled banknotes, damaged banknotes.

2. Notice

a. Being away from the power adapter while using the currency detector. Meanwhile don't use it at the following environment: strong magnetic interference environment, using electric drill and other places.

b. This machine has the function of automatic sleeping. If the currency detector does not work within 5 minutes, it will enter into the state of sleeping. If the tested banknotes are put into the cash inlet, the machine will enter into the identification mode immediately.

c. If you don't use the machine for a long time, cut off the power, turn off the power switch.

Function

1. Function Introduction of the Interface



2. Parameter	
Input power	12VDC/2A
Power consumption	approx. < 10W, static < 10W
Display	1.02" display screen
Alarming signal	Alarming code and a voice signal "00"
Scope	USD, EUR, GBP
Detecting mode	Waveform identification, infrared identification, infrared identification, color spectrum
Counting speed	< 200pcs
Size	Length: 190mm, Height: 160mm, Width: 140mm
Weight	120kg
Working temperature	0~40°C

Pacchetto & Shippment



MULTI-CURRENCY BANKNOTE DISCRIMINATOR



Azienda Informazione

OCOM è un produttore leader di prodotti one-stop POS e Auto-ID correlati che è qualificato da [Società Global Fortune 500](#). Abbiamo la garanzia di Trade Assurance di primo livello di Alibaba.

Le coperture del portafoglio prodotti OCOM **Stampante termica, Stampante per codici a barre, Stampante a matrice DOT, Scanner per codici a barre, Data Collector, Macchina POS e altri prodotti per periferiche POS**, che sono ampiamente utilizzati per la vendita al dettaglio, ristorante, banca, lotteria, trasporto, logistica e altre applicazioni. abbiamo [ISO](#), [CE](#), [FCC](#), [Rohs](#), [SONCAP](#) e altre certificazioni richieste.

Da quando è stato istituito nel giugno 2007, OCOM ha aderito al sistema di qualità ISO9001: 2015. Ci concentriamo sulla qualità dei prodotti affidabili e sul prezzo competitivo. Abbiamo servito più di 2600 clienti in 159 paesi, 50 dei quali sono i maggiori distributori sul loro territorio. I nostri mercati principali sono in Europa, in Australia e in rapida crescita in Sud America e Africa. [L'elenco dei clienti include famosi Unilever, O2, Star](#)

La missione di OCOM è la scelta convincente per i nostri partner, basata sulle nostre tre convinzioni di base: "Integrità, sforzo per eccellenza, cooperazione vincente", vorremmo stabilire partnership stabili e affidabili con clienti in tutto il mondo. OEM / ODM è il benvenuto.

Insieme cerchiamo il meglio.



Anna Zhuang



OCOM Technologies Limited

Add: 4F(3A01), Block 2, Nanyou 4th Industrial Park, NanShan Ave, Nanshan, Shenzhen 518054, China
Tel: 0086.755.8605.3207 ext 805
Fax: 0086.755.8605.3207 ext 868
Web: www.ocominc.com; QQ: 2065804330
E-mail: sales05@ocominc.com, sales05@ocomtech.com.cn
Skype: [ocomsales05](https://www.skype.com/name/ocomsales05); MSN: ocomsales05@hotmail.com
Mobile/Wechat/Whatsapp: 0086.133 9282 8710



Reliable One-Stop Supplier for POS and Auto-ID Related Products

