OCBs-W230: 2D portatile di codici a barre senza fili Bluetooth ad alta velocità

parametri:

	lora Les				
sorgente di luce Puntando	617 nm LED				
illuminazione	625 nm LED				
angolo di scansione	39 ° (H) × 25 ° (V)				
Angolo di rotazione	0 ~ 360 °				
elevazione	± 65 °				
inclinazione	± 60 °				
contrasto di stampa	Maggiore di 25%				
1D	UPC / EAN, UPC / EAN con supplementi, BooklandEAN, ISSN, UCC Coupon esteso Codice, Code128, GS1-128, ISBT 128, Code 39, Code 39 Full ASCII, Trioptic Code 39, Code 32, Code 93, Code11, Matrix 2 5, Interleaved 2 of 5, Discrete 2di 5, Codabar, MSI, cinese 2 di 5, GS1 Dati Barvariants, coreano 3 su 5, ISBT Concat				
2D	PDF417, MicroPDF417, cod QR Code, MicroQR, Aztec	PDF417, MicroPDF417, codici compositi, TLC-39, Data Matrix, Maxicode,			
interfaccia	USB				
distanza di comunicazione	The state of the s	433mhz: all'interno: 100m; esterno: 300 (massimo) Bluetooth: Interno: 10m; esterno: 20m (massimo)			
temperatura di esercizio	-10 °C -45 °C				
temperatura di stoccaggio	-20 °C -65 °C				
umidità	5% -85%				
Umidità di stoccaggio	5% -95%	5% -95%			
durabilità	E 'in grado di sopportare l'impatto di cadere a 1,8 metri sopra il pavimento di cemento				
potenza di ingresso	DC 5V, 350mA				
illuminazione	Interno: 3.000 LUX massim	o; solarium all'aperto: ma	assimo 86000LUX		
EMC	EN50081, standard di par1				
FCC	EN50082, standard di par1				
Valutazione IP	IP42				
gamma di decodifica					
Prestazioni tipiche *		campo di funzionamento tipica			
		HD Gamma del fuoco			
Tipo di codici a barre	densità simbolo	vicino	lontano		
Codice 39	5,0 mil	5 millimetri	90 millimetri		
100% UPCA	13,0 mil	8 millimetri	200 millimetri		
Codice 39	20,0 mil	8 millimetri	250 millimetri		
PDF 417	6,8 mil 5 millimetri 95 millimetri				
Data Matrix	10,0 mil 5 millimetri 110 millimetri				
codice bidimensionale	20,0 mil 10 millimetri 150 millimetri				
N ° 39 risoluzione 1D	2,8 mil (0,071 millimetri)				

Data Matrix 2D Risoluzione	4,8 mil (0,122 millimetri)
materiale	ABS + PC
dimensione	95x65x155mm
peso netto	160g
All'interno del formato della scatola:	$18,2 \times 11,7 \times 11,2$ centimetri
Interno Peso della scatola:	374g





Reliable with good price

Wireless communication distance outdoor 300m, indoor 100m





Soft plastic cover to protect the lens and outline greatly enhances the anti-drop performance.

Barcode on computers' and mobile phones' screen can be scanned



No drive, plug and play; can store more than 50,000 pieces of data;

Multiple scanners can be connected to one receiver.

Application place



Bookstore




Supermarket



Pharmacy



Warehouse






Restaurant

Product size





ntr

Parameter			
	Physical Characteristics		
Dimension	95x65x155mm		
Material	ABS+PC		
Net Weight	160g		

- C	V	Optical Performa	nce		
Aiming Light Source	617 nm LED				
Lighting Light Source	625 nr	625 nm LED			
Scanning Angle	39° (H	x 25° (V)		, 0v	
Rotation Angle	0 - 360	· '\M.		-0,01,	
Elevation Angle	± 65°	W. J.	(4)	1.	
Tilt Angle	± 60°				
Print Contrast	Higher	than 25%			
1D	Coupo FullAS(Interle	n Extended Code, Code1 CII, Trioptic Code 39, Co	pplementals, BooklandEAN, II 28, GS1-128, ISBT 128, Code 39 de 32, Code 93, Code11, Matr of 5, Codabar, MSI, Chinese 2 ISBT Concat), Code 39 rix 2 of 5,	
2D	PDF41	7, MicroPDF417, Compos	ite Codes, TLC-39,Data Matrix,	Maxicode,	
	QR Co	de, MicroQR, Aztec			
Interface	USB				
Communication distance	Inside:	100m; Outside: 300m	(Max)		
Operating Temperature	-10°C	-45℃	of Medical Control		
Storage Temperature	-20°C	-65°C	Min	- 00	
Operating Humidity	5%-85%				
Storage Humidity	5%-95%				
Durability	Withstands multiple 1.8m drops to concrete				
Input Power	DC 5V, 350mA				
Lumination	Inside:	3.000 LUX max; Outs	ide sunlight: 86000LUX max		
EMC	EN50081, par1 standard				
FCC	EN500	82, par1 standard			
IP Grade	IP42				
		DECODE RANGI	ES	674	
Typical Performance*			Typical Working Ranges		
			HD Focus Range		
Bar Code Type		Symbol Density	Near	Far	
Code 39		5.0 mil	5mm	90mm	
100% UPCA	· Ohr	13.0 mil	8mm	200mm	
Code 39	ν.	20.0 mil	8mm	250mm	
PDF 417		6.8 mil	5mm	95mm	
Data Matrix		10.0 mil	5mm	110mm	
QR Code		20.0 mil	10mm	150mm	
Resolution 1D Code 39		-1/1/4	2.8 mil (0.071mm)	AV I	
Resolution 2D Data Matrix		- 7/1	4.8 mil (0.122mm)		



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments:

✓ Indicates information has been verified onsite by a certification specialist.

Test Equipment and Facilities

ntity

Verified by TUV on 2013.7.15

Certification:









Warranty and After Sales:

- All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- Spare parts will be provided for mass orders for customers' local maintenance.
- Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- 7*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.





















Payment:









secure payment







Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Prodotti simili

codice macchina Scan	http://www.ocominc.com/products/2D-Barcode-Scanner.htm
Barcode Scanner Wireless	http://www.ocominc.com/products/Wireless-Barcode-Scanner.htm
codice a barre laser portatile	http://www.ocominc.com/products/Handheld-Laser-Barcode-Scanner.htm
codice a barre omnidirezionale	http://www.ocominc.com/products/Omni-Directional-Barcode-Scanner.htm
CCD Barcode Scanner	http://www.ocominc.com/products/CCD-Barcode-Scanner.htm

portafoglio OCOM:

stampante termica	http://www.ocominc.com/products/thermal-receipt-printer.htm
stampanti di etichette di codici a barre	http://www.ocominc.com/products/Barcode-label-printer-2.htm
stampante ad aghi	http://www.ocominc.com/products/Dot-matrix-printer-2.htm
codice macchina Scan	http://www.ocominc.com/products/Barcode-Scanner.htm
Data Collector	http://www.ocominc.com/products/Data-Terminal.htm
terminale POS portatile	http://www.ocominc.com/products/Portable-POS-Terminal.htm
macchine POS una macchina	http://www.ocominc.com/products/All-in-one-POS-Machine.htm
POS Monitor	http://www.ocominc.com/products/POS-Monitor.htm
tastiera POS	http://www.ocominc.com/products/POS-Keyboard.htm
display cliente	http://www.ocominc.com/products/Customer-Display.htm
cassetto	http://www.ocominc.com/products/Cash-Drawer.htm
contatore di denaro	http://www.ocominc.com/products/Money-Counter.htm
lettore di schede magnetiche della	http://www.ocominc.com/products/Card-Reader-Writer.htm
Barcode Zoom	http://www.ocominc.com/products/Electronical-Scale.htm
altro	http://www.ocominc.com/products/Other.htm

Company Profile




TRADE ASSURANCE

- ●100% money refund for Late shipment&Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba
- in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers, Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs. OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.















Contact us

Any queries, please contact us immediately, big supprise is waiting for you.

Sales Center:

Address: 4/F, Block 10, Zhongxing Industrial Park, Chuangye Road, Nanshan

District, Shenzhen 518054, China

Website: www.ocominc.com www.possolution.com.cn;

E-mail: sales15@ocominc.com Tel: 0086.755.86053207-815; Fax: 0086.755.86053207-868;

QQ: 210852908;

Wechat: ocomsales15;

Whatsapp: +0086.189.4879.9080;