# Piccolo Fisso Omni-direzionale Laser Barcode Scanner (Modello: OCB-

T007

)

#### Specifica:

Specifica:	
Parametri di performance	
Sorgente di luce	650 nm diodo laser laser
Cicalino	Sette toni o silenziosa
Lampada	Blu = luce laser, pronto a scanner, Rosso = decodifica successo
Interfaccia di sistema	PC kBW, RS232, USB
Parametri fisici	
Volume (Lx P x A)	Dimensioni del prodotto (180 * 130 * 110 mm),
	Formato dell'imballaggio: (230 millimetri * 160 mm * 120 mm)
Peso	Dimensioni del prodotto (460 g), imballaggio (630 g)
Parametri elettrici	
Tensione di ingresso	5VDC + / -10%
Potenza di lavoro	1000mW (200mAx5V)
Alimentazione di standby	900mW (180mAx5V)
Fonte di corrente	Classe 02:05 VDCx1A
Livello del laser	Class1
Identificazione	CE, RHOS, FCC Part 15 Class B, Unione europea EMC Direttiva
Parametro ambientale	
temperatura di esercizio	0degree C - 40degree C
Temperatura di stoccaggio	-40degree C-60degree C
Umidità	5% a 95% di umidità relativa (senza condensa)
Antidetonante caratteristiche	Per resistere da 1,5 metri di altezza goccia.
Polvere di tenuta	Sigillare per evitare che polvere aria erosione delle particelle.
Parametri di scansione	
Modalità di scansione	Omnidirezionale 20 linee
Velocità di scansione	1120 volte al secondo
Contrasto di stampa	Minimo 30% di differenza di riflessione
Roll (tilt), Pitch, Skew	360°, 60°, 60°
(imbardata)	
Capacità di decodifica	UPC / EAN / JAN, Codice 39Controllo ASCII, ASCII Code128Full,
	Codebar, Codice 2 di 5, Code93, Code11, MSI Plessey, Trioptic,
	GS1 Dati Bar, Telepen.

#### Dettagli di prodotto:








## Small Size, BIG Performance


20 scanning lines and five directions; 1120 times per second reading speed;




















#### All-round show






## Parameter

Performance parameters	The Contract of the Contract o		
Light source	650 nm visible laser diode laser		
buzzer	Seven tones or silent		
lamp	Blue = laser light, ready to scanner, Red = decoding success		
System interface	PC kBW,RS232,USB		
Physical parameters	-2		
volume(Lx W x H)	Productor size (180 * 130 * 110 mm),		
	packing size:(230 mm * 160 mm * 120 mm)		
Weight	Productor size (460 g), packing (630 g)		
Electrical parameters	- Alexander Control		
Input voltage	5VDC+/-10%		
Work power	1000mW(200mAx5V)		
standby power	900mW(180mAx5V)		
direct-current source	Class 2:5VDCx1A		
Laser level	Class1		
identification	CE,RHOS,FCC Part 15 Class B, European Union EMC Directive		
Environmental parameter			
operating temperature	0° C - 40° C		
Storage Temperature	-40°C -60°C		

humidity	5% to 95% relative humidity (no condensation)	
antiknock characteristic	To withstand from 1.5 meters high drop.	
dust tightness	Seal to prevent air dust particle erosion.	
Scanning parameters	**************************************	
Scanning mode	Omni directional 20 line	
Scanning speed	1120 times per second	
printing contrast	Minimum 30% reflection difference	
Roll(tilt),Pitch, Skew(yaw)	360°,60°,60°	
Decoding ability	UPC/EAN/JAN, Code 39Full ASCII, Code128Full ASCII, Codebar,	
	Code 2 of 5, Code93, Code11, MSI Plessey, Trioptic, GS1 Data Bar, Telepen.	

#### Applications

OCBS-T007 is an aggressive, omnidirectional presentation laser bar code scanner. Designed for applications where counter space is at a premium, OCBS-T007 is the ideal presentation scanner for retail, convenience, liquor and specialty stores. In addition, OCBS-T007 unique, contoured shape allows it to be picked up and used as a hand-held when scanning large or bulky items. Lightweight and rugged, OCBS-T007 is small in size but







## Production Line



## Capacity

.....

Ventied

Product Name

Thermal Printer

THOUSAND THE STATE OF

Dot Matrix Printer

Production Line Capacity

40,000 Sets / Month

15,000 Sets / Month

Actual Units Produced(Previous Year)

250,000 Sets

10,000 Sets

1	Bluetooth Printer	30,000 Sets / Month	20,000 Sets	
1	Barcode Scanner	40,000 Sets / Month	20,000 Sets	
1	POS Machine	5,000 Sets / Month	10,000 Sets	
1	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets	

Indicates information has been verifed onsite by TUV on 2013.7.15



#### **Quality Assurance**

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfication.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

#### Ш

#### Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
100	Ageing Tester	No Information	6
No.	Withstand Voltage Tester	CC2670A	1
1	Oscilloscope	TBS1102	1
V	DC Power Supply	PS-305DM	6




√ Indicates information has been verifed onsite by TUV on 2013.7.15

#### Certifications



### Packing and Shipment







#### **Payment**

















#### Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.









# This Assessed Supplier Has Been Independently Verified

Build Your Growth On Trust









OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Malris Printer, Barcode
Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal, and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Eruope, Australia, Asia, and other area.

OCOM has a professional teams including marketing, R&D, quality control; production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Intervity based. Strius for excellence. Winsulin conneration" We would like establish stable and reliable northershine with systematic

all over the world. OEM/ODM is welcome.



### Contact us

Any queries, please contact us immediately, big supprise is waiting for you.

Sales Center:

Address: 11/F,Tower A, New Energy Building, #2009, Nanhai Ave., Nanshan district, Shenzhen Guangdong, 518054, China;

E-mail: ocom@ocominc.com , ocomtech@gmail.com ;

Skype: ocominc2000, ocominc;

MSN: ocomtech@hotmail.com, ocominc@hotmail.com;

Trademanager: szocominc, cn1500439666;

QQ: 2485890637,190852203; Tel/Fax: +86.755.8605.3207.



#### I documenti rilevanti:

**Specificazione**