Scanner per codici a barre omnidirezionale USB desktop Supermarket

(OCBS -T008)

Barcode Scanner omnidirezionale desktop
20 linee di scansione cinque direzioni
Design energetico NICAM, adatto per ambienti rumorosi
L'aspetto è conciso e prestazioni stabili, in linea con tutti i tipi di ambiente aziendale
Capacità di scansione su più linee / singole, soddisfa diversi requisiti
Interfaccia multipla: PS / 2, RS232 o USB
Supporta la funzione di sveglia automatica
Luci a LED blu, forti segnali acustici

Specifica:

Parametri di prestazione	
Fonte di luce	Laser a diodo laser visibile a 650 nm
Interfaccia di sistema	KBW, RS232, USB
Parametri fisici	
Volume (Lx W x H)	Senza supporto: 140 mm * 83 mm * 75 mm Con supporto: 157 mm * 98,3 mm * 100 mm
Peso	Peso netto (282g); Con supporto (379g)
stare in piedi	Supporto fisso di installazione
Colore	Nero
Parametri elettrici	
Tensione di ingresso	5,0 VDC +/- 10%
Corrente nominale	275mA
Energia	2W
Classe laser	CDRH Classe IIa; IEC 60825-1: Classe I
Parametro ambientale	
temperatura di esercizio	0 ° C - 40 ° C
Temperatura di conservazione	-40 ° C -70 ° C
Umidità	Umidità relativa da 5% a 95% (senza condensa)
Caratteristica antiknock	Per resistere a una caduta di 1,2 metri.
Resistenza alla luce	Illuminazione per interni, Luce solare, fluorescenza, luce a incandescenza, luce di vapore di mercurio, luce di vapore di sodio: 450 candele Ft (4844 Lux) luce diurna: 8000Ft Candles (86111 Lux)
Parametri di scansione	
Modalità di scansione	Omni direzionale 20 linee, 5 direzioni, 20 linee di scansione
Velocità di scansione	1500 volte al secondo
Angolo di scansione	0 ~ 360 gradi (omni-direzionale)
Deviazione di scansione	+/- 50 gradi

Contrasto di stampa	Differenza di riflessione minima del 25%
Profondità di scansione del file	0 ~ 216mm @ 13mil (100% UPC / EAN)
Campo di funzionamento nominale	5 mil: (38%) 10 ~ 64 mm 7,8 mil: (60%) 0 ~ 152 mm 10.4mil: (80%) 0 ~ 190mm 13mil: (100%) 0 ~ 216mm
La risoluzione più bassa	5mil
Capacità di decodifica	UPC / EAN / JAN, UCC / EAN 128, Codice128, Codice 39, Codice 39 Trioptic, Interleaved 2 su 5, Industriale 2 su 5, Matrix 2 su 5, Codice 93, Codice 11, Codice a barre, MSI ecc.

ocom®
At your side
OCBS-T008
ocom
ISO FC CE RoHS

ocom®
At your side
OCBS-T008
ISO
FC
CE
RoHS

OCOM®
At your side
OCBS-T008
ISO
FC
CE
RoHS

Production Line

Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets

✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

✓ *Indicates information has been verifed onsite by TUV on 2013.7.15*

Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfication.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment.Some designated models can have as long as 24 months warranty.

Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6

✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

✓ *Indicates information has been verifed onsite by TUV on 2013.7.15*

Certifications

Packing and Shipment



Payment

Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have estabilshed goods relationship with our customers and have friendly communication with each other.

Why you choose us?