

**58mm kleine handheld Bluetooth Mobile Pos Thermal Receipt Printer
(Model: OCPP-M03)**

Specificatie:

Dimensions (B x D x H)	105 x 75 x 45mm
Gewicht	134 g
Kleur	Zwart
Effectieve printbreedte	48 mm
Afdrukmethode	Thermische Line Printing
Printopdracht	ESC / POS-compatibel instructieset
Afdruksnelheid	Om 90mm / sec
Resolutie	8 dots / mm (203dpi)
Print Font	In 12x24 / 24x24 in
Kolomcapaciteit	32 / 16columns
Tekengrootte	1,5 x 3,0 mm (breedte x hoogte) / 3.0x3.0mm (breedte x hoogte)
Paper Size	Diameter van 58,0 mm tot 0,1 mm x40.0 ±
Papierdikte	0,06-0,08 mm
Tekenset	Alfanumerieke / Chinese tekst
Interface	USB, RS-232, Bluetooth (optioneel)
Flash	256KB
Oplader	9V DC / 2A
Battery Power	De DC / 1500 mA 7,4 V; batterij kan blijven in 4-5 dagen, wanneer het vol kracht, het kan 120-150M papier afdrukken
Andere Mogelijkheden	Papier detectie, macht detectie, manueel stilgelegd
Arbeidsvoorwaarden	Temperatuur: -10Celsius ~ 50CelsiusHumidity: 10% ~ 90%
Opslag voorwaarden	Temperatuur: -20Celsius ~ 70CelsiusHumidity: 5% ~ 95%
Toestelnaam	Kan worden aangepast om letters en getallen tot 30 ASCII-tekens te selecteren.
Wachtwoord	Default Input pairing code "1234" Het kan worden aangepast. Maximaal 6 digitals.
Grootte van de stekker	3,5 * 1,1 mm

Bestelinformatie	P / N	Beschrijving
	OCPP-M03-BB	Met Bluetooth en batterij, support Android
	OCPP-M03-BB-AI	Met Bluetooth en batterij, support Android en IOS
	OCPP-M03-UB	Met battery USB Communication,
	OCPP-M03-U	USB communicatie, zonder BT, Batterij
	OCPP-M03-B	Bluetooth Communicatie, zonder batterij
	OCPP-M03-UC	USB communicatie, met Car Charger
	OCPP-M03-BC	Bluetooth Communicatie met Car Charger
	OCPP-M03-C	Andere maat



Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows,Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,
Warehouse management, Delivery, Illegal Parking Ticket,
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery



Restaurant



Bus / Taxi Receipt



Traffic Citation



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com, Together we quest for the best.



Relevante documenten:

*[Specificatie](#)

*[Program Manual](#)

*[Handleiding](#)

*[Driver voor WinXP Win2000 WinVista Win8-32bit](#)

[*Driver voor Win8-64bit](#)

[*Driver voor Linux](#)

[*Printer Parameters instellen Gereedschap](#)

[*USB Printdemo\(Application Software demo\)](#)

[*Bluetooth Printdemo\(Application Software demo\)](#)

[*SDK voor Android](#)

[*CD Bestanden](#)

Gerelateerde Video'S:

[Hoe wordt de ocpp-M05-bb werkt via Bluetooth en USB-kabel](#)

[OCPP-M05-BB-Ik werk met Android en IOS System](#)

[Video voor OCPP-M05 werken met Andriod tablet via USB-kabel](#)

FAQ: