

# OCBP -007-U Wit 4 "Directe thermische barcode-etiketprinter met afpelfunctie (M / N: OCBP-007-U)

## 1.Features:

- | Hoogwaardig dubbelwandig clamshell-ontwerp
- | 32-bit RISC CPU
- | 8 MB SDRAM, 4 MB Flash
- | Head-up sensor
- | 203 dpi resolutie
- | 102 mm (4 " ") / s hoge afdruksnelheid
- | 108 mm afdrukbreedte
- | 20-112 mm (0.78 "-4.4") verstelbaar media breedte

## 2.Parameters:

Parameter	
Resolutie	8 dots / mm (203DPI)
Afdrukmethode	Direct Thermal
Max.printsnelheid	102 mm (4 ") / S
Max.printbreedte	108 mm (4.25 ")
Max.druklengte	2286 mm (90 ")
Mediatype	Continu, opening, zwarte markering, waaivouw en ponsgat
Breedte van de media	20-112 mm (0,78 "-4,4")
Materiaaldikte	0,06 ~ 0.16mm ((2,36 ~ 6.3mil)
Label lengte	10 ~ 2,286mm (0,4 " " -90 " " )
Label rolcapaciteit	127 mm (5 ") OD (buitenwond)
omheining	Dubbelwandig plastic
Fysieke dimensie	240 mm(w)× 211 mm(H)× 166 mm (D)
Gewicht	2.15kg
bewerker	32-bit RISC CPU
Geheugen	4 MB Flash-geheugen, 8 MB SDRAM, SD-kaartlezer voor Flash-geheugenuitbreiding, tot 4 GB
Interface	USB 2.0
Interne lettertypen	8 alfanumerieke bitmaplettertypen, Windows-lettertypen kunnen vanuit de software worden gedownload.
Barcode	1D streepjescode:Code 39, Code 93, Code 128UCC, Code 128 subsets A, B, C, Codabar, Interleaved 2 van 5, EAN-8, EAN-13, EAN-128, UPC-A, UPC-E, EAN en UPC 2 ( 5) cijfers add-on, MSI, PLESSEY, POS TNET, China POS T 2D-streepjescode:PDF-417, Maxicode, DataMatrix, QR-code
Lettertype en barcoderotatie	0 °,90 °,180 °,270 °
Omgevingsconditie	Werking: 5 ~ 40 ° C, 25 ~ 85% niet-condenserend, opslag: -40 ~ 60 ° C, 10 ~ 90% niet-condenserend

## 3.Pictures:



### Features



### All-round show



### Application Area



### Parameter

Resolution	6 dots/mm(24DPI)
Printing method	Direct Thermal
Max print speed	100 mm/47.24"
Max print width	108 mm (4.25")
Max print length	2286 mm (90")
Media type	Continuous, gap, notch mark, non-feed and punched hole
Media width	20-108mm (0.78"-4.2")
Media thickness	0.08-0.16mm (3.5-6.3mil)
Label length	10-2.286mm (4"-90")
Label roll capacity	127 mm (5") OD (includes unwind)
Structure	Cloth or metal plate
Physical dimension	240 mm (L) x 211 mm (W) x 105 mm (D)
Weight	2.1kg
Processor	32-bit RISC CPU
Memory	4MB Flash Memory, 8MB SDRAM, SD card reader for Flash memory expansion, 32K x 4 GB
Interface	USB 2.0
Internal ports	9-pin serial (bypass ports, Windows 9 ports are slow readable from 4.8Kbps)
Barcode	1D bar code Code 39, Code 93, Code 128, UCC, Code 128 subsets A, B, C, Code 49, Interleaved 2 of 5, GS1 & GS1-12, GS1-13, UPCA, UPEC-E, EAN-8 and UPCA-20), 2D bar code, MSI, PLESSEY, POSTNET, China POST
Font and barcode rotation	2D bar code PDF417, Microcode, DataMatrix, QR code
Environment condition	Operation: 5 ~ 40°C, 25 ~ 85% non-condensing, Storage: -40 ~ 60°C, 10 ~ 90% non-condensing

### Production Line





### Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Desktop Printer	10,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Terminal	6,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

*All business information has been verified strictly by FIC in 2012.12.12*

### Quality Assurance



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction. Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001:2008 in the process of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

### Test Equipments

Verified	Product Name	Brand & Model No.	Quantity
✓	Aging Tester	Intechnology	6
✓	Vibration Vibration Tester	CC373A	1
✓	Distortion	882710	1
✓	DC Power Supply	PS-3000A	4
✓	Digital Testset Meter	9F100	1
✓	Calibrator	Q50000C1	2
✓	Multimeter	VCM80	7
✓	Test Computer	No information	13

*All business information has been verified strictly by FIC in 2012.12.12*

### Certifications



### Packing and Shipment

Double seal and computer band  
 Double seal and computer band  
 Mark and English address  
 Other professional box

### Payment



### Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



### Why you choose us?



### Company Profile

**This Assessed Supplier Has Been Independently Verified**

Build Your Growth On Trust

OCOM Technology Limited (SZSE:300712) is a listed leading supplier of POS and MPOS related products from China. OCOM products portfolio covers Thermal Printer, QR Code Printer, Barcode Printer, Receipt Scanner, Receipt/QR reader, POS Terminal, POS peripheral, etc. products have passed CE, FCC, TSPS and other certifications, and authorized by Europe, America, Africa and other regions.

OCOM has a professional team including marketing, R&D, quality control, production and sales service. The management team have worked in the FORTUNE 500 companies as senior managers for many years. All of the sales have more than 5 years' experience, which help us to meet and exceed the customer's satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the most professional capabilities for product, technology, purchase and customer's service. Based on our strong capacity, the normal lead time for main products is about 1 to 7 days even for bulk order.

"Honesty based, open for resources, win-win cooperation" are our basic operation mode and reliable partnership with customers all over the world. OCOM is welcome.



### Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

Global Service  
 Address: 4/F, Block 10, Zhongxing Industrial Park, Changyang Road, Nanxun District, Shenzhen 518004, China  
 Websites: <http://www.prosolution.com.cn>; <http://www.ocominc.com>  
 E-mail: [ocom@ocominc.com](mailto:ocom@ocominc.com); [ocomtech@prosolution.com](mailto:ocomtech@prosolution.com)  
 Skype: ocominc2008, ocominc  
 MSN: ocomtech@hotmail.com, ocominc@hotmail.com  
 TradeManager: ocominc, cn100430966  
 QQ: 245860637, 150882203  
 Tel/Fax: +86 755 8605 5207

#### **4.FAQ:**

##### 1). MOQ-beleid

Geen MOQ-bepanking voor de standaardproducten, maar de eenheidsprijs is verschillend, grotere hoeveelheid betere prijs.

Voor aangepaste productie kunt u de MOQ rechtstreeks met onze vertegenwoordiger bespreken.

##### 2). Sample Availability & Het beleid

Nadat klanten de specificatie hebben bevestigd, zijn we erg blij om voorbeelden voor testen en kwalificatie te bieden.

Alle steekproeven zouden vóór verzending moeten worden betaald, is de steekproevenprijs hoger dan massale orde. Wanneer de massa-bestelling geplaatst, kunnen we u de monsters kosten, of stuur je meer stuk producten met de shipments.

U kunt de monsters rechtstreeks van ons kopen met t / t, western union of paypal. En je kunt het ook kopen op onze online winkel op aliexpress: [http://www.aliexpress.com/store/403448?Tracelog = minisite\\_CI](http://www.aliexpress.com/store/403448?Tracelog=minisite_CI).

##### 3). Garantie

OCOM is toegewijd aan het leveren van de meest kosteneffectieve producten en diensten met betrouwbare kwaliteit die voldoen aan de voldoening van de klant;

We waren gekwalificeerd door het wereldwijde Fortune 500-bedrijf en we hebben de eerste handelswaarborg die 100% uw geld en doorlooptijd beschermt.

Onze garantie van de producten is normaal gesproken ongeveer 12 + 1 maanden vanaf de verzending, sommige aangewezen modellen kunnen 24 maanden garantie hebben;

Elk product binnen 30 dagen na levering mislukt optreedt als ongeldige levering (DOA). DOA-producten geven voorrang aan de vervanging en worden per koerier verzonden.

Voor massa-orders willen we een aantal reserveonderdelen leveren met verzending voor lokale snelle reparatie. En daarna kunt u defecte onderdelen retourneren voor nabewerking en analyse.

##### 4). Betaalvoorwaarden

Voor massa-orders, kunt u ons betalen met behulp van T / T, LC, Western Union, Escrow of anderen. Over de volgorde van de monsters, T / T, Western Union, Escrow, Paypal zijn acceptable. Escrow Service wordt mogelijk gemaakt door Alipay.com. Momenteel kunt u betalen met Moneybookers, Visa, MasterCard en bankoverschrijving. U kunt ook betalen met geselecteerde betaalpassen, waaronder Maestro, Solo, Carte Bleue, Pos tePay, CartaSi, 4B en Euro6000.

#### **5. Bedrijf Informatie:**

OCOM Technologies Ltd. is de belangrijkste leverancier en fabrikant van POS en Auto-ID gerelateerde producten met TUV-gecontroleerd. OCOM dient het Fortune 500-bedrijf en heeft de hoogste 1% -niveau handelsassurance guarantee door alibaba.

De productenportfolio van OCOM omvat thermische printer, streepjescodeprinter, dotmatrixprinter, barcodescanner, POS-terminal, magnetische kaartlezer, datumterminal en andere POS randapparatuurproducten (geldlade, klantendisplay, POS-monitor, POS-toetsenbord, geldteller, Elektronische weegschaal, thermisch papier), die op grote schaal worden gebruikt voor de detailhandel, restaurants, banken, loterijen, transport, logistiek en andere toepassingen. We hebben CE, FCC en andere vereiste certificeringen.

De missie van OCOM is om de overtuigende keuze te zijn voor onze partners, en onze drie fundamentele overtuigingen zijn: "Integriteit gebaseerd, streven naar uitmuntendheid, Win-win-samenwerking". We willen graag stabiele en betrouwbare samenwerkingsverbanden aangaan met klanten over de hele wereld. OEM / ODM is welkom.

**6.Contact:**

Contact: Harold Hu

OCOM Technologies Limited

Adres: 4 / F, Blok 10, Zhongxing Industrial Park, Chuangye Road, Nanshan District,  
Shenzhen 518054, China;

Website: [www.ocominc.com](http://www.ocominc.com), [www.posolution.com.cn](http://www.posolution.com.cn);

E-mail: [sales14@ocominc.com](mailto:sales14@ocominc.com);

Skype: [sales14@ocominc.com](https://www.skype.com/people/sales14@ocominc.com)

MSN: [ocomsales14@hotmail.com](mailto:ocomsales14@hotmail.com);

Whatsapp: 0086.18948789890;

Wechat: 0086.18948789890;

Mobiel: 0086.18948789890;

QQ: 1467261417;

Tel: 0086.755.86053207-814;

Fax: 0086.755.86053207-868;