

Handheld Android-terminal voor industriële gegevens

(M / N: OCBS -A100)



Kenmerken:

1. Qualcomm Quad core Android 7.1
2. 1G RAM + 8G ROM of 2G RAM + 16G ROM voor opties
3. 4,0 inch 480 * 800 WVGA IPS-scherm
4. Numerieke en functionele bedieningspanelen
5. Ondersteuning van 4G-communicatie
6. 2.4G + 5G Dual-modus wifi en Bluetooth
7. Oplaadbaar li-ion polymeer, 3.7V, 3200Ah batterij
8. Robuuste IP54 / 1,5 m valtolerantie
9. Autofocus met 8 megapixel camera met optionele LED-flitser
10. 1D / 2D barcodescanner voor optioneel
11. POGO PIN-oplaadpoort ondersteunt optionele houder
12. GPS en NFC voor opties
13. Voer een screenshot uit door tegelijkertijd op de knoppen "Inschakelen" en "Volumn-" te drukken

GEGEVENS	
FYSIEKE EIGENSCHAPPEN	
Dimensie	162 mm (H) x 73 mm (B) x 20 mm (D) ± 2 mm

Gewicht	Netto gewicht: 266 g (inclusief batterij en polsbandje)	
tonen	4,0 inch TFT-LCD (WVGA 480x800) aanraakscherm met achtergrondverlichting	
backlight	LED-achtergrondverlichting	
toetsenborden	3 TP-toetsen, 23 functietoetsen, 4 zijknoppen	
uitbreidingen	2 SIM, 1 TF	
Accu	Oplaadbaar li-ion polymeer, 3.7V, 3200mAh	
PRESTATIEKENMERKEN		
processor	Qualcomm Quad core	
Besturingssysteem	Android 7.1	
opslagruimte	1 GB RAM + 8 GB ROM of 2 GB RAM + 16 GB ROM, MicroSD (max 32 GB uitbreiding)	
GEBRUIKERSOMGEVING		
Bedrijfstemperatuur.	-20 °C tot 50 °C	
Opslagtemp.	-20 °C tot 70 °C	
Vochtigheid	5% relatieve vochtigheid tot 95% RH (niet-condenserend)	
Drop specificaties	5 ft./1,5 m val naar beton over het bedrijfstemperatuurbereik	
Afdichting	IP54, IEC-conformiteit	
ONTWIKKELOMGEVING		
SDK	HHW Software Development Kit	
Taal	Java	
Milieu	Android Studio of Eclipse	
DATA COMMUNICATIE		
WWAN	TDD-LTE, FDD-LTE, B1 / B2 / B3 / B5 / B7 / B8 / B20 / B38 / B39 / B40 / B41	
WLAN	IEEE 802.11 a / b / g / n 2.4G + 5G	
WPAN	Bluetooth v4.1 + BR / EDR + BLE	
DATA CAPTUER		
BARCODE READER (OPTIONEEL)		
1D-streepjescode	1D-lasermotor	Mingde uE966 (Honeywell 4313 voor optioneel)
	Symbologies	Alle belangrijke 1D-streepjescodes
2D-streepjescode	2D CMOS-camera	Mingde ME54800 (Honeywell 3680 voor optioneel)
	Symbologies	PDF417, MicroPDF417, Com pos ite, RSS, TLC-39, Datamatrix, QR-code, Micro QR-code, Aztec, MaxiCode, Pos tal Codes, US Pos tNet, US Planet, VK Pos tal, Australische Pos tal, Japan Pos tal, Nederlandse Pos tal. enz.
RFID-lezer (optioneel)		
RFID HF	Frequentie	13.56MHz
	Protocol	ISO 14443A & 15693
	R / W bereik	2cm tot 8cm
ACCESSOIRES		
Standaard	1x Stroomvoorziening 1x Lithium-polymeerbatterij 1xDC oplaadkabel 1xUSB-datakabel	
facultatief	Wieg, GPS en NFC	

Android Industrial Data Terminal

M/N:OCBS-A100



1D/2D Scanner



4G



2.4G+5G WIFI



Bluetooth



Camera



Rugged IP54



HD Big Screen

4.0 inch high quality touch screen, 480 * 800 WVGA IPS display, high resolution, full-view, visible under outdoor bright light, easy to handle in outdoor.



High quality touch screen



Full-view



High Configuration

Adopts Qualcomm quad core Android 7.1 system, 2GB RAM+16GB ROM storage, safe and stable, can run multiple applications at the same time smoothly.



Professional Scanning Code

Professional barcode scanner, with 1D/2D for option.



High Efficiency Scanning

Industrial professional barcode scanner, ability to scan incomplete barcode, wrinkle barcode, fuzzy barcode, high-light barcode, wide scanning field of view, fast and accurate scanning, highly enhance the work efficiency.



Incomplete Barcode



Wrinkle Barcode



Fuzzy Barcode



High-light Barcode



Data Transmission



4G
Communication



2.4G+5G
Dual Mode WIFI



Support Bluetooth 4.1
Backward Compatibility

Application And Secondary Development

Flexible customization of brand, model number, item code and other specification, easy to adapt to the user's existing application APP and secondary development.



Industrial Protection Design

Adopt Industrial grade raw materials, rugged IP54 /1.5m drop tolerance, satisfies the outdoor dustproof and waterproof application, truly achieve anti-fall, rugged and durable function.



8 Million Pixel Camera

Adopts 8 million pixel camera with auto focus, Optional LED flash, auto-fill light, effectively improve shooting effect under weak light.

Photo	8 Million Pixel
Video	Support
Auto Focus	Support
Auto Fill Light	Support



Long Lasting

Built in 3.7V 3200Ah rechargeable Lithium-ion Battery, can work continuously up to 10-12 hours, standby time up to 72hours, meet the high workload requirements.



Fast Charging

Professional POGO PIN interface, fast charging, reduce the loss of batteries and mainframe at the same time.



POGO PIN Interface

Portable And Easy To Use

Nice appearance, easy to hold and carry.



Industrial Handheld PDA
With keypad, long life span



With back wristband
to prevent slip

Application

Warehousing Management



Logistics



Clothing Industry



Supermarket



Library



Manufacturing Industry



Inspection Law Enforcement



Electricity Meter Reading



Food Security Inspection



Package



Relevante documenten:

* [OCBS -A100 Specificatie](#)