

**kenmerken:**

Ondersteunt Windows, JAVA, Android, IOS of Android + IOS OS;  
USB, RS-232 communicatie, Bluetooth (optioneel);  
Batterij laadindicator voor gemakkelijke toegang tot de resterende stroom.  
Wijzig de naam en het wachtwoord van de Bluetooth-printer online;  
QR-code ondersteuning;  
Hogere afdruksnelheid van 90 mm / sec;  
100 km TPH-levensduur;  
Lithiumbatterijen met laag vermogen en grote capaciteit;  
Standaard voedingsadapter voor autoladers.

**Product specificaties:**

Afmetingen (breedte x diepte x hoogte)	105 x 75 x 45 mm
gewicht	134 gram
kleur	zwart
Effectieve afdrukbreedte	48 mm
Afdrukmethode	Hotline-afdrukken
Afdrukopdracht	ESC / POS-compatibele commandoset
Print snelheid	Tot 90 mm / sec
resolutie	8 punten / mm (203dpi)
Lettertype afdrukken	12x24 / 24x24
Kolomcapaciteit	32 kolommen / 16 kolommen
Tekengrootte	1,5 x 3,0 mm (breedte x hoogte) / 3,0 x 3,0 mm (breedte x hoogte)
Papierformaat	58,2 ± 0,1 mm x diameter 40,0 mm
Papierdikte	0,06 tot 0,08 mm
Tekenset	Alfanumerieke / Chinese karakters
interface	USB, RS-232, Bluetooth (optioneel)
flash	256KB
Voedingsadapter	9V DC / 2A
Batterijvermogen	7.4V DC / 1500mA; de batterij kan 4-5 dagen meegaan, wanneer deze vol is, kan deze 120-150 meter papier afdrukken
Andere functies	Papieren detectie, vermogensdetectie, handmatige uitschakeling
Werkomgeving	Temperatuur: -10 ° C ~ 50 ° C, luchtvochtigheid: 10% ~ 90%
Opslag staat	Temperatuur: -20 ° C ~ 70 ° C, vochtigheid: 5% ~ 95%
Apparaatnaam	Aanpasbare, alfanumerieke en numerieke opties, maximaal 30 ASCII-tekens.



## 58mm Bluetooth Thermal Printer for Andorid or IOS system

OCPP-M03



### Product Picture





## Features

### **Simple but not easy**

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows, Android, or iPhone OS;  
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.  
100km TPH Life



Low power consumption and large capacity Lithium battery.



## All-round show





## Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



## Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

## Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

## Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C



## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com),  
Together we quest for the best.





Monica Fu



## OCOM Technologies Limited

---

**Add:** 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

**Tel:** 0086.755.8605.3207 ext 801

**Fax:** 0086.755.8605.3207 ext 868

**Web:** [www.ocominc.com](http://www.ocominc.com)

**E-mail:** [sales01@ocominc.com](mailto:sales01@ocominc.com), [sales01@ocomtech.com.cn](mailto:sales01@ocomtech.com.cn)

**Skype:** ocomsales01; **MSN:** ocomsales01@hotmail.com

**Ali TM:** cn1001868228; **QQ:** 1483705401

**Mobile/Wechat/Whatsapp:** 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products