

Handheld-Android POS Terminal met thermische label- en bonPrinter

(M/N: POS-T2)

Functies:



Deca-core MT6797 Tri-Cluste-A72*2A53*8 2,3GHz-processor;

Ingebouwde hoge snelheid 58 mm thermische bon- en labelprinter;

Standaard 3 GB RAM16G ROM;

Ingebouwde luidspreker met groot volume;

Ingebouwde NFC-module;

2 * SIM-kaartsleuf;

Ondersteuning van USB type-C snel opladen;

Verwijderbare 6400 mAh pure kobaltbatterij met grote capaciteit;

1D- en 2D-streepjescodelezer en vingervrinter voor opties.

Technische specificaties:

Model	POS-T2
Naam	5,5 inch capacatief touchscreen, ondersteunen de elektronische handtekening
Accu	3,8 V/6400 mAh
Oplader	Ingang: 100-240V, 50/60Hz, 1,5A Uitgang: 5V DC /2A
Opladerinterface	USB-type C
Weergave	
Hoofdscherm	5,5 inch HD-aanraakscherm
Oplossing	1280*720
Prestatie	
CPU	Deca-core MT6797 Tri-Cluste-A72*2A53*8 2,3GHz-processor
RAM	3GB
Flash	16 GB flitser
Communicatie	2G/3G/4G
Besturingssysteem	Android 8.0
Knop	Aan/uit-knop, scanknop, volumeknop
Bluetooth	Bluetooth 4.0
WIFI	WIFI 802.11 b.g.n.ac
Printer	58 mm thermische bonprinter
Papieren rol	Breedte: 58 mm; Diameter: ≤40 mm
Scanner	Camera-decoding 2D-scanner (optie)
NFC	Ondersteuning ISO/IEC 14443A&B, Mifare, felica-kaart
SIM-sleuf	Sim*2
Spreker	Digitale audioluidspreker
Vingerafdruk	Vingerafdruk (optioneel)

GPS of AGPS	Ondersteuning GPS AGPS
MDM	Steun
Randaccessoires	pakket
Accessoires	USB-type C*1
	voedingsadapter*1
	gebruikershandleiding*1
Omgeving	
Bedrijfstemperatuur	0 tot 40 graden Celsius
Bewaar temperatuur	-10 tot 60 graden Celsius
Werkvochtigheid	10%~80%
Vochtigheid bij opslag	10%~90%

SMART Handheld POS Terminal

MULTI-PLATFORM AUTOMATIC PRINTING
easy to deal with a variety of working environment





Thermal Receipt
Label Printing



Touch HD
Screen



Multi-version
Connection



5 Million
Pixels



3GB+16GB
Standard



Removable 6400mAh
Large Capacity Battery



NFC
Standard



CPU
Deca-core

Multiple versions Connection options

Support full Net-com, Bluetooth, WIFI multiple versions of connection, Excellent experience



Support 2.4G&5G



Built-in NFC Module



2G/3G/4G communication

Support Download APP from Google Play Store

High Quality and Performance, Your reliable POS



Large paper bin Print more durable

Can accommodate 42mm diameter thermal paper to avoid frequent paper changes and improve printing efficiency.

58mm

Maximum
paper width

42mm

Maximum
paper diameter



■ SMART PRINTING


Thermal Receipt / Label Printing

Built-in high speed 58mm thermal receipt and label printer




5.5-inch HD IPS Screen

720*1280 resolution, stable every pixel, allowing users to see more clearly



2D Barcode Scanner for Optional

5 Million Rear HD Camera
quickly identify barcodes QR codes
record important information



Scan code



Photo



Video



NFC Contactless Card

NFC contactless card reader payment function




Strong Performance



Memory

3GB RAM+16GB ROM



Processor

2.3GHz processor

Built-in MDM Control System



Application Management

Support Software Shielding, Pre-installation, Intergrated Testing, Remote Upgarde and management ,etc.

appMgr

myAppList

marketList

System Customization

Specified APP can be installed or reinstalled by default once Internet connected for first time or be deleted.

systemCustom

defaultApp

Device Management

Check all information and usage status of hardware devices such as operation logs.

deviceMgr

MyDevice

Statistics

Check device activation time, positioning, software information and version.

Statistics

Mydevice

DeviceInfo

Kioak APP

Specified APP runs automatically after the hardware is powered on. Can't quit, can't be uninstalled.

Kioak

Kioak App.

security

Double Frequency WIFI

Double insurance of 4G high Speed network and dual-frequency WIFI network can ensure the real-time data communication in different using environment



Large Capacity Battery

Removable 6400mAh large capacity pure cobalt battery



Fingerprint Security

Ministry of Public Security or FBI fingerprints (Optional)



Sensitive
Ascension



Fingerprint ID



Structure specification

SMART PRINTING



Simple construction Easy operation



Dimensions

SMART PRINTING



197*82*57.5mm



Manual measurement has slight errors and does not affect the use.

Packaging accessories

SMART PRINTING



Beautiful packaging, original accessories



01 Machine 02 User Manual 03 Roller Paper

04 Type C Cable 05 Charging Adaptor

Applicable Scene

Powerful functions such as mobile cashier, receipt printing, pin storage, queuing, billing, label printing, QR code collection, NFC membership management, infrared physical temperature measurement, etc.



Supermarket Cashier



Catering



Convenience Store



Clothing Store



Purchase and Sale



Parking System



Temperature Measurement



Queuing Up



Relevante documenten:

[POS-T2 SDK](#)