

HAndbediend Android POS Terminal met T hermaal Etiket en ontVangstbewijs Printer

(M/N:POS -T2)

Functies:

1. **Deca-kern** MT6797 Tri-Cluste-A72*2A53*8 2,3GHz-processor
2. Ingebouwde hoge snelheid 58 mm thermisch **ontvangstbewijs en etiket** printer
3. Standaard **3 GB RAM** -x-16G-ROM
4. Ingebouwde luidspreker met groot volume
5. Ingebouwde NFC-module
6. **2*simkaart** kaartsleuf
7. Ondersteuning USB type-C **snel opladen**
8. **Verwijderbare 6400 mAh** grote capaciteit **zuiver kobalt** accu
9. 1D- en 2D-streepjescodelezer en vingerprieter voor opties

Specificatie

Model	- T2
Naam	5,5 inch capacitief touchscreen, ondersteunen de elektronische handtekening
Accu	3.8 V / 64 00 mAh
Oplader	Invoer□100-240V , 50/60 Hz ,1,5A Uitvoer□ 5 V gelijkstroom /2 A
Opladerinterface	USB-type C
Hoofdscherm	5,5 inch HD-aanraakscherm weergave
Oplossing	720*1280IPS
Prestatie	
CPU	Deca-core MT6797 Tri-Cluste-A72*2A53*8 2,3GHz-processor
RAM	3 GB
Flash	16 GB flitser
Communicatie	2G/3G/ 4G
Besturingssysteem	Android 8,0
Knop	Aan/uit-knop, scanknop ,Volumeknop
Bluetooth	Bluetooth 4.0
WIFI	WIFI 802.11 b.g.n.ac
Printer	Thermische bon van 58 mm en etiket Printer
Papieren rol	Breedte: 58 mm; Diameter: ≤40 mm
Scanner	5 Megapixel Camera-decodering , 2D-scanner (optie)
NFC	Ondersteuning ISO/IEC 14443A&B, Mifare, felica-kaart
SIM-sleuf	Sim*2 (standaard) of Sim*1Sam*1 als optie
Spreker	Digitale audioluidspreker
Vingerafdruk	FBI/STQC Vingerafdruk (Optioneel)
GPS of AGPS	Ondersteuning GPS AGPS
MDM	Steun
Randaccessoires	
Accessoires	USB-type C*1
	Opladen adapter*1
	gebruikershandleiding*1

Omgeving	
Bedrijfstemperatuur	0 tot 40 graden Celsius
Bewaar temperatuur	- 10 tot 60 graden Celsius
Werkvochtigheid	10%~80%
Vochtigheid bij opslag	10%~90%

Productdetails

Built-in MDM Control System



Fingerprint Security

Ministry of Public Security or FBI fingerprints (Optional)



Sensitive
Ascension




Fingerprint ID



NFC Contactless Card

NFC contactless card reader payment function



Double Frequency WFI

Double insurance of 4G high Speed network and dual-frequency WIFI network can ensure the real-time data communication in different using environment



Structure specification

SMART PRINTING



Simple construction Easy operation



Large Capacity Battery

Removable 6400mAh large capacity pure cobalt battery



Dimensions

SMART PRINTING




197*82*57.5mm



Manual measurement has slight errors and does not affect the use.

5.5-inch HD IPS Screen

720*1280 resolution, stable every pixel, allowing users to see more clearly



Strong Performance



OS

Android System




Memory

3GB RAM+16GB ROM

Support Download APP from Google Play Store

High Quality and Performance, Your reliable POS



Thermal Receipt / Label Printing

Built-in high speed 58mm thermal receipt and label printer



Large paper bin Print more durable

Can accommodate 42mm diameter thermal paper to avoid frequent paper changes and improve printing efficiency.

58mm

Maximum
paper width

42mm

Maximum
paper diameter




■ SMART PRINTING

Packaging accessories

SMART PRINTING



Beautiful packaging, original accessories




01 Machine 02 User Manual 03 Roller Paper

04 Type C Cable 05 Charging Adaptor


SMART Handheld POS Terminal

MULTI-PLATFORM AUTOMATIC PRINTING
easy to deal with a variety of working environment



5 Million Rear HD Camera

HD camera quickly identify barcodes QR codes
record important information
2D Barcode scanner for optional



Scan code



Photo



Video





Thermal Receipt
Label Printing



Touch HD
Screen



Multi-version
Connection



5 Million
Pixels



Large Volume
Speaker



Large Capacity
Battery



NFC
Standard



CPU
Deca-core

Multiple versions Connection options

Support full Net-com, Bluetooth, WIFI multiple versions of connection, Excellent experience

