

# Windows15 Inch alles-in-één POS-aanraakscherm

(M / N .: POS 8619)

## Hoofdfuncties

Intel Celeron J1900 Quad core 2.0 GHZ  
Harde driver SSD 32 GB (standaard), SSD 64 GB en SSD 120G voor optioneel  
5-draads bestendig aanraakscherm (standaard), capacitief scherm voor optioneel  
VFD-klantendisplay voor optioneel

## Toepassing

Catering: hotel, restaurant, fastfoodrestaurant, koffiehuis, bakker en banketbakker  
Detailhandelaar: zakenstraat, boetiek, warenhuis, cosmeticawinkel en eerste klas kapperszaak  
Recreatie: sauna, spa, nachtclub, themapark, casino en verkooppunt voor loten  
Commercieel: informatiebeheerterminals voor parkeerterrein, herberg, luchtvaart, metro, station en kade

## Specificatie

Model	POS-8619
Optionele kleur	Zwart en wit
Optionele randapparatuur	VFD220E
Hoofdbord	Intel Celeron-processor
processor	Intel Celeron J1900 Quad core 2.0 GHZ
chipset	Intel NM70
Geheugenondersteuning	DDRIII 1333 * 1 2 GB (standaard)
Harde stuurprogramma	SSD 32 GB (standaard)
Lcd-schermformaat	15 inch TFT LCD-scherm
Helderheid	350cd / m <sup>2</sup>
Resolutie	1024 * 768 (max)
Touch screen	5-draads bestendig aanraakscherm
Kijkhoek	Horizon: 150; Verticaal: 140
I / O-poort	1 * aan / uit-knop 12V DC-aansluiting * 1 Serie * 1 DB9 mannetje * 2 HDMI * 1 VGA (15-pins D-sub) * 1 LAN RJ-45 * 1 USB (2.0) * 6 Audio-uitvoer * 1 MIC IN * 1
Bewaar temperatuur	Bedrijfstemperatuur -20 °C tot 60 °C
Nakoming	FCC Klasse A / CE-markering / LVD / CCC
Afmeting / gewicht verpakking	410 * 310 * 410 mm / 7.6 Kgs
Besturingssysteem	Windows XP hierboven, Embedded, WE POS, Linux
Oplader	110-240 V / 50-60 HZ wisselstroom, Input DC12 / 5A uitgezet

## Productomschrijving



**Product Picture**



**Features**



**Parameter**

Model	POS-8619
Optional Color	Black or White
Optional Peripherals	VFD220E
Main Board	Intel Celeron Processor
CPU	Intel Celeron J1900 dual core 1.8GHZ
Chipset	Intel NM70
Memory Support	DDR3 1066/1333*1 2GB (default)
Hard Drive	SSD 32GB (default)
LCD panel Size	15 inch TFT LCD
Brightness	350cd/m <sup>2</sup>
Resolution	1024*768(max)
Touch Screen	5 wire resistive touch screen
View Angle	Horizon: 160; Vertical: 140
I/O port	1* power button 12V DC in jack*1
	PS2KB/M5*1
	Serial*1 DB9 male
	Parallel*1 DB25 Parallel port
	VGA(15Pin D-sub)*1
	LAN RJ-45*1
	USB2.0*6
Audio out*1	
MIC IN*1	
Operating temperature	0°C to 40°C
Storage temperature	-20°C to 60°C
Compliance	FCC Class A/CE Mark/VDI/CCC
Packing dimension/ Weight	410*310*410mm / 7.8 Kg
Operating System	Windows XP above, Embedded WEPOS Linux
Power adapter	110-240V/50-60HZ AC power, Input DC12V/5A out put

**Production Line**



**Capacity**

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

✓ Indicates information has been verified onsite by TÜV on 2012.12.5

**All-round show**



**Quality Assurance**

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TÜV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

**Test Equipments**

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No information	5
✓	Withstand Voltage Tester	CC257A	1
✓	Oscilloscope	TEB102	1
✓	DC Power Supply	PS-3550M	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No information	13

✓ Indicates information has been verified onsite by TÜV on 2012.12.5

**Certifications**



**Application Area**



**Packing and Shipment**



Monica Fu



## OCOM Technologies Limited

---

**Add:** 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

**Tel:** 0086.755.8605.3207 ext 801

**Fax:** 0086.755.8605.3207 ext 868

**Web:** [www.ocominc.com](http://www.ocominc.com)

**E-mail:** [sales01@ocominc.com](mailto:sales01@ocominc.com), [sales01@ocomtech.com.cn](mailto:sales01@ocomtech.com.cn)

**Skype:** ocomsales01; **MSN:** ocomsales01@hotmail.com

**Ali TM:** cn1001868228; **QQ:** 1483705401

**Mobile/Wechat/Whatsapp:** 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products