

12 inch alles-in-een touchscreen POS-terminal (Model: POS -8812)

Specificatie:

Scherm	Weergavegebied (mm)	385mm (H) X245mm (V)
	Puntpunt (mm)	0,294 mm x 0,294 mm
	Resolutie	Dubbel lichtscherm van 800x600
	Helderheid	350cd / □
	Contrast	400: 1
	Kleur	16.7M
	Reactietijd	15ms
	Kijk hoek	150 ° (H) 150 ° (V)
	Stroomvoorziening	12V 5A externe voedingsadapter
	Aanraakscherm	5-draads resistieve aanraking
Hoofdmachine	CPU:	Intel ATOM D525 1,8 GHz,
	Geheugen:	DDR3 2 GB
	chipset:	Intel Pine view-D en Intel Nm10
	SSD	32G
	IO	6x USB2.0, 1x LAN; 2x PS / 2, 2X RS232, 1X Parallel, 1X VGA, 2X Audio
	Operatie systeem:	Ondersteuning van Windows 2000 / XP / Vista of hoger, Mac OS X of hoger, Linux
	Naleving: CE, FCC EN UL	
Accessoires	Stroomkabels	
		1x Drive geïnstalleerde CD

toepassingen:

- Catering: hotel, restaurant, fastfoodrestaurant, koffiebar, bakkerij en banketbakker;
- Retailer: Business Street, boetiek, warenhuis, cosmeticawinkel en eersteklas kapperszaak;
- Recreatie: sauna, spa, nachtclub, themapark, casino en verkooppunt voor loten;
- Commercieel: informatiebeheerterminals voor parkeerterrein, herberg, luchtvaart, metro, station en werf;

Productdetails:



Product Picture





Features

Simple but not easy

Small size save space for shop



Good-looking design is suitable for



many POS field

Low power-consumption solution
guarantees its stable quality
and safety



All-round show





Parameter

Display Area(mm)	385mm(H)X245mm(V)
Dot Pith(mm)	0.294mm X 0.294mm
Resolution	800x600 dual light screen

Display	Brightness	350cd/㎡
	Contrast	400: 1
	Color	16.7M
	Response time	15ms
	Viewing Angle	150°(H) 150°(V)
	Power Supply	12V 5A external Power adaptor
	Touch Panel	5-wire Resistive Touch
Main Machine	CPU:	Intel ATOM D525 1.8GHz,
	Memory:	DDR3 2GB
	Chipset:	Intel Pine view-D And Intel Nm10
	SSD	32GB
	I/O	6x USB2.0 , 1x LAN; 2x PS/2, 2X RS232, 1X Parallel, 1X VGA, 2X Audio
	Operation System:	Support Windows 2000 / XP / Vista Or Later, Mac OS X Or Later, Linux
	Compliance:	CE, FCC, AND UL
Accessories	Power cables	
	1x Drive installed CD	

Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive

2. By air: usually around 7 working days to arrive

3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port

4. By sea: depend on which destination port

5. T/T

6. Western Union

7. Escrow

8. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,
Together we quest for the best.





Relevante documenten:

Wilt u meer weten product informatie? Alstublieft Klik hier.

[Specificatie](#)

[POS 8812, POS 8812L touch-stuurprogramma voor linux](#)
[POS 8812, POS 8812L touch-stuurprogramma voor Windows-systeem](#)