

**58mm Małe Handheld Bluetooth telefonu Poz termiczna drukarka pokwitowań
(Model: OCPP-M03)**

Specyfikacja:

Wymiary (W x D x H)	105 × 75 × 45 mm
Waga	134 g
Kolor	Czarny
Efektywna szerokość druku	48 mm
Metoda drukowania	Linia Druk termiczny
Polecenie Drukuj	ESC / POS kompatybilny zestaw instrukcji
Prędkość druku	Do 90 mm / s
Uchwała	8 punktów / mm (203dpi)
Drukuj czcionki	W 12x24 / 24x24 w
Pojemność kolumny	32 / 16columns
Wielkość znaków	1,5 × 3,0 mm (szerokość x wysokość) / 3.0x3.0mm (szerokość x wysokość)
Rozmiar papieru	Średnica 58,0 mm do ± 0,1 mm x40.0
Grubość papieru	Od 0,06 do 0,08 mm
Zestaw znaków	Alfanumeryczny / chiński tekst
Interfejs	USB, RS-232, Bluetooth (opcja)
Błysk	256KB
Zasilacz	9V DC / 2A
Zasilanie bateryjne	DC / 1500 mA 7.4V; Akumulator może pozostać w 4-5 dni, gdy jest pełna siły, może wydrukować 120-150M papieru
Inne funkcje	Wykrywanie papieru, wykrywanie zasilania, ręcznie zamknąć
Warunki pracy	Temperatura -10Celsius ~ 50CelsiusHumidity: 10% ~ 90%
Warunki przechowywania	Temperatura: -20Celsius ~ 70CelsiusHumidity: 5% ~ 95%
Nazwa Urządzenia	Można dostosować, aby wybrać litery i cyfry do 30 znaków ASCII.
Hasło	Wejście kod parowania domyślny "1234" To może być dostosowany. Maksymalnie 6 Digitals.
Wymiary wtyczki	3,5 * 1,1 mm

Informacje dotyczące zamawiania	P / N	Opis
	OCPP-M03-BB	Z bluetooth i baterii, support Android
	OCPP-M03-BB-AI	Z bluetooth i baterii, support Android i iOS
	OCPP-M03-UB	Z Barrery USB komunikacie
	OCPP-M03-U	Komunikacja USB, bez BT, baterii
	OCPP-M03-B	Komunikacja bluetooth bez baterii
	OCPP-M03-UC	Komunikacja USB z ładowarką samochodową
	OCPP-M03-BC	Komunikacja Bluetooth z ładowarką samochodową
	OCPP-M03-C	Inne Dostosowane



Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows,Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,
Together we quest for the best.



Odpowiednie dokumenty:

*[Specyfikacja](#)

*[Instrukcja programu](#)

*[Instrukcja obsługi](#)

*[Sterownik dla WinXP Win2000 WinVista Win8-32bit](#)

*[Sterownik dla Win8-64bit](#)

*[Sterownik dla systemu Linux](#)

*[Parametry drukarki Ustawianie Narzędzia](#)

*[Printdemo USB\(Application Software demo\)](#)

*[Bluetooth Printdemo\(Application Software demo\)](#)

*[SDK dla Androida](#)

*[Płyta CD Akta](#)

Powiązane Wideo:

[Jak ocpp-M05-bb działa poprzez Bluetooth i USB kabla](#)

[OCPP-M05-BB-Pracuję z systemem Android i IOS](#)

[Wideo do pracy OCPP-M05 z tabletem za pomocą kabla USB Android](#)

FAQ: