

## Hot Sprzedaż monitora Pos Portable komputerowych w Chinach

(Model: POS8812 )

### Specyfikacja:

Pokaz	Pokaz Powierzchnia (mm)	385 mm (H) X245mm (V)
	Kropka Rdzeń (mm)	0.294mm X 0.294mm
	Rozkład	800x600 podwójnego podświetlenie ekranu
	Jasność	350cd / □
	Kontrast	400: 1
	Kolor	16.7M
	Odpowiedź czas	15ms
	Przedstawiamy Kąt	150 ° C (H) 150 ° C (V)
	Moc Dostawa	12V 5A Zewnętrzny zasilacz
	Panel dotykowy	5-przewodowy dotykowy rezystancyjny
Główny Maszyna	CPU:	Intel ATOM D525 1.8GHz,
	Pamięć:	DDR3 2GB
	Chipset:	Intel Pine View-D oraz Intel NM10
	SSD	32G
	I / O	6x USB 2.0, 1x LAN; 2x PS / 2, 2x RS232, 1x port równoległy, 1x VGA, 2x audio
	Działanie System:	Wsparcie dla Windows 2000 / XP / Vista lub nowszy Mac OS X lub Później, Linux
	Spełnienie:	CE, FCC, UL I
Akcesoria	Moc przewody	
	1x Napęd zainstalowany CD	

### Aplikacje:

- Wyżywienie: hotel, restauracja, fast-food restauracja, kawiarnia, piekarnia i Cukiernia;
- Sprzedawca: Ulica działalności, butik, dom towarowy, kosmetyki sklep i wysokiej klasy fryzjera;
- Rekreacja: sauna, spa, klub nocny, park rozrywki, kasyno oraz punkt sprzedaży na loterii;
- Komercyjne: Terminale zarządzania informacyjne dla parkingu, pensjonat, lotnictwa, metro, dworzec i estakada;

### Szczegóły Produktu:



**12 Inches All-In-One  
Touch Screen POS Terminal  
POS8812**

**Product Picture**





## Features

### *Simple but not easy*

Small size save space for shop



Good-looking design is suitable for



many POS field

Low power-consumption solution  
guarantees its stable quality  
and safety



## All-round show





## Parameter

Display Area(mm)	385mm(H)X245mm(V)
Dot Pith(mm)	0.294mm X 0.294mm
Resolution	800x600 dual light screen

Display	Brightness	350cd/㎡
	Contrast	400: 1
	Color	16.7M
	Response time	15ms
	Viewing Angle	150°(H) 150°(V)
	Power Supply	12V 5A external Power adaptor
	Touch Panel	5-wire Resistive Touch
Main Machine	CPU:	Intel ATOM D525 1.8GHz,
	Memory:	DDR3 2GB
	Chipset:	Intel Pine view-D And Intel Nm10
	SSD	32GB
	I/O	6x USB2.0 , 1x LAN; 2x PS/2, 2X RS232, 1X Parallel, 1X VGA, 2X Audio
	Operation System:	Support Windows 2000 / XP / Vista Or Later, Mac OS X Or Later, Linux
	Compliance:	CE, FCC, AND UL
Accessories	Power cables	
	1x Drive installed CD	

## Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive

2. By air: usually around 7 working days to arrive

3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port

4. By sea: depend on which destination port

5. T/T

6. Western Union

7. Escrow

8. L/C

## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com),  
Together we quest for the best.





### **Wymagane dokumenty:**

Chcesz wiedzieć więcej inf produktówORMATION?Proszę Kliknij tutaj.✖

#### **[Specyfikacja](#)**

**[POS8812, POS8812L dotyczą sterownika dla systemu Linux](#)**  
**[POS8812, POS8812L dotykowy sterownik dla Windows System](#)**