

# 3-calowa termiczna drukarka etykiet z kodami kreskowymi (Model: OCBP-020)

Cechy:



Szerokość druku można regulować;

Inteligentna kontrola temperatury sprawia, że drukarka pracuje stabilniej;

Automatyczna kalibracja;

Wysoka prędkość drukowania;

Kompatybilny z różnymi etykietami wysyłkowymi.

## Specyfikacja

Ogólny	
Model	OCBP-020

Interfejs	USB/USBBluetooth
Żywotność głowicy drukarki	50KM
Zasilacz	Wejście: AC 100-240 V, 50 ~ 60 Hz; Wyjście: DC 24 V/1,5 A
Czujniki	Czujniki dwugłoska bezdźwięczne: transmisyjne i odblaskowe
Sterownik drukarki	Windows, MAC OS, obsługa IOS/Android
Rotacja czcionek i kodów kreskowych	0°, 90°, 180°, 270°
Polecenie drukarki	Polecenie TSPL (CPCL/ESC/POS polecenie- opcjonalnie)
Możliwość drukowania	
Metoda drukowania	Bezpośrednia linia termiczna
Rozdzielczość	203 DPI
Szybkość drukowania	120 mm/s
Szerokość druku	20-76 mm
Dostępna maksymalna szerokość papieru	80mm
Kod kreskowy i znak	
kod kreskowy	Kod kreskowy 1D: UPC-A / UPC-E / JAN13 (EAN13) / JAN8 (EAN8) / CODE39 / ITF / CODABAR / CODE93 / CODE128 Kod kreskowy 2D: kod QR, PDF417
Media	
Typ mediów	papier ciągły, papier etykietowy, papier składany, papier etykietowy
Szerokość nośnika	Maks. 80 mm
Grubość nośnika	0,06-0,30 mm
Średnica rdzenia nośnika	25,4 mm
Średnica rolki papieru	100 mm (MAKS.)
Fizyczny	
Wymiar fizyczny	200*160*139,5mm
Waga	Netto: 1,02 kg, brutto 1,40 kg
Pudełko na pakiet	235*220*170mm
8 w jednym kartonie	490*460*360mm/12kg
Akcesoria	Kabel USB, instrukcja obsługi, zasilacz
Środowisko	

Temperatura i wilgotność pracy	5 do 40 stopni Celsjusza, 25% ~ 85% Brak kondensacji
Temperatura i wilgotność przechowywania	-40 do 60 stopni Celsjusza, 10% ~ 90% Bez kondensacji

# 3-inch Label Printer

OCBP-020



Windows

MAC OS



Android

IOS



**No ribbon, No ink  
Thermal printing.**

Paper can be printed without any consumables  
saves time and money.



## Easy Installation



## Freely adjust the printing width

Compatible with various shipping labels, Removable paper slot adjustable printing width, Large-capacity paper warehouse Reduce frequent paper changes

20-80mm  
Print Width

100mm  
Paper roll diameter



### Adjustment paper range



## Support Paper Width 20-80mm

Standard: 020-20200202  
Category: B  
Product Name: Sweater  
Style No.: Z-4747  
Specification: XL  
Fabric: 93% wool  
Registration:  
qualified products  
**\$29.99**

**Bubble Tea**  
Taste: Shaobing  
Price: 6.00  
Time: 02-02-02

Jewellery

**Menu**  
Sirloin steak .....\*3  
Mexican rolls .....\*2  
Salad .....\*1  
Turkey .....\*1  
Dessert .....\*3  
Mashed potatoes .....\*1  
**\$29.99**



## Professional print head, Stable and durable.

With professional thermal print head, stable performance, clear printing and long working life.



## Automatic rollback function to prevent paper waste

Automatically induction paper when the printer starts up, and the first piece of paper will automatically return without wasting

-  Gap detection
-  Paper outlet detection
-  Paper shortage detection



# Multiple interfaces

Supports USB, Bluetooth and Local area network port optional



USB



Bluetooth




LAN



USB Connection



Bluetooth Connection



LAN Connection



# Product Function Structure




## Packaging accessories

SMART PRINTING



Beautiful packaging, original accessories



01 Machine

02 USB Cable

03 Power Cable

04 User Manual





# APPLICATION

Applied to supermarkets, warehouse labels;  
express bills; office printing, etc.

Office desktop printing



Courier form



Warehouse Label Printing



**Odpowiednie dokumenty:**

[Płyta CD z etykietą Pritner](#)

