

Funkcje:

Obsługa systemów Windows, JAVA, Android, IOS lub Android + IOS;
USB, komunikacja RS-232, Bluetooth (opcjonalnie);
Wskaźnik ładowania baterii zapewnia łatwy dostęp do pozostałej mocy.
Zmień nazwę drukarki Bluetooth i hasło online;
Obsługa kodów QR;
Wyższa prędkość drukowania 90 mm / s;
100 km życie TPH;
Akumulatory litowe o małej mocy i dużej pojemności;
Standardowy zasilacz do ładowarek samochodowych.

Specyfikacja produktu:

Wymiary (szerokość x głębokość x wysokość)	105 x 75 x 45 mm
Waga	134 gramów
Kolor	Czarny
Efektywna szerokość wydruku	48 mm
Metoda drukowania	Gorąca linia drukowania
Polecenie wydruku	Zestaw poleceń kompatybilnych z ESC / POS
Szybkość drukowania	Do 90 mm / s
Rozdzielczość	8 punktów / mm (203dpi)
Drukuj czcionkę	12 x 24/24 x 24
Pojemność kolumny	32 kolumny / 16 kolumn
Rozmiar postaci	1,5 x 3,0 mm (szerokość x wysokość) / 3,0 x 3,0 mm (szerokość x wysokość)
Rozmiar papieru	58,0 ± 0,1 mm x średnica 40,0 mm
Grubość papieru	0,06 do 0,08 mm
Zestaw znaków	Znaki alfanumeryczne / chińskie
Interfejs	USB, RS-232, Bluetooth (opcjonalnie)
Flash	256 KB
Zasilacz	9 V DC / 2A
Moc baterii	7.4V DC / 1500mA, bateria wystarcza na 4-5 dni, kiedy jest pełna moc, może wydrukować 120-150 metrów papieru
Inne funkcje	Wykrywanie papieru, wykrywanie zasilania, ręczne wyłączenie
Środowisko pracy	Temperatura: -10 ° C ~ 50 ° C, wilgotność: 10% ~ 90%
Warunki przechowywania	Temperatura: -20 ° C ~ 70 ° C, wilgotność: 5% ~ 95%
Nazwa urządzenia	Możliwość dostosowania, opcje alfa i numeryczne, do 30 znaków ASCII.



58mm Bluetooth Thermal Printer for Andorid or IOS system

OCPP-M03



Product Picture





Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows, Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,
Together we quest for the best.





Monica Fu



OCOM Technologies Limited

Add: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

Tel: 0086.755.8605.3207 ext 801

Fax: 0086.755.8605.3207 ext 868

Web: www.ocominc.com

E-mail: sales01@ocominc.com, sales01@ocomtech.com.cn

Skype: ocomsales01; **MSN:** ocomsales01@hotmail.com

Ali TM: cn1001868228; **QQ:** 1483705401

Mobile/Wechat/Whatsapp: 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products