

Mobilny handheld POS Terminal z Androidem POS Terminalowy skaner kodów QR POS Maszyna

(M/N: POS-T2)

Cechy:



Procesor dziesięciordzeniowy MT6797 Tri-Cluste-A72*2A53*8 2,3 GHz;

Wbudowana, szybka termiczna drukarka paragonów i etykiet o średnicy 58 mm;

Standardowa 3 GB Baran 16 GB ROM;

Wbudowany głośnik o dużej głośności;

Wbudowany moduł NFC;

2 * gniazdo karty SIM;

Obsługa szybkiego ładowania USB typu C;

Wymienna bateria kobaltowa o dużej pojemności 6400 mAh;

Czytnik kodów kreskowych 1D i 2D oraz drukarka linii papilarnych dla opcji.

Specyfikacja techniczna:

Model	POS-T2
Nazwa	Pojemnościowy ekran dotykowy o przekątnej 5,5 cala, obsługują podpis elektroniczny
Bateria	3,8 V /6400 mAh
Zasilacz	Wejście: 100-240 V, 50/60 Hz, 1,5 A Wyjście: 5 V DC / 2 A
Interfejs ładowarki	USB typu C
Wyświetlacz	
Główny ekran	Wyświetlacz dotykowy HD o przekątnej 5,5 cala
Rezolucja	1280*720
Wydajność	
procesor	Procesor dziesięciordzeniowy MT6797 Tri-Cluste-A72*2A53*8 2,3 GHz
RAM	3 GB
Błysk	16 GB Flasha
Komunikacja	2G/3G/4G
System operacyjny	Androida 8.0
Przycisk	Przycisk zasilania, przycisk skanowania, przycisk głośności
Bluetooth	Bluetooth 4.0
Wi-Fi	WIFI 802.11 b.g.n.ac
Drukarka	Termiczna drukarka pokwitowań 58 mm
Rolka papieru	Szerokość: 58mm; Średnica: ≤40mm
Skaner	Dekodowanie kamery Skaner 2D (opcja)
NFC	Obsługa ISO/IEC 14443A i B, Mifare, karta felica
Gniazdo karty SIM	Sim*2
Głośnik	Cyfrowy głośnik audio
Odcisk palca	Odcisk palca (opcjonalnie)
GPS lub AGPS	Obsługa GPSAGPS
MDM	Wsparcie
Akcesoria peryferyjne	pakiet

Akcesoria	USB typu C*1
	zasilacz*1
	instrukcja obsługi*1
Środowisko	
Temperatura robocza	0 do 40 stopni Celsjusza
Temperatura przechowywania	-10 do 60 stopni Celsjusza
Wilgotność robocza	10% ~ 80%
Wilgotność przechowywania	10% ~ 90%

SMART Handheld POS Terminal

MULTI-PLATFORM AUTOMATIC PRINTING
easy to deal with a variety of working environment





Thermal Receipt
Label Printing



Touch HD
Screen



Multi-version
Connection



5 Million
Pixels



3GB+16GB
Standard



Removable 6400mAh
Large Capacity Battery



NFC
Standard



CPU
Deca-core

Multiple versions Connection options

Support full Net-com, Bluetooth, WIFI multiple versions of connection, Excellent experience




Support 2.4G&5G

Built-in NFC Module

2G/3G/4G communication

Support Download APP from Google Play Store

High Quality and Performance, Your reliable POS



Large paper bin Print more durable

Can accommodate 42mm diameter thermal paper to avoid frequent paper changes and improve printing efficiency.

58mm

Maximum
paper width

42mm

Maximum
paper diameter



■ SMART PRINTING


Thermal Receipt / Label Printing

Built-in high speed 58mm thermal receipt and label printer



5.5-inch HD IPS Screen

720*1280 resolution, stable every pixel, allowing users to see more clearly



2D Barcode Scanner for Optional

5 Million Rear HD Camera
quickly identify barcodes QR codes
record important information



Scan code



Photo



Video



NFC Contactless Card

NFC contactless card reader payment function




Strong Performance



Memory

3GB RAM+16GB ROM



Processor

2.3GHz processor

Built-in MDM Control System



Application Management

Support Software Shielding, Pre-installation, Intergrated Testing, Remote Upgrade and management ,etc.

appMgr

myAppList

marketList

System Customization

Specified APP can be installed or reinstalled by default once Internet connected for first time or be deleted.

systemCustom

defaultApp

Device Management

Check all information and usage status of hardware devices such as operation logs.

deviceMgr

MyDevice

Statistics

Check device activation time, positioning, software information and version.

Statistics

Mydevice

DeviceInfo

Kioak APP

Specified APP runs automatically after the hardware is powered on. Can't quit, can't be uninstalled.

Kioak

Kioak App.

security

Double Frequency WIFI

Double insurance of 4G high Speed network and dual-frequency WIFI network can ensure the real-time data communication in different using environment



2.4G 5G



Large Capacity Battery

Removable 6400mAh large capacity pure cobalt battery



Fingerprint Security

Ministry of Public Security or FBI fingerprints (Optional)

70%

Sensitive
Ascension



Fingerprint ID



Structure specification

SMART PRINTING



Simple construction Easy operation



Dimensions

SMART PRINTING



197*82*57.5mm



Manual measurement has slight errors and does not affect the use.

Packaging accessories

SMART-PRINTING



Beautiful packaging, original accessories



01 Machine 02 User Manual 03 Roller Paper

04 Type C Cable 05 Charging Adaptor

Applicable Scene

Powerful functions such as mobile cashier, receipt printing, pin storage, queuing, billing, label printing, QR code collection, NFC membership management, infrared physical temperature measurement, etc.



Odpowiednie dokumenty:

[POS-T2 SDK](#)