

szybki skaner kodów kreskowych USB 2d / qr (Model: OCBS -2008)

Technologia obrazowania o wysokiej wydajności;
 Wielokierunkowe skanowanie, łatwe skanowanie;
 Potrafi odczytać kod kreskowy na ekranie i kolorowy kod kreskowy;
 4mil doskonała dokładność skanowania;
 Obsługa wielu funkcji specjalnych;
 Opcjonalne interfejsy wielofunkcyjne;
 Stojak na opcję.

Charakterystyka wydajności

Funkcjonować		
Zródło światła	Biała dioda LED	
Brzęczyk	Utrzymany	
Stoisko	Opcjonalny	
Wskaźnik	Zielona dioda LED, sygnał dźwiękowy	
Wydajność skanowania		
Czujnik	CMOS	
Rozkład	640 * 480,256 poziomów szarości	
Maksymalna prędkość dekodowania	13mil UPC 40cm / s	
Kąt odczytu	poziomo 50 °; pionowo 20 stopni	
Precyzja	≥4 miliona	
Zdolność do dekodowania	1D	UPC-A, UPC-E, UPC-E1, EAN-13, EAN-8, ISBN (Bookland EAN), ISSN, Code 39, Code 39 full ASCII, Code 32, Trioptic Code 39, Interleaved 2 of 5, Industrial 2 5 (Discrete 2 of 5), Matrix 2 of 5, Codabar (NW7), Code 128, UCC / EAN 128 (GS1-128), ISBT 128, Code93, Code 11 (USD-8), MSI / Plessey
	2D	PDF417, MicroPDF417, QR Code, DataMatrix, Han Xin Code, Aztec Code, GS1 Composite
Głębokość pola	Kod 39 (5mil) □ 50mm ~ 120mm Kod 39 (10mil) □ 25mm ~ 250mm UPC / EAN (13mil) □ 20mm ~ 320mm Matryca danych (7,5 miliona) □ 63 mm ~ 150 mm PDF417 (6,6 miliona) □ 62 mm ~ 145 mm	
Wrażliwość	Nachylenie ± 45 ° @ 0 ° Roll i 0 ° Skew Obrót ± 30 ° @ 0 ° Skok i 0 ° Pochylenie Odchylenie ± 45 ° @ 0 ° Roll i 0 ° Skew	
Elektryczny		
Berło	USB, USB COM (wirtualny port szeregowy)	
Napięcie wejściowe	3.3V ~ 5V DC	
Moc standardowa	2,0 w (400 mA)	
Maksymalna moc	2,5 W (450 mA)	
Adapter DC	Maks. 5,5 V 1A	
KLASA LED	Klasa I	
Test EMC	Część FCC15, IEC60825-1, EN55022 Klasa B	
Środowisko użytkownika		
Obsługa temperatury	-20 st. C ~ + 60 st. C (-4 st. F do 144 st. F)	
Temperatura przechowywania	-30 ° C ~ + 70 ° C (-22 ° F do 158 ° F)	
Wilgotność	5% - 95% (bez kondensacji)	
Opór kropli:	1,5 m spada do betonu	
Klasa IP	IP54	
Natężenie światła	Praca: światła słoneczne, świetlówki	
Fizyczny		
Wymiary	156 * 68 * 83 mm	
Waga	195 g (bez podstawy)	
Wymiar pakietu	48 * 36 * 47 CM (20 sztuk ze stojakiem 13,5 kg)	
	48 * 39 * 52 CM (30 sztuk bez podstawy 15 kg)	



Handheld Image Scanner for 1D/2D Barcode

OCBS-2008



Product Picture




Features

Reliable with good price

- High performance imaging technology;
Omni-directional scanning, easy to scan;



- 4mil excellent scanning accuracy ;
Can read the barcode on the screen
and color barcode;



Multi special function setting supported;
SDK/API Available;



Multi interfaces optional;
Stand for option.



Application place



Bookstore



Supermakte



Pharmacy



Warehouse



Clothing store



Restaurant

Parameter

Function		
Light source	White LED	
Beep	Supported	
Stand	Optional	
Indicator	Green LED, beep	
Scan performance		
Sensor	CMOS	
Resolution	640*480,256 gray levels	
Maximum decoding speed	13mil UPC 40cm/s	
Reading angle	horizontally 50 deg; vertically 20 Deg	
Precision	≥4mil	
Decode capability	1D	UPC-A, UPC-E, UPC-E1, EAN-13, EAN-8, ISBN (Bookland EAN), ISSN, Code 39, Code 39 full ASCII, Code 32, Trioptic Code 39, Interleaved 2 of 5, Industrial 2 of 5 (Discrete 2 of 5), Matrix 2 of 5, Codabar (NW7), Code 128, UCC/EAN 128 (GS1-128), ISBT 128, Code93, Code 11 (USD-8), MSI/Plessey
	2D	PDF417, MicroPDF417, QR Code, DataMatrix, Han Xin Code, Aztec Code, GS1 Composite
Depth of field	Code 39(5mil): 50mm~120mm Code 39(10mil): 25mm~250mm UPC/EAN (13mil): 20mm~320mm Data Matrix(7.5mil): 63mm~150mm PDF417(6.6mil): 62mm~145mm	
Sensitivity	Inclination ±45° @0°Roll and 0°Skew Rotation ±30° @0°Pitch and 0°Skew Deflection ±45° @0°Roll and 0°Skew	
Electrical		
Interface	USB,USB COM(virtual serial port)	
Input Voltage	3.3v~5v DC	
Standard Power	2.0w (400mA)	
Max Power	2.5w (450mA)	
DC adapter	Max 5.5V 1A	
LED CLASS	Class I	
EMC Test	FCC part15,IEC60825-1,EN55022 Class B	
User Environment		
Operate Temperature	-20 deg C ~ +60 deg C (-4 Deg F to 144 deg F)	
Storage Temperature	-30 deg C ~ +70 Deg C (-22 Deg F to 158 deg F)	
Humidity	5% - 95%(non- condensation)	
Drop resistance:	1.5m (5.0ft) drops to concrete	
IP class	IP54	
Light intensity	Working: sun lights, fluorescent lights	
Physical		
Dimensions	156*68*83mm	
Weight	195 g (without stand)	
Package dimension	48*36*47CM (20pcs with stand 13.5KG)	
	48*39*52CM (30pcs without stand 15KG)	

Production Capacity:

✓ Indicates information has been verified onsite by a certification specialist

Production Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

Verified by TUV on 2013.7.15

Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments:

✓ Indicates information has been verified onsite by a certification specialist

Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15

Certification:




Warranty and After Sales:



- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

Packing and Shipment:



Payment:



secure payment



Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Company Profile



TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers , Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com, Together we quest for the best.



FAQ

1. Polityka MOQ

Brak ograniczenia MOQ dla standardowych produktów, ale cena jednostkowa jest inna, większa ilość lepsza cena.

W celu indywidualnej produkcji możesz omówić MOQ bezpośrednio z naszym przedstawicielem handlowym.

2. Przykładowa dostępność i & Polityka

Po potwierdzeniu specyfikacji przez klientów z przyjemnością dostarczamy próbki do testów i kwalifikacji.

Wszystkie próbki powinny być opłacone przed wysyłką, cena próbek jest wyższa niż zamówienie masowe. Po złożeniu zamówienia zbiorczego możemy zwrócić koszty próbek lub wysłać więcej produktów z przesyłkami.

Możesz kupić próbki od nas bezpośrednio za pomocą t / t, western union lub paypal. Możesz go także kupić w naszym sklepie internetowym.

3. Gwarancja

OCOM zajmuje się dostarczaniem najbardziej opłacalnych produktów i usług o niezawodnej jakości, które spełnią oczekiwania klientów;

Zostaliśmy zakwalifikowani przez globalną firmę 500 fortune i mamy najwyższy poziom gwarancji handlu na poziomie 1, który w 100% chroni Twoje pieniądze i czas realizacji.

Nasza gwarancja na produkty wynosi około 12 + 1 miesięcy od daty dostawy, niektóre wyznaczone modele mogą mieć nawet 24-miesięczną gwarancję;

Każdy produkt w ciągu 30 dni od wystąpienia awarii zostanie uznany za nieważną dostawę (DOA). Produkty DOA będą priorytetowo zastępować i wysyłane przez kuriera.

W przypadku zamówień masowych chcielibyśmy dostarczyć części zamienne wraz z wysyłką do lokalnej naprawy szybko. A potem możesz zwracać części awarii do przeróbki i analizy.

4. Warunki płatności

W przypadku zamówień masowych możesz zapłacić nam za pomocą T / T, LC, Western Union, Escrow lub innych. O zamówieniach próbek, T / T, Western Union, Escrow, Paypal są dopuszczalne. Obecnie możesz płacić za pomocą Moneybookers, Visa, MasterCard i przelewu bankowego. Możesz także płacić za pomocą wybranych kart debetowych, w tym Maestro, Solo, Carte Bleue, Pos tePay, CartaSi, 4B i Euro6000.

5. Wysyłka

Akceptujemy wszelkiego rodzaju sposoby wysyłki, w tym: ekspresowe, lotnicze, morskie, ciężarowe lub osobiście odbierane przez klientów.

6. Klient

Nasi główni klienci z European, Australii i szybko rozwijającej się Ameryki Południowej, Afryki, Rosji ...,

Obsługiwaliśmy ponad 2300 klientów ze 159 krajów, w tym globalną firmę 500 Fortune, taką jak Unilever, O2 50 z nich jest największym dystrybutorem w lokalnych regionach.

Dlaczego wybierasz OCOM?

- Wiodący dostawca produktów powiązanych z POS i automatycznych identyfikatorów dostawców kwalifikowanych przez globalne firmy z listy Fortune 500
- Klienci poziomu 1, w tym Unilever, O2, Star ...
- 2300 + klientów obejmuje 159 krajów;
- 11 lat doświadczenia OEM / ODM.
- Najwyższa 1 gwarancja handlu na poziomie jakości przemysłowej POS i data wysyłki
- Szybka reakcja i profesjonalna obsługa
- ISO, FCC, CE, Soncap, POA, BIS i inne certyfikaty
- Gwarancja 12 + 1 miesiąc.
- Zakwalifikowani w „China Best Employer Award”
- Wiara: oparta na uczciwości, dążenie do doskonałości, współpraca korzystna dla wszystkich