

mini drukarka termiczna przenośna, telefony z systemem Android drukarki termicznej

(Model: OCPP-M05)

Cechy:

- 1.Support systemu Windows, Android,lub iOS, iOS lub Android + OS
- 2.Bluetooth, USB i RS232komunikacji dla opcji.
- 3.Higher szybkość druku 90 mm / s.
- 4,100 km TPH życia.
- 5.Low pobór mocyoraz duża pojemność baterii litowo.

Specyfikacja:

Ogólna Wymiary (W x D x H)	105 × 75 × 45 mm
Waga	134g
Kolor	Czarny
Efektywna szerokość druku	48mm
Metoda drukowania	Drukowanie linii termiczny
Polecenia drukowania	ESC / POS kompatybilny zestaw poleceń
Prędkość druku	Do 90 mm / s
Rozkład	8 punktów / mm (203dpi)
Czcionki Drukuj	12x24 / 24x24
Pojemność kolumny	32 kolumn / 16columns
Wielkość znaków	1,5 x 3,0 mm (szer x wys) / 3.0x3.0mm (SxW)
Wymiary papieru	58,0 ± 0,1 mm x średnica 40.0mm
Grubość papieru	Od 0,06 do 0,08 mm
Zestaw znaków	Alfanumeryczny / chiński Kanji
Berło	USB, RS-232, Bluetooth (opcja)
Migać	256KB
Zasilacz	9V DC / 2A
Zasilanie bateryjne	7.4V DC / 1500mA; Akumulator może pozostać przez okres 4-5 dni, gdy jest pełna energii, może wydrukować 120-150m papieru
Inne funkcje	Wykrywanie papieru, Detekcja zasilania, Instrukcja zamknięty
Warunki pracy	Temperatura: -10 °C ~ 50 °C, Wilgotność: 10% ~ 90%
Warunki przechowywania	Temperatura: -20 °C ~ 70 °C, Wilgotność: 5% ~ 95%
Nazwa urządzenia	Można dostosować, List i cyfrowego dla opcji, w max 30 znaków ASCII.
Hasło	Wchodzić Domyślny kod parowania "1234", można go dostosować. Na max 6 Digitals.
Wymiar wtyczka zasilania	3.5 * 1.1mm



Bluetooth Thermal Printer OCPP- M05



Picture





Features

Small Size, BIG Performance

Support Windows, Android, or IOS;



Higher print speed 90mm/sec;
100km TPH Life;



Bluetooth, USB and RS232 communication for option;



Low power consumption and
large capacity Lithium battery;





All-round show



Parameter

Specifications	
Overall Dimension (WxDxH)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232 , Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A
Battery Power	7.4V DC/ 1500mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper
Other features	Paper detection, power detection, Manual shut down

Working conditions	Temperature:-10℃~50℃,Humidity:10%~90%
Storage conditions	Temperature:-20℃~70℃,Humidity:5%~95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.
Power plug dimension	3.5*1.1mm

Applications

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm





Production Line



Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

✓ Indicates information has been verified onsite by TUV on 2013.7.15

Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

✓ Indicates information has been verified onsite by TUV on 2013.7.15

Certifications



Packing and Shipment



Double wall corrugated board





Payment



Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.





Why you choose us?



● Best Service

● Authoritative Assessed

Flexible Cooperation

Company Profile

This Assessed Supplier Has Been Independently Verified

Build Your Growth On Trust



OCOM Technologies Limited, founded in 2007, is one of the leading suppliers of POS and Auto-ID related products from China.

OCOM's product portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal, and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and are hot-selling in Europe, Australia, Asia, and other areas.

OCOM has a professional team including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years. All of the sales have more than 5 years experience, which helps us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.



Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

 Sales Center:

Address: 11/F, Tower A, New Energy Building, #2009, Nanhai Ave., Nanshan district, Shenzhen
Guangdong, 518054, China;

E-mail: ocom@ocominc.com , ocomtech@gmail.com ;

Skype: [ocominc2000](#), [ocominc](#);

MSN: ocomtech@hotmail.com, ocominc@hotmail.com;

Trademanager: [szocominc](#), [cn1500439666](#);

QQ: [2485890637](#), [190852203](#);

Tel/Fax: +86.755.8605.3207.

