

# 15 Inch Rugged Vertical Base Touch Screen POS Monitor

(Model No: TM1501)



## FEATURES:

1. High resolution: Support 1024\*768
2. Rugged vertical base
3. Grade A LCD panel
4. 5-wire resistance touch
5. Lifetime: 50 million touch

## SPECIFICATION:

LCD Screen Size	15"
Aspect Ratio	4:3
Resolution	1024×768
Pixel Pitch(mm)	0.297
Active Area(mm)	304.1×228.1
Number of colors	16.2M
Contrast Ratio	700/1
Brightness	250cd/m <sup>2</sup>
Viewing Angle	150/135
Response Time	8ms
Touch Panel Size	15" 4-wire
Outside Dimension	247mm×322mm
Viewing area	235mm×310mm
Active area	228mm×304mm
Surface Hardness	3H
Optical Clarity	80%
Operating Temperature	-10C ~60C
Endurance Test strikes	Over 10millions
Operating Voltage	DC5V

Resistance	200Ω~900Ω
Linearity	1.50%
Faceplate Surface	Anti-glare coating □ glare coating
Film Thickness	0.175mm, 0.188mm
Glass Thickness	0.7mm, 1.1mm, 1.8mm
Operation Pressure	20~150g
Storage Temperature	-30°C ~80 °C
Operating Current	5mA~25mA
Humidity	<95%
Isolation Resistance	20MΩ □ DC25V
Sealable against	Dust ,water, oil , static

The image shows a black AOCOM TM1501 monitor on a stand. The screen displays a vibrant image of a red velvet cake slice with white cream, topped with raspberries and a fresh mint leaf. The background of the monitor's bezel is a light blue gradient. In the bottom right corner of the overall image, there are several certification logos: ISO, FCC, CE, and RoHS.

**Aocom**<sup>®</sup>  
*#1 your side*

**TM1501**

ISO FCC CE RoHS





TM1501





## FAQ

### 1. MOQ policy

No MOQ limitation for the standard products, but the unit price is different, bigger quantity better price. For customized production, you can discuss the MOQ with our sales representative directly.

### 2. Sample Availability & Policy

After customers confirmed the specification, we are very glad to provide samples for testing and qualification.

All samples should be paid before shipment, the samples price is a higher than mass order.

When the mass order placed, we can return you the samples cost, or send you more piece products with the shipments.

You can buy the samples from us directly using t/t, western union, or paypal. And you can also buy it on our online store.

### **3. Warranty**

OCOM is dedicated to providing most cost-effective products and services with reliable quality that will meet customers' satisfaction;

We were qualified by a global Fortune 500 company, and we have the top 1 level trade assurance which 100% protects your money and lead time.

Our warranty of the products is about 12+1 months from the shipment normally, some designated models can have as long as 24 months warranty;

Any product within 30 days of delivery failure occurs shall be deemed invalid delivery (DOA). DOA products will give priority to the replacement, and shipped by courier.

For mass order, we would like to supply some spare parts with shipment for local quick repair. And after that, you can return failure parts for rework and analysis.

### **4. Payment Terms**

For mass order, you can pay us by using T/T, LC, Western Union, Escrow or others. About sample order, T/T, Western Union, Escrow, Paypal are acceptable. Escrow Service is powered by Alipay.com. Currently, you can pay using Moneybookers, Visa, MasterCard and bank transfer. You can also pay with select debit cards including Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B and Euro6000.

### **5. Shipment**

We accept all kinds of shipping ways including: express, air, sea, truck, or pick up by customers personally.

## **Why You Choose Us**

Leading One-Stop POS and Auto-ID Related Products Supplier Qualified by Global Fortune 500 Companies

Tier 1 customers including Unilever, O2, Star...

3000+ Customers Cover 165 Countries;

13 Years OEM/ODM Experience.

Top 1 Level Trade Assurance in POS industrial guarantee quality and shipment date

Fast responses and professional service

ISO, CE, FCC, Soncap, POA, BIS, and other Certificates

12+1 months warranty.

Shortlisted in "China Best Employer Award"

Belief: Integrity Based, Strive for Excellence, Win-win Cooperation