

2015 China Factory New Small Fixed Omni-directional Laser Barcode Scanner

Features:

China Factory New Small Fixed Omni-directional Laser Barcode Scanner

20 scanning lines and five directions;

1120times per second reading speed;

Multiple/Single line scanning capability meet different requirements;

Multiple interfaces optional : KBW, RS232 or USB;

Blue LED lights,loud buzzer hints;

The base can rotate;

Appearance is concise and easy, stable performance;

Specifications:

Performance parameters	
Light source	650 nm visible laser diode laser
Buzzer	Seven tones or silent
Lamp	Blue = laser light, ready to scanner, Red = decoding success
System interface	PC KBW,RS232,USB
Physical parameters	
Volume(Lx W x H)	Product size (180 * 130 * 110 mm), Packing size:(230 mm * 160 mm * 120 mm)
Weight	Product size (460 g), packing (630 g)
Electrical parameters	
Input voltage	5VDC+/-10%
Work power	1000mW(200mAx5V)
Standby power	900mW(180mAx5V)
Direct-current source	Class 2:5VDCx1A
Laser level	Class1
Identification	CE,RHOS,FCC Part 15 Class B, European Union EMC Directive
Environmental parameter	
operating temperature	0degree C - 40degree C
Storage Temperature	-40degree C -60degree C
Humidity	5% to 95% relative humidity (no condensation)
Antiknock characteristic	To withstand from 1.5 meters high drop.
Dust tightness	Seal to prevent air dust particle erosion.
Scanning parameters	
Scanning mode	Omni directional 20 line
Scanning speed	1120 times per second
Printing contrast	Minimum 30% reflection difference
Roll(tilt),Pitch, Skew(yaw)	360°,60°,60°
Decoding ability	UPC/EAN/JAN, Code 39Full ASCII,Code128Full ASCII, Codebar, Code 2 of 5,Code93,Code11,MSI Plessey,Trioptic,GS1 Data Bar, Telepen.

Products Details:



Relevant documents:

Do you want to know more product information?Please Click here.

[Specification](#)