#### 2015 new coming bluetooth thermal printer module

#### (Model:OCPP-M05)

#### Features:

- 1.Support Windows, Android, or iOS, or android+ios OS
- 2.Bluetooth, USB and RS232communication for option.
- 3.Higher print speed 90mm/sec.
- 4.100km TPH Life.
- 5.Low power consumptionand large capacity Lithium battery.

#### Specification:

Overall Dimension (W×D×H)	rall Dimension (W×D×H) 105×75×45mm		
Weight	134g		
Color	Black		
Effective print width	48mm		
Print method	Thermal line printing		
Print commands	ESC/POS compatible command set		
Print speed	Up to 90mm/sec		
Resolution	8 dots/mm(203dpi)		
Print font	12x24/ 24x24		
Column capacity	32 columns/ 16columns		
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)		
Paper dimensions	58.0±0.1mm x diameter 40.0mm		
Paper thickness	0.06 to 0.08mm		
Character set	Alphanumeric/ Chinese Kanji		
Interface	USB, RS-232[Bluetooth (optional)		
Flash	256KB		
Power Adapter	pter 9V DC/2A		
Battery Power	7.4V DC/ 1500mA; battery can stay by for 4-5 days, when it is full power, it		
	can print 120-150m paper		
Other features	Paper detection, power detection, Manual shut down		
Working conditions	Temperature:-10°C[]50°C,Humidity:10%[]90%		
Storage conditions	Temperature:-20°C[]70°C,Humidity:5%[]95%		
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.		
Password	rd Enter default pairing code "1234", it can be customized. At max 6 digitals.		
Power plug dimension	3.5*1.1mm		



# Bluetooth **Thermal Printer OCPP- M05** ww.ocominc.co w.ocominc.c






W.Ocomime.co

2000

C E FC 💿 🙆 🔮













# Parameter


Overall Dimension (W×D×H)	105×75×45mm		
Weight COTT	134g		
Color mine	Black		
Effective print width	48mm		
Printmethod	Thermal line printing		
Print commands	ESC/POS compatible command set		
Printspeed	Up to 90mm/sec		
Resolution	8 dots/mm(203dpi)		
Printfont	12x24/24x24		
Column capacity	32 columns/16columns		
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)		
Paper dimensions COM	58.0±0.1mm x diameter 40.0mm		
Paper thickness	0.06 to 0.08mm		
Character set	Alphanumeric/ Chinese Kanji		
Interface	USB, RS-232 + Bluetooth (optional)		
Flash	256KB		
Power Adapter	9VDC/2A		
Battery Power	7.4V DC/ 1500mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper		
Other features	Paper detection, power detection, Manual shut down		

WWW.

Working conditions	Temperature:-10°C~50°C,Humidity:10%~90%	
Storage conditions	Storage conditions Temperature:-20°C~70°C,Humidity:5%~95%	
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.	omi
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.	
Power plug dimension 3.5*1.1mm		

#### Applications

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm









2.8	com	w.ocom	W. ocom
Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
~	Thermal Printer	40,000 Sets / Month	250,000 Sets
~	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
1	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
1	Barcode Scanner	40,000 Sets / Month	20,000 Sets
~	POS Machine	5,000 Sets / Month	10,000 Sets
1	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets
	ominc.com	✓ Indicates inf	ormation has been verifed onsite by TUV on 2013.7.15

## Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfication.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

before shipment.Some designated models can have as long as 24 months warranty.

## Test Equipments



Indicates information has been verifed onsite by TUV on 2013.7.15

# Certifications



Packing and Shipment








Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.







# Why you choose us?



OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.



#### Contact us inc

minc Any queries, please contact us immediately, big supprise is waiting for you. NNN NNN

Sales Center:

Address: 11/F, Tower A, New Energy Building, #2009, Nanhai Ave., Nanshan district, Shenzhen Guangdong, 518054, China; E-mail: ocom@ocominc.com , ocomtech@gmail.com ; Skype: ocominc2000, ocominc; MSN: ocomtech@hotmail.com, ocominc@hotmail.com; www.ocominc.com Trademanager: szocominc, cn1500439666; QQ: 2485890637, 190852203; WWW.ocomin Tel/Fax: +86.755.8605.3207. WWW.OCOT