(M/N:POS-T8)

Features:

1.Android 4.4 operation system.

2.Adopts Qualcomm quad-core 1.2GHz processor.

3.4.0 inches IPS capacitive touch screen.

4.Safety and reliable design

5.Passed Unionpay Pboc L1 & amp; L2; passed PIN input safety certification.

6. Unionpay direct connect POS network access.

7. Support Pirnting Receipt and Barcode reading

8.Supports magnetic stripe card, IC card, contactless card.

Specifications: System Parameters CPU Qualcomm quad-core 1.2GHz OS Android 4.4 RAM / ROM ROM 4GB eMMC; RAM 512MB / 1GB DDR2; support external micro SD card, 32 GB at most Display 4.0 inch capacitive, multi touch; 480 * 800, IPS display Xeypad 3 Touch System Keys, 15 physical keys (include Power key, Cust key, POS Cipher key and Command key) Battery Lithium polymer battery, 4000mAh Functional Configuration Rear Camera 5M AF (support flashlight), Front Camera 0.3M wi angle Printer Built-in 2 inches thermal printer Navigation Built-in GPS, support AGPS Indicator Light System indicator light, POS indicator light Audios Built-in speaker, buzzer, microphone, vibrator Sensors Gravity sensor POS Sound Wave Payment Support Magnetic Strip Card	
CPUQualcomm quad-core 1.2GHzOSAndroid 4.4RAM / ROMROM 4GB eMMC; RAM 512MB / 1GB DDR2; support external micro SD card, 32 GB at mostDisplay4.0 inch capacitive, multi touch; 480 * 800, IPS displayKeypad3 Touch System Keys, 15 physical keys (include Power key, Cust key, POS Cipher key and Command key)BatteryLithium polymer battery, 4000mAhFunctional ConfigurationRear Camera 5M AF (support flashlight), Front Camera 0.3M wi anglePrinterBuilt-in 2 inches thermal printerNavigationBuilt-in GPS, support AGPSIndicator LightSystem indicator light, POS indicator lightAudiosBuilt-in speaker, buzzer, microphone, vibratorSensorsGravity sensorPOSSound Wave PaymentSound Wave PaymentSupportMagnetic Strip CardTriple track MSR, bi-directional swiping ISO7811, 7812	
OSAndroid 4.4RAM / ROMROM 4GB eMMC; RAM 512MB / 1GB DDR2; support external micro SD card, 32 GB at mostDisplay4.0 inch capacitive, multi touch; 480 * 800, IPS displayKeypad3 Touch System Keys, 15 physical keys (include Power key, Cust key, POS Cipher key and Command key)BatteryLithium polymer battery, 4000mAhFunctional ConfigurationRear Camera 5M AF (support flashlight), Front Camera 0.3M wi anglePrinterBuilt-in 2 inches thermal printerNavigationBuilt-in GPS, support AGPSIndicator LightSystem indicator light, POS indicator lightAudiosBuilt-in speaker, buzzer, microphone, vibratorSensorsGravity sensorPOSSound Wave PaymentSupportSupportMagnetic Strip CardTriple track MSR, bi-directional swiping ISO7811, 7812	
RAM / ROMsupport external micro SD card, 32 GB at mostDisplay4.0 inch capacitive, multi touch; 480 * 800, IPS displayKeypad3 Touch System Keys, 15 physical keys (include Power key, Cust key, POS Cipher key and Command key)BatteryLithium polymer battery, 4000mAhFunctional ConfigurationRear Camera 5M AF (support flashlight), Front Camera 0.3M wi anglePrinterBuilt-in 2 inches thermal printerNavigationBuilt-in GPS, support AGPSIndicator LightSystem indicator light, POS indicator lightAudiosBuilt-in speaker, buzzer, microphone, vibratorSensorsGravity sensorPOSSound Wave PaymentSupportSupportMagnetic Strip CardTriple track MSR, bi-directional swiping ISO7811, 7812	
Support external micro SD card, 32 GB at mostDisplay4.0 inch capacitive, multi touch; 480 * 800, IPS displayKeypad3 Touch System Keys, 15 physical keys (include Power key, Cust key, POS Cipher key and Command key)BatteryLithium polymer battery, 4000mAhFunctional ConfigurationRear Camera 5M AF (support flashlight), Front Camera 0.3M wi anglePrinterBuilt-in 2 inches thermal printerNavigationBuilt-in GPS, support AGPSIndicator LightSystem indicator light, POS indicator lightAudiosBuilt-in speaker, buzzer, microphone, vibratorSensorsGravity sensorPOSSound Wave PaymentSupportSupportMagnetic Strip CardTriple track MSR, bi-directional swiping ISO7811, 7812	
Keypad3 Touch System Keys, 15 physical keys (include Power key, Cust key, POS Cipher key and Command key)BatteryLithium polymer battery, 4000mAhFunctional ConfigurationRear Camera 5M AF (support flashlight), Front Camera 0.3M wi anglePrinterBuilt-in 2 inches thermal printerNavigationBuilt-in GPS, support AGPSIndicator LightSystem indicator light, POS indicator lightAudiosBuilt-in speaker, buzzer, microphone, vibratorSensorsGravity sensorPOSSound Wave PaymentSupportMagnetic Strip Card	
Keypadkey, POS Cipher key and Command key)BatteryLithium polymer battery, 4000mAhFunctional ConfigurationCameraRear Camera 5M AF (support flashlight), Front Camera 0.3M wi anglePrinterBuilt-in 2 inches thermal printerNavigationBuilt-in GPS, support AGPSIndicator LightSystem indicator light, POS indicator lightAudiosBuilt-in speaker, buzzer, microphone, vibratorSensorsGravity sensorPOSSound Wave PaymentSupportMagnetic Strip CardTriple track MSR, bi-directional swiping ISO7811, 7812	
Functional ConfigurationCameraRear Camera 5M AF (support flashlight), Front Camera 0.3M wi anglePrinterBuilt-in 2 inches thermal printerNavigationBuilt-in GPS, support AGPSIndicator LightSystem indicator light, POS indicator lightAudiosBuilt-in speaker, buzzer, microphone, vibratorSensorsGravity sensorPOSSound Wave PaymentSupportMagnetic Strip CardTriple track MSR, bi-directional swiping ISO7811, 7812	.om
CameraRear Camera 5M AF (support flashlight), Front Camera 0.3M wi anglePrinterBuilt-in 2 inches thermal printerNavigationBuilt-in GPS, support AGPSIndicator LightSystem indicator light, POS indicator lightAudiosBuilt-in speaker, buzzer, microphone, vibratorSensorsGravity sensorPOSSound Wave PaymentSupportMagnetic Strip CardTriple track MSR, bi-directional swiping ISO7811, 7812	
CameraanglePrinterBuilt-in 2 inches thermal printerNavigationBuilt-in GPS, support AGPSIndicator LightSystem indicator light, POS indicator lightAudiosBuilt-in speaker, buzzer, microphone, vibratorSensorsGravity sensorPOSSound Wave PaymentSupportMagnetic Strip CardTriple track MSR, bi-directional swiping ISO7811, 7812	
NavigationBuilt-in GPS, support AGPSIndicator LightSystem indicator light, POS indicator lightAudiosBuilt-in speaker, buzzer, microphone, vibratorSensorsGravity sensorPOSSound Wave PaymentSupportMagnetic Strip CardTriple track MSR, bi-directional swiping ISO7811, 7812	de
Indicator LightSystem indicator light, POS indicator lightAudiosBuilt-in speaker, buzzer, microphone, vibratorSensorsGravity sensorPOSSound Wave PaymentSound Wave PaymentSupportMagnetic Strip CardTriple track MSR, bi-directional swiping ISO7811, 7812	
AudiosBuilt-in speaker, buzzer, microphone, vibratorSensorsGravity sensorPOSSound Wave PaymentSupportMagnetic Strip CardTriple track MSR, bi-directional swiping ISO7811, 7812	
SensorsGravity sensorPOSSound Wave PaymentSupportMagnetic Strip CardTriple track MSR, bi-directional swiping ISO7811, 7812	
POS Sound Wave Payment Support Magnetic Strip Card Triple track MSR, bi-directional swiping ISO7811, 7812	
Sound Wave PaymentSupportMagnetic Strip CardTriple track MSR, bi-directional swiping ISO7811, 7812	
Magnetic Strip Card Triple track MSR, bi-directional swiping ISO7811, 7812	
5 1 1 5	
IC Card 1 Solt, Support 1.8V / 3V / 5V, ISO7816, PBOC and EMV	
Contactless card 13.56MHz, ISO / IEC 14443 Type A / B, qPBOC	
SAM Card 1 SAM Solt, ISO7816	
Cipher Keyboard Built-in keypad	
Network Parameters	
Network Type WCDMA / GSM	
Network Spectrum WCDMA 2100MHz GSM / GPRS / EDGE 850/900/1800 / 1900MHz	
WLAN 802.11 a / b / g / n Built-in Antenna	
Voice / Data Service Support	
WPAN Bluetooth V4.0 + EDR	
External Interface	
USB Interface Micro USB2.0, support USB OTG	

DC JACK
Pogo Pin, 5V - 500mA
USB, RS232
205mm H * 82mm / 67mm W * 33mm D
500g (battery included)
-20 ° C ~ 60 ° C
-40 ° C ~ 80 ° C
10% ~ 90% RH non-condensing
1.0-meter drop protection
500 times
± 8KV contact discharge; ± 15KV air discharge
Android 4.4 / SP-UI
SDK
PC management suite / MDM

Power adaptor for option:

Europe, British, America, Australia, Asia etc.

Production capacity and lead time:

We have strong production capacity;. We can produce thousand of printers and barcode scanners per day Normally, our lead time between 1-5 days.

Shipping method:

Air, Sea, Express (DHL, FedEx, UPS, EMS, TNT and so on)

Warranty:

12 + 1 months of shipment normally. Some designated models can have as long as 24 months warranty. Spare parts can be provided for mass order.

Payment term:

T / T in advance, Western Union, PayPal, Escrow, L / C, Cash, etc

About OCOM

OCOM is a leading One-stop POS and Auto-ID Related Products Supplier, which is qualified by Global Fortune 500 company. We have Top 1% level Trade Assurance guarantee. 8 Years OEM / ODM Experience. We were serving more than 1300 customers over 133 countries, 40 of them are the biggest distributors in their territory. The main market in Europe, Australia, and fast growing South America and Africa. The customer list including famous Unilever, O2, Equicom ... We have CE, FCC and other required certifications.

Together we quest for the best.

Contact US Address: 4 / F, Block 10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China; Website: www.ocominc.com, www.possolution.com.cn Tel: +86.755.86053207 ext 800; Fax: +86.755.86053207 ext 868.