Android Portable POS Terminal with 58mm thermal Printer

(M/N:POS-Q9Pro)

Features:

GPS/AGPS supported

58mm*40mm thermal paper

5MP auto focus camera with LED flash

Support TMS sever management

CCD scanner for optinal

NFC function for optional

Specification

| Model | POS-Q9Pro | | | |
|-----------------------|--|--|--|--|
| Name | 5.0 inch handheld pos terminal | | | |
| Battery | 8.4V, 2550mAh Lithium ion polymer Battery | | | |
| Power adapter | Input: AC: 100-240V, Output: 5V,2A | | | |
| Interface | Type C*1, data cabel ,USB-Type C, 0.8m exposed | | | |
| Antenna | 2G/3G/4G+WIFI & Bluetooth+GPS | | | |
| Key | Power On/off, volume up (can be customized as scan), volume down | | | |
| Card slot | 1*SIM slot,Provide with multi band, multi signal | | | |
| Duration | Stand by 250+ hours working hour 16+ (Display on and wireless connected) | | | |
| Fall prevention | 1.0 anti-fall laboratory Standard | | | |
| Operating system | Android 11 | | | |
| | | | | |
| Main screen | 5.0inch HD IPS touch screen monitor | | | |
| Resolution | 1280*720 | | | |
| Touch screen | Multi-point projected G+FF capacitive touch | | | |
| Performance | | | | |
| CPU | Spreadtrum A55 ,8-Core ,1. 6Ghz | | | |
| Memory | 2GB RAM+16GB ROM,3G+32G∏optional ∏ | | | |
| Communication mode | GSM, WCDMA, TDD LTE, FDD LTE | | | |
| | WIFI: 2.4G, support IEEE 802.11a/b/g/n | | | |
| GPS/A-GPS | Build in GPS, support A-GPS | | | |
| Printer | 58mm, Paper Roll 40mm,75mm/s, print duration≥50km | | | |
| | Print barcode and QR code, online life detection, and etc. | | | |
| Camera | 5M piexl rear camera∏supprot 1D & 2D scan & payment | | | |
| Scanner | CCD scanner for optional | | | |
| NFC | ISO/ICE14443, Type A&B, Mifare Card (Optional□ | | | |
| Speaker | 8 W, ≥ 95dB, audio interface, mono, high volume design | | | |
| Package | | | | |
| Weight | Net :0.31kg Gross :0.56kg | | | |
| Single box size | 208*91*65mm | | | |
| 10 in 1 carton | 340*215*200mm/6.2kg | | | |
| Environment | | | | |
| Operating temperature | 0 to 40 degrees centigrade | | | |
| Storage temperature | -10 to 60 degrees centigrade | | | |
| Working humidity | 10%~80% | | | |
| Storage humidity | 10%~90% | | | |
| | 1 | | | |

Handheld POS Terminal

POS-Q9 Pro



CORE-CONFIG







Large Volume Speaker



5.0-inch HD IPS Screen



Large Capacity Battery



Big Paper Warehouse



5 Megapixels Camera







NFC



Ultra-thin Fuselage

Details Show



The bare weight is only 304g. The thickness of the machine is only 19.6mm, excellent grip feeling, one-hand operation is not tired, higher work efficiency.





Packing Size



Application



Bar



Mile Tea Store



Convenience Store



Restaurant





Library



Coffee Store



Bakery



Supermarket

FACTORY STRENGTH







