## Handheld Android POS Terminal with Thermal Label and Receipt Printer

(M/N:POS-T6)

## **Features:**

- \*octa-core,T606, 2\*Cortex-A75 and 6\*Cortex-A55 ,up to 2.0Ghz processor
- \*Built-in high speed 80mm thermal receipt and label printer
- \*Standard 3GB RAM+32G ROM
- \*Built-in large volume speaker
- \*Built-in NFC Module
- \*2\*SIM card slot
- \*Support USB type-C fast charging
- \*Removable 6400mAh large capacity pure cobalt battery
- \*1D&2D Bar code reader

## **Specification**

Model	POS-T6
Name	6.5 inch capacitive touch screen,
	support the electronic signature
Battery	3.8 V /6400mAh
Power Adapter	Input[]100-240V, 50/60Hz,1.5A
	Output[]5V DC /2A
Charger interface	USB type C
Display	
Main screen	6.5 inch HD touch screen display
Resolution	720*1600 IPS
Performance	
CPU	octa-core,T606, Cortex-A75andCortex-A55 ,up to 2.0GHz processor
RAM	3GB
Flash	32GB Flash
Communication	2G/3G/4G
Operating System	Android 14 with GMS certification supported
Button	Power button, Scan Button, Volume button
Bluetooth	Bluetooth 5.0
WIFI	WIFI 802.11 b.g.n.ac support 2.4G&5G
Printer	80mm Thermal Receipt and label Printer
Paper Roll	Width: 80mm; Diameter: ≤50mm
Scanner	5 Mega-pixel Camera decoding, 2D Scanner(Optional, 2D and finger printer only one can be installed)
NFC	Support ISO/IEC 14443A&B, Mifare, felica card
SIM slot	Sim*2 (default) or Sim*1+Sam*1 for option
Speaker	Digital Audio speaker
GPS or AGPS	Support GPS+AGPS
MDM	Support
Peripheral Accessories	
Accessories	USB type C cable*1
	Charqing adapter*1
	user manual*1,paper roller*1
Environment	
Operating temperature	0 to 40 degrees centigrade
Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%-80%
Storage humidity	10%-90%
oco. agoaaicy	2070 3070

















