

# 80 Embedded ATM Thermal Receipt Printer with Auto Cutter

(M/N:OCKP-8002)

## Feature:

160mm/s printing speed,  
80mm diameter oversized paper house  
Support Auto cutter  
Support multiple countries language code pages  
Support graphical printing  
Support NV logo storage and printing  
Support multiple 1D and 2D barcode printing  
Printer head life100km

## Specification:

Printing method	Direct thermal
Printing speed	160mm/s
Paper roll diameter	Φ80mm
Column capacity	576 dots/line
Paper thickness	0.06~0.08mm
Interface	USB +RS232
Character	GB18030 and multiple countries language code pages
Character size	ANK□Font A□1.5×3.0mm□12×24 dots□ Font B□1.1×2.1mm□9×17 dots□
Barcode types	UPC-A/UPC-E/JAN13□EAN13□JAN8□EAN8□/CODE39/ITF/CODABAR/CODE93/ CODE128 2D:QRCode /PDF417
Input buffer	32K bytes
NV Flash	64K bytes
Power adaptor	DC24V/2.5A
Cash drawer output	DC 24V/1A
Weight	0.37KG
Dimensions	132.2×125.7×88.11mm ( D×W×H)
Work environment	Temperature (0□45) humidity(10□80%)
Storage environment	Emperature(-10□60°C) humidity(10□80%)
Printer head life	100km



OCKP-8002





OCKP-8002





OCKP-8002







OCKP-8002









OCKP-8002







OCKP-8002





OCKP-8002

