

**80mm Portable Mobile Handheld Thermal Receipt Printer
(Model No.: OCPP-M089)**

Features:

- 1. Support Windows, Java, Android IOS.**
- 2. Bluetooth, USB and RS232 communication for option.**
- 3. Battery charge indicator, easy to know rest power.**
- 4. Higher print speed 90mm/sec.**
- 5. 100km TPH Life.**
- 6. Low power consumption and large capacity Lithium battery.**

Specification:

Overall Dimension (WxDxH)	98x103x45mm
Weight	280g
Color	Black
Effective print width	72mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	80.0±0.1mm x diameter 30.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232,Bluetooth (optional)
Data buffer	Up to 5K bytes
Power Adapter	9V DC/2A
Battery Power	7.4V DC/ 200mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper
Other features	Paper detection, power detection, Manual shut down
Working conditions	Temperature:-10°C~50°C, Humidity:10%~90%
Storage conditions	Temperature:-20°C~70°C, Humidity:5%~95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.
Power plug dimension	3.5*1.1mm



OCPP-M089





OCPP-M089





OCPP-M089

