90mm mini magnetic stripe card reader swipe machine

feature:

Compatible with Android system.

1/2/3 tracks to read, all tracks can be set to 75/210 BPI;

USB, serial, PS2, TTL, UART interfaces are available;

Long life (500,000 cartoon cards).

Suitable for all ISO7811 / 7812, ANSI, AAMVA and CA DMV magnetic cards.

Set the prefix or surfix through the provided software tools.

Encrypted reading can support

Buzzer optional

Mini size 90 * 26 * 28

Product specification:

size90mm (length) x 26mm (width) x 28mm (height)

weight85 g (approx.)

power supply+ 5V DV±5%

energy consumption 40 mA (maximum)

Operational trackIndoor use

Card standardISO7811 / 7812

Tracking positionISO 1 (IATA)ISO 2 (ABA)ISO 3(MINTS)

Recording density210 BPI75 BPI210 BPI

Recording capacity 79 characters (7 digits) 40 characters (5 digits) 107 characters (5 digits)

interfaceUSB/serial

Card thicknessPlastic 0.76±0.08mm

Head functionRead only 1.5mm

Operating speed10 to 150 cm/s

Head life500,000 card passes (1 pass: swipe)

Error rateLess than 0.5% (JSE test card)

temperatureStorage: -30°C to +70°C Operating Temperature: -20°C to + 70°C

humidityStorage: 0% to 95% RH Operation: 20% to 90% RH

image:







FAQ:

MOQ policy

There is no minimum quantity requirement for standard products, but the unit price is different. The greater the quantity, the more preferential the price.

For custom production, you can discuss MOQ directly with our sales representative.

2. Sample Availability & Policies

After the customer confirms the specifications, we are pleased to provide samples for testing and qualification.

All samples should be paid before shipment and sample prices are higher than bulk orders. When ordering in bulk, we can return the cost of the sample to you, or send you more products with partial shipments.

You can use t / t, Western uion or PayPal to buy samples from us. You can also purchase it at our online store: Aliexpress: http://www.aliexpress.com/store/403448?tracelog=minisite_CI.

3. Warranty

OCOM is committed to providing the most cost-effective products and services to meet the needs of customers with reliable quality;

We have been certified by Fortune 500 companies worldwide, and we have the highest level 1 transaction guarantees, 100% protecting your funds and delivery time.

Our warranty period for products is approximately 12 + 1 months from normal delivery, and some designated models can enjoy up to 24 months of warranty;

Any product that occurs within 30 days of delivery failure should be treated as a Deliverable (DOA). DOA products will be replaced with priority and delivered by courier.

For bulk orders, we would like to provide some spare parts for quick local repairs. After that, you can return the failed part for rework and analysis.

4. Payment Terms

For bulk orders, you can use T/T, LC, Western Union, hosting or other payment methods. About sample orders, T/T, Western Union, custody, Paypal are acceptable. Escrow service is provided by Alipay. Currently, you can make payments using Moneybookers, Visa, MasterCard and bank transfer. You can also make payments using specific debit cards including Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B and Euro6000.

5. Shipment

We accept various modes of transportation, including: express delivery, air freight, ocean freight, trucks or personal shipments by customers.

6. Customers

Our main customers are from Eruopean, Australia and the rapidly growing South America, Africa, Russia...,

We have received more than 1,300 customers from 133 countries, including Fortune Global 500 companies such as Unilever, O2... 50 of which are the largest local distributors.

contact:

Contact: Harold Hu

OCOM Technology Co., Ltd.

Address: 4th Floor, Building 10, Zhongxing Industrial Park, Chuangye Road, Nanshan District,

Shenzhen Postcode: 518054

Website: www.ocominc.com, www.possolution.com.cn;

Email: sales14@ocominc.com; Skype: sales14@ocominc.com MSN: ocomsales14@hotmail.com; Whatsapp: 86.18948789890;

WeChat: 18948789890 (ocomsales14);

Mobile phone: 86.18948789890;

QQ: 1467261417;

Tel: 0086.755.86053207-814; Fax: 0086.755.86053207-868.