

All in One Android POS System Windows Touch Screen POS

(M/N:POS-M1401)

Features:

1. Android 6.0 operation system
2. RK3288 Quad core1.8GHz processor
3. 2G RAM and 8G ROM
4. 14.1 Inch High-definition color screen□1024*768 solution□
5. Support 58/80mm thermal printer built in
6. Can optional VFD LCD display MSR,RFID

Application area

1. Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop
2. Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop
3. Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket
4. Commercial: information management terminals for parking lot, inn, aviation, subway, station and whar

Specification

| | |
|----------------------|--|
| Processor | RK3288 Quad core1.8GHz |
| OS | Android 6.0 |
| Memory | 2G RAM+ 8G ROM |
| SD | Micro SD□Up to TF 32GB) |
| Display | 14.1 INCH High-definition color screen(1024*768) |
| Touch Screen | Multipoint capacitive touch screen |
| Printer | 58mm(no cutter) or 80mm(auto cutter) thermal printer for option |
| Magnetic Card Reader | ISO7811 1/2/3 Tracks, Support Dual-swiping |
| RFID Card Reader | ISO14443TypeA, |
| Barcode Scanner | 1D/2D barcode decoding by camera |
| Wi-Fi | 802.11b/g/n |
| USB | 2*USB2.0, |
| LAN | 1*RJ45 port |
| RS232 | 1*RS232 |
| Power | DC 9V/1A |
| Working environment | Working temperature: -20 °C ~ 60 °C Storage temperature: -30 °C ~ 70 °C Relative humidity: 10%□90% |



POS-M1401





POS-M1401





POS-M1401





POS-M1401



FAQ

1. MOQ policy

No MOQ limitation for the standard products, but the unit price is different, bigger quantity better price. For customized production, you can discuss the MOQ with our sales representative directly.

2. Sample Availability & Policy

After customers confirmed the specification, we are very glad to provide samples for testing and qualification.

All samples should be paid before shipment, the samples price is a higher than mass order.

When the mass order placed, we can return you the samples cost, or send you more piece products with the shipments.

You can buy the samples from us directly using t/t, western union, or paypal. And you can also buy it on our online store.

3. Warranty

OCOM is dedicated to providing most cost-effective products and services with reliable quality that will meet customers' satisfaction;
We were qualified by a global Fortune 500 company, and we have the top 1 level trade assurance which 100% protects your money and lead time.
Our warranty of the products is about 12+1 months from the shipment normally, some designated models can have as long as 24 months warranty;
Any product within 30 days of delivery failure occurs shall be deemed invalid delivery (DOA). DOA products will give priority to the replacement, and shipped by courier.
For mass order, we would like to supply some spare parts with shipment for local quick repair. And after that, you can return failure parts for rework and analysis.

4. Payment Terms

For mass order, you can pay us by using T/T, LC, Western Union, Escrow or others. About samples order, T/T, Western Union, Escrow, Paypal are acceptable. Escrow Service is powered by Alipay.com. Currently, you can pay using Moneybookers, Visa, MasterCard and bank transfer. You can also pay with select debit cards including Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B and Euro6000.

5. Shipment

We accept all kinds of shipping ways including: express, air, sea, truck, or pick up by customers personally.

Why You Choose Us

Leading One-Stop POS and Auto-ID Related Products Supplier Qualified by Global Fortune 500 Companies
Tier 1 customers including Unilever, O2, Star...
2600+ Customers Cover 163 Countries;
12 Years OEM/ODM Experience.
Top 1 Level Trade Assurance in POS industrial guarantee quality and shipment date
Fast responses and professional service
ISO, CE, FCC, Soncap, POA, BIS, and other Certificates
12+1 months warranty.
Shortlisted in "China Best Employer Award"
Belief: Integrity Based, Strive for Excellence, Win-win Cooperation