# Android or IOS 58mm Small Handheld Bluetooth Mobile Pos Thermal Receipt Printer (Model: OCPP-M03)

## **Specification:**

Overall Dimension (W×D×H)	105×75×45mm	
Weight	134g	
Color	Black	
Effective print width	48mm	
Print method	Thermal line printing	
Print commands	ESC/POS compatible command set	
Print speed	Up to 90mm/sec	
Resolution	8 dots/mm(203dpi)	
Print font	12x24/ 24x24	
Column capacity	32 columns/ 16columns	
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)	
Paper dimensions	58.0±0.1mm x diameter 40.0mm	
Paper thickness	0.06 to 0.08mm	
Character set	Alphanumeric/ Chinese Kanji	
Interface	USB, RS-232, Bluetooth (optional)	
Flash	256KB	
Power Adapter	9V DC/2A	
Battery Power	7.4V DC/ 1500mA; battery can stay by for 4-5 days, when it is full	
	power, it can print 120-150m paper	
Other features	Paper detection, power detection, Manual shut down	
Working conditions	Temperature:-10degree C□50degree C,Humidity:10%□90%	
Storage conditions	Temperature:-20degree C[]70degree C,Humidity:5%[]95%	
Device name	Can be customized, letter and digital for option, at max 30 ASCII	
	characters.	
Password	Enter default pairing code "1234", it can be customized. At max 6	
	digitals.	
Power plug dimension	3.5*1.1mm	









# Simple but not easy

Battery charge indicator, easy to know rest power.





Higher print speed 90mm/sec



Low power consumption and large capacity Lithium battery.









## Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm









## Parameter

Overall Dimension (W×D×H)	105×75×45mm	
Weight	134g	
Color	Black	
Effective print width	48mm	0
Print method	Thermal line printing	ALIE!
Print commands	ESC/POS compatible command set	
Print speed	Up to 90mm/sec	
Resolution	8 dots/mm(203dpi)	
Print font	12x24/ 24x24	
Column capacity	32 columns/ 16columns	
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)	
Paper dimensions	58.0±0.1mm x diameter 40.0mm	The later
Paper thickness	0.06 to 0.08mm	
Character set	Alphanumeric/ Chinese Kanji	
Interface	USB, RS-232, Bluetooth (optional)	
Flash	256KB	
Power Adapter	9V DC/2A	

# Paper Roll Installation



## Shipping and payment

- 1. EXPRESS: around 3-7 working days to arrive
- INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
- 3. By sea: depend on which destination port
- 4. T/T
- 5. Western Union
- 6. Escrow
- 7. L/C

## **Company Profile**



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.













### **Relevant documents:**

\*Specification

\*Program Manual

\*Instruction Manual

\*Driver for WinXP Win2000 WinVista Win8-32bit

### \*Driver for Win8-64bit

### \*Driver for Linux

\*Printer Parameters Setting Tools

\*USB Printdemo(Application Software demo)

\*Bluetooth Printdemo(Application Software demo)

\*SDK for Android

\*CD Files

## **Related Videos:**

How is the ocpp-m05-bb works via bluetooth and usb cable OCPP-M05-BB-I work with Android and IOS System Video for OCPP-M05 work with andriod tablet via usb cable

### **FAQ:**