China factory made barcode scanner gun
(Model: OCBS-L006)

Specification:

Performance Characteristics	
Light Source:	**Visible laser (650-670nm)**
Scan Rate:	**100 scans per second**
Reading Distance	**2.5 ~600mm (100% UPC/EAN)**
Scanner Type:	**Bi-directional**
Resolution:	**0.10mm (4mil) at PCS 0.9**
Print Contrast Minimum:	**20%, minimum reflective difference (@650nm)**
Decode Capability:	**UPC/EAN, UPC/EAN with supplemental, UCC/EAN128, code 39, code 39 full ASCII, code 39 trioptic, code 128, code 128 full ASCII, coda bar, interleaved 2 of 5,discrete 2 of 5, code 93, MSI, code 11, ATA, RSS variants, Chinese 2 of 5...**
Physical Characteristics	
Interfaces Supported:	**PS2, RS232, USB**
Voltage:	**DC+5V+/-5%**
Current:	**100 mA**
Idle Current:	**<40 mA**
Power Source:	**Host power or external (RS232) power supply**
Scanning Angle	**Inclination 45° Elevation 60°**
Dimensions:	**L165.42mm X W69.72mm X H89.67mm**
Weight:	**140g (without stand)**
Stand	**Without**
Color:	**Ivory and black**
User Environment	
Operating Temperature:	**0 Degree C~50 Degree C**
Storage Temperature:	**-40 Degree C~ 70 Degree C**
Humidity:	**5~95% relative humidity, non-condensing**
Electrostatic Discharge:	**Confirm to +/-15KV air discharge and +/-8KV of contact discharge**
Drop Specifications:	**Withstands multiple 1.5m drops to concrete**
Safe:	
EMI/RFI:	**FCC Class A and CE**
Laser Safety:	**CDRH class 2 laser product**

Product Details: