

Direct Thermal Desktop 4inch Printer for Labels/Receipts/Barcodes

□M/N:OCBP-007-U□

1.Features:

- High quality double-walled clamshell design
- 32-bit RISC CPU
- 8MB SDRAM,4MB Flash
- Head-up sensor
- 203 dpi resolution
- 102mm(4''')/s high printing speed
- 108mm printing width
- 20-112mm (0.78"-4.4'')adjustable media width

2.Parameters:

Parameter	
Resolution	8 dots/mm(203DPI)
Printing method	Direct Thermal
Max.print speed	102 mm (4'')/S
Max.print width	108 mm (4.25'')
Max.print length	2286 mm (90'')
Media type	Continuous, gap, black mark, fan-fold and punched hole
Media width	20-112mm (0.78"-4.4'')
Media thickness	0.06~0.16mm(2.36~6.3mil)
Label length	10~2,286mm(0.4''~90''')
Label roll capacity	127 mm (5'') OD (outside wound)
Enclosure	Double-walled plastic
Physical dimension	240 mm[W]× 211 mm[H]× 166 mm [D]
Weight	2.15kg
Processor	32-bit RISC CPU
Memory	4MB Flash Memory, 8MB SDRAM, SD card reader for Flash memory expansion, up to 4 GB
Interface	USB 2.0
Internal fonts	8 alpha-numeric bitmap fonts, Windows fonts are downloadable from software.
Barcode	1D bar code[Code 39, Code 93, Code 128UCC, Code 128 subsets A, B, C, Codabar, Interleaved 2 of 5, EAN-8,EAN-13,EAN-128, UPC-A, UPC-E, EAN and UPC 2(5) digits add-on, MSI, PLESSEY, POSTNET, China POST 2D bar code[PDF-417, Maxicode, DataMatrix, QR code
Font and barcode rotation	0°[90°][180°][270°
Environment condition	Operation: 5 ~ 40°C, 25 ~ 85% non-condensing, Storage: -40 ~ 60°C, 10 ~ 90% non-condensing

3.Pictures:



Features

32-bit RISC CPU, 8MB SDRAM, 4MB Flash;



20-108mm printing width adjustable;

Support PDF417, QR CODE, DOTMATRIX;



Support USB, Serial, LAN(OPTION);

All-round show



Application Area



Parameter

Parameter	Value
Resolution	8 dots/mm(203DPI)
Printing method	Direct Thermal
Max print speed	100 mm/s(20")
Max print width	108 mm (4.25")
Max print length	2286 mm (90")
Media type	Continuous, gap, notch mark, non-feed and punched hole
Media width	20-108mm (0.78"-4.2")
Media thickness	0.08-0.16mm (3.5-6.3mil)
Label length	10-2.286mm(4"-90")
Label roll capacity	127 mm (5") OD (includes unwind)
Structure	Cloth or metal plastic
Physical dimension	240 mm (L) x 211 mm (W) x 105 mm (D)
Weight	2.1kg
Processor	32-bit RISC CPU
Memory	4MB Flash Memory, 8MB SDRAM, SD card reader for Flash memory expansion, 32K x 4 GB
Interface	USB 2.0
Internal ports	9-pin serial, Serial, LAN, Windows ports are slow readable from 4.0 file size.
Barcode	1D bar code Code 39, Code 93, Code 128, UCC, Code 128 subsets A, B, C, Customer, Interleaved 2 of 5, EAN-8 EAN-13, EAN-128, UPCA, UPEC-E, EAN-128 and UPEC-2(8), sign add-on, MSI, PLESSEY, POSTNET, China POST
Font and barcode rotation	2D bar code PDF417, Microcode, DataMatrix, QR code
Environment condition	Operation: 5 ~ 40°C, 25 ~ 85% non-condensing, Storage: -40 ~ 60°C, 10 ~ 90% non-condensing

Production Line



4.FAQ:

1). MOQ policy

No MOQ limitation for the standard products, but the unit price is different, bigger quantity better price. For customized production, you can discuss the MOQ with our sales representative directly.

2). Sample Availability & Policy

After customers confirmed the specification, we are very glad to provide samples for testing and qualification.

All samples should be paid before shipment, the samples price is a higher than mass order. When the mass order placed, we can return you the samples cost, or send you more piece products with the shipments.

You can buy the samples from us directly using t/t, western union, or paypal. And you can also buy it on our online store at aliexpress:http://www.aliexpress.com/store/403448?tracelog=minisite_CI.

3). Warranty

OCOM is dedicated to providing most cost-effective products and services with reliable quality that will meet customers'satisfaction;

We was qualified by global fortune 500 company, and we have the top 1 level trade assurance which 100% protect your money and lead time.

Our warranty of the products is about 12+1 months from the shipment normally, some designated models can have as long as 24 months warranty;

Any product within 30 days of delivery failure occurs shall be deemed invalid delivery (DOA). DOA products will give priority to the replacement, and shipped by courier.

For mass order, we would like to supply some spare parts with shipment for local quickly repair. And after that, you can returned failure parts for rework and analysis.

4). Payment Terms

For mass order, you can pay us by using T/T, LC, Western Union, Escrow or others. About samples order, T/T, Western Union, Escrow,Paypal are acceptable.Escrow Service is powered by Alipay.com. Currently,you can pay using Moneybookers, Visa, MasterCard and bank transfer. You can also pay with select debit cards including Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B and Euro6000.

5.Company Information:

OCOM Technologies Ltd. is the main supplier and manufacturer of POS and Auto-ID related products with TUV verified. OCOM is serving the fortune 500 company, and have the top 1% level trade assurance guarrantee by alibaba.

OCOM's products portfolio covers Thermal Printer, Barcode Printer, Dot Matrix Printer, Barcode Scanner, POS Terminal, Magnetic Card Reader, Date terminal, and other POS Peripherals products(Cash Drawer, Customer Display, POS Monitor, POS keyboard, Money counter, Electronical Scale, Thermal Paper), which are widely used for retailing, restaurant, bank, lottery, transportation, logistic, and other applications. We have CE, FCC and other required certifications.

OCOM's mission is to be the compelling choice for our partners, and our three basic belief are "Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.

