

Three Position Manual Metal Cash Drawer (Model No.: ECD 410)

Specifications:

Material	Flip top: 0.8mm SPCC powder spray the surface of cold rolled plate
	Bottom: 1.0mm SECC fingerprint-resistant plate
Bill tray	Four position width: 85/84/84/85mm
	Five position width:68/67/67/67/68mm
	Length:193mm; Depth: 59mm
Coin tray	8 removable position width: 82; Length: 57; Depth: 46
lock	3 locks
Power	12V / 24V for option
Lifetime	Tested to minimum one million cycles
Interface	RJ11, RS232 (Optional)
Color	Black or White
weight	6.5 kg (net), 7.4kg (gross)
Dimensions	410(H) x 420(W) x 100mm(H) (with feet of 9mm)

Product Details:



ECD410





ECD410





ECD410





ECD410







ECD410





ECD410



▶ Company



▶ Certificates



▶ Payment



Why You Choose OCOM?

Leading One-Stop Supplier for POS and Auto-ID Related Products;
11 Years OEM/ODM Experience;
Qualified by Global Fortune 500 Companies;
Tier 1 customers including Unilever, O2, Star ...
2300+ Customers Cover 159 Countries;
Top 1 Level Trade Assurance upto 399,000.00usd 100% protect your money;
ISO9001, FCC, CE , Rohs, Soncap, POA, BIS Certificates ;
12+1 months warranty;
Shortlisted in "China Best Employer";
Belief: Integrity Based, Strive for Excellence, Win-win Cooperation.

Contact Us:

Sales02: Penny Xiang

Website: www.ocominc.com;

Mail Address: sales02@ocominc.com

Cell/Whatsapp: [0086.18948729862](tel:0086.18948729862)

Skype/Wechat: [ocomsales02](https://www.skype.com/user/ocomsales02)

Tel/Fax: 0086.755.86053207-802.

Penny Xiang



OCOM Technologies Limited

Add: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

Tel: 0086.755.8605.3207 ext 802

Fax: 0086.755.8605.3207 ext 868

Web: www.ocominc.com, www.possolution.com.cn

E-mail: sales02@ocominc.com, sales02@ocomtech.com.cn

Skype: [ocomsales02](https://www.skype.com/user/ocomsales02); MSN: ocomsales02@hotmail.com

Ali TM: cn220221096; QQ: 2263643275

Mobile/Wechat/Whatsapp: 0086.18948729862



Reliable One-Stop Supplier for POS and Auto-ID Related Products