## Handheld Mini Industrial PDA Data Collector with Screen and Keypad (Model:OCBS-D104)

## **Product Features:**

Mini data collector, convenient and portable;

Wireless version: working distance can meet general request, 30 to 300m in open area;

Can store 30,000 barcodes;

Instantly store and bulk transfer mode, secure to keep the data;

Auto-turn-off at low voltage. Settable standby time, high efficiency and energy saving;

Easy and comfortable operation.

## **Product Specification:**

Froduct Specification.	
Wireless Communications:	
Modulation	GFSK
Transmission rate	200Kbps
Power	10dBm
Transmission Distance	Visual straight line distance 300 meters
Antenna	Built-in spring antenna
Performance Characteristics	
Light Source	650nm laser
Supported barcodes	EAN-8  EAN-13  UPC-A  UPC-E  Code 39  Code 93  Code 128  EAN128  Codaber  Industoal 2 of 5  Interleave 2 of 5  Matrix 2 of 5  MSI etc
Scanner Type:	Bi-directional Bi-directional
Scan rate	48±2 scan/second
Scan distance	10-520mm
Scan width	20mm@window[]220mm@200mm
Resolution	0.10mm[pcs0.9[
Depth of Field	0[250mm[0.33mm[PCS 90%[
Working Way	Triggered or automatic (continuous mode) scanning
Physical Characteristics	
Memory:	1M (Can store 30,000 barcodes)
Interfaces:	Standard configuration mini USB receiver; RS232 and PS2 optional
Current:	96mA (working) 46mA(standby)
Battery:	Built-in rechargeable lithium ion battery (3.7V, 1900mAh)
Material	ABS+PC
Dimension:	102mmX46mmX28mm (Data Collector) 52mmX20mmX10mm (Receiver)
Weight:	130g (with battery)
User Environment	
Operation Temperature	-20 Degree C∏45 Degree C
Storage Temperature	-20 Degree C∏60 Degree C
Humidity:	5~95% relative humidity, non-condensing
Safe	
EMI/RFI:	CE & FCC DOC compliance
Safety Standard	The second national laser safety standards
Ordering Information	
OCBS-D004	433MHZ Wireless Mini Portable Stocktaking Terminal
OCBS-D104	USB Cable Mini Portable Stocktaking Terminal