High Quality Mini Direct Thermal Barcode Label Printer with Driver

(M/N:OCBP-006)

1,Support thermal roll paper / adhesive paper
2.The print head with adjustable pressure
3.Automatic paper checking function
4.Temperature adaptive control
5.Modular design, to meet different application requirements

Printing method	Direct thermal
Resolution	203DPI
Print width	20-60mm
Printing speed	MAX:127mm/s，MIN:50.8mm/s
Memory	DRAM: 4M FLASH: 4M
Print head temperature	Thermistor
Paper exists detection	The micro switch
Interface	USB
Paper presence detection	Paper presence detection
Barcode	CODE128，EAN128，ITF，CODE39，CODE93，EAN13，EAN13+2，EAN13+5，EAN8，EAN8+2，EAN8+5，CODABAR，POSTNET，UPC-A，UPCA+2，UPCA+5，UPC-E，UPCE+2，UPC-E+5，CPOST，MSI，MSIC，PLESSEY，ITF14，EAN14 Qrcode， DM Code， PDF417
Internal font	FONT 0 to FONT 8
Enlargement & rotation	（0°，90°，270°， 360°， 1 to 10 times enlargement in both direction; 0°，90°，270°， 360° rotation
Image	Monochromatic PCX, BMP image files can be load to FLASH, DRAM
Paper type	Paper roll, sticker, adhesive sticker, etc
Paper width	20mm，60mm
Roll external	MAX 80mm
Roll inner diameter	MIN 25mm
Paper off type	Tear off
Power supply input	DC12V, 3A
Weight	1.04KG
Dimensions	190(D) x 135(W) x 137(H)mm
Work environment	5，45℃, 20，80%RH(no condensation)
Storage environment	（40，55℃）≤93%RH（40℃）

Aocom®
At your side
OCBP-006
Support 4M DRAM, 4M NV FLASH
5 INCH/S HIGH SPEED PRINTING
FEED
PAUSE
ERROR
ON LINE
ISO
FC
CE
RoHS

Aocom®
At your side

OCBP-006

ISO FC CE RoHS

Ocom®
At your side

OCBP-006

ISO FC CE RoHS

Ocom®

At your side

OCBP-006

ISO FC CE RoHS

Ocom®

At your side

OCBP-006



ISO FC CE RoHS