

# Wireless 1D/2D Barcode Scanner

(M/N:OCBS-W217)

## Features:

- l. High performance imaging technology
- m. Omni-directional scanning
- n. 4 mil excellent scanning accuracy
- o. 2.4G wireless and USB transfer data
- p. 1200mAh lithium battery can work for 12hours
- q. 16MB big storage can save 100000 bar codes
- r. Multi special function setting supported
- s. High compatibility for all major 1D and 2D symbols
- t. Can read the bar code on the screen and color bar code

## Specification

General	
Model	OCBS-W217
Color	Black
Material	ABS+PC
IP grade	IP42
Processor	32-bit ARM MCU + DSP
Wireless	100 meters 2.4G wireless
Power supply	DC 5V ±5%
Interface	USB
Battery	1200mAh
Power consumption	375mW(Working);226mW(standy);750mW(Max)
Prompt mode	Buzzer, indicator(LED)
Trigger mode	Manual,Continuous scanning,Auto-sensing
Memory	16MB
Working time	12 hours
Charging time	4 hours
ESD Protection	15KV air discharge
Shock resistance	1.5m free fall on concrete surface
System Supported	Linux,Android,Windows XP,7,8,10,MAC
Performance	
Sensor	CMOS sensor
Light source	Red LED(Aiming)+White LED(Lighting)
Reading Mode	Image
Print contrast	≥25%
Resolution	≥4mil □PCS90%,CODE 39□
Movement tolerance	25cm/s
Scanning Angel	Roll360°,Pitch30°,Yaw45°
Scanning Depth	Code39 4.17mil(15 bytes): 4cm-8cm Code128 4.17mil(16 bytes):7cm- 15cm Data Matrix 10.83mil(8 bytes):3cm-9cm Code QR 20mil (8 bytes):1cm- 19cm
Error rate	1/5 million

Decoding ability	1D:Code25-Interleaved,Code25-Standard ,Code25-Matrix, Code39-Regular ,Code39-FullASCII ,Code32,Code128,EAN/GSL/UCC-128Auto,Codabar,MSI,EAN/JAN-13,UPC-A,JAN-8,UPCE 2D:QR,Data Matrix ,PDF417
<b>Physical</b>	
Weight	Gross:289g
20 in 1 carton	455*415*210mm/6.65kg
<b>Environment</b>	
Working temperature& humidity	0 to 45 degrees centigrade, 10%~80% No condensation
Storage temperature& humidity	-20 to 60 degrees centigrade , 10%~90% No condensation







