

89Keys POS Keyboard (Model No.: KB89)



KB89 is narrow-sided, silent, membrane pos keyboard, with dust-proof and waterproof structure; Can be divided into one-piece type and split type; also can be optional to wear the transparent keycaps&lens; Support dual-channel(USB/PS2); The color is White, black and gray. No battery required, data storage can be over than 100 years. EMC radiation reaches class B requirements, antistatic design (refer to GB4943, GB/T 17626 related standards).

Specification

Model	KB89
Material	ABS
Voltage	DC+5V $\pm 10\%$
Current	$\leq 150\text{mA}$
Insulation resistance	$> 50\text{M}\Omega$
Contact resistance	$< 1\text{K}\Omega$
Type	Membrane
Key pressure	$55 \pm 15\text{g}$ (*press from the central part of the keycap)
Pre-stroke	$2.0 \pm 0.1\text{mm}$
Total stroke	$3.0 \pm 0.2\text{mm}$ (press from the central part of the keycap)
Key lifetime	More than 10 million times
Printing	laser, the characters are clear and wear-resistant
interface	USB/PS2 dual

OS	Support DOS, Win9X, Me, Win2K, XP, WIN7, WIN10 and other operating systems
Size	(L*W*H): 325*127*24mm
Weight	Net: 520g
Cable	550mm (Customized)
Working temperature	0°C - +50°C
Storage temperature	-20°C - +70°C
Working humidity	5%-93% (non-condensing)











