Kitchen Front paper design android 80mm POS thermal printer

(Model No.: OCPP-80M)

Features:

260mm/sec High Speed Printing;
Auto Cutter Life: 1 million cuts;
Support QR CODE Printing;
Serial + USB + LAN Interfaces;
Support International Language;
Printer Status Monitoring;
Support sound and light reminder function;
Front paper design prevents water splashing;
Suitable for kitchen applications.

Specification:

| Printing MethodDirect ThermalCharacter SizeANK,FontA:12*24dots,FontB:9*17dots,Simplified/Traditional Chinese :24*24 dotsColumn Capacity:576dots/line OR 512dots/lineCode PagePC347(Standard Europe),Katakana, PC850(Multilingual),PC860(Portuguese), PC863(Canadian-French),PC865(Nordic), West Europe,Greek,Hebrew,East Europe,Iran,WPC1252,PC866(Cyrillic#2),PC852(Latin2), PC858(Latin2),Iranll,Latvian,Arabic,PT151(1251)BarcodeUPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)/CODABAR/ITF/CODE39/CODE93/CODE128Printing Speed260mm/secInput Buffer1024K bytesPaper Width79.5±0.5mmMCBF(life)100kmPrinting CommandCompatible with ESC/POSCash Drawer ControlDC24V/1APaper Thickness0.06-0.08mm |
|---|
| :24*24 dots Column Capacity: 576dots/line OR 512dots/line Code Page PC347(Standard Europe), Katakana, PC850(Multilingual), PC860(Portuguese), PC863(Canadian-French), PC865(Nordic), West Europe, Greek, Hebrew, East Europe, Iran, WPC1252, PC866(Cyrillic#2), PC852(Latin2), PC858(Latin2), IranlI, Latvian, Arabic, PT151(1251) Barcode UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)/CODABAR/ITF/CODE39/CODE93/ CODE128 Printing Speed 260mm/sec Input Buffer 1024K bytes Paper Width 79.5±0.5mm MCBF(life) 100km Printing Command Compatible with ESC/POS Cash Drawer Control DC24V/1A Paper Thickness 0.06-0.08mm |
| PC347(Standard Europe),Katakana, PC850(Multilingual),PC860(Portuguese), PC863(Canadian-French),PC865(Nordic), West Europe,Greek,Hebrew,East Europe,Iran,WPC1252,PC866(Cyrillic#2),PC852(Latin2), PC858(Latin2),IranII,Latvian,Arabic,PT151(1251) Barcode UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)/CODABAR/ITF/CODE39/CODE93/ CODE128 Printing Speed 1024K bytes Paper Width 79.5±0.5mm MCBF(life) 100km Printing Command Compatible with ESC/POS Cash Drawer Control DC24V/1A Paper Thickness 0.06-0.08mm |
| PC850(Multilingual),PC860(Portuguese), PC863(Canadian-French),PC865(Nordic), West Europe,Greek,Hebrew,East Europe,Iran,WPC1252,PC866(Cyrillic#2),PC852(Latin2), PC858(Latin2),IranII,Latvian,Arabic,PT151(1251) Barcode UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)/CODABAR/ITF/CODE39/CODE93/ CODE128 Printing Speed 1024K bytes Paper Width 79.5±0.5mm MCBF(life) 100km Printing Command Compatible with ESC/POS Cash Drawer Control DC24V/1A Paper Thickness 0.06-0.08mm |
| PC863(Canadian-French),PC865(Nordic), West Europe,Greek,Hebrew,East Europe,Iran,WPC1252,PC866(Cyrillic#2),PC852(Latin2), PC858(Latin2),IranII,Latvian,Arabic,PT151(1251) Barcode UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)/CODABAR/ITF/CODE39/CODE93/ CODE128 Printing Speed 1024K bytes Paper Width 79.5±0.5mm MCBF(life) 100km Printing Command Compatible with ESC/POS Cash Drawer Control DC24V/1A Paper Thickness 0.06-0.08mm |
| West Europe,Greek,Hebrew,East Europe,Iran,WPC1252,PC866(Cyrillic#2),PC852(Latin2), PC858(Latin2),IranII,Latvian,Arabic,PT151(1251) Barcode UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)/CODABAR/ITF/CODE39/CODE93/ CODE128 Printing Speed Input Buffer 1024K bytes Paper Width 79.5±0.5mm MCBF(life) 100km Printing Command Compatible with ESC/POS Cash Drawer Control DC24V/1A Paper Thickness 0.06-0.08mm |
| Europe,Iran,WPC1252,PC866(Cyrillic#2),PC852(Latin2), PC858(Latin2),IranII,Latvian,Arabic,PT151(1251) Barcode UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)/CODABAR/ITF/CODE39/CODE93/ CODE128 Printing Speed 260mm/sec Input Buffer 1024K bytes Paper Width 79.5±0.5mm MCBF(life) 100km Printing Command Compatible with ESC/POS Cash Drawer Control DC24V/1A Paper Thickness UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)/CODABAR/ITF/CODE39/CODE93/ CODE128 260mm/sec Code Code Code Code Code Code Code Code |
| PC858(Latin2),IranII,Latvian,Arabic,PT151(1251) Barcode UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)/CODABAR/ITF/CODE39/CODE93/CODE128 Printing Speed 260mm/sec Input Buffer 1024K bytes Paper Width 79.5±0.5mm MCBF(life) 100km Printing Command Compatible with ESC/POS Cash Drawer Control DC24V/1A Paper Thickness 0.06-0.08mm |
| BarcodeUPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)/CODABAR/ITF/CODE39/CODE93/CODE128Printing Speed260mm/secInput Buffer1024K bytesPaper Width79.5±0.5mmMCBF(life)100kmPrinting CommandCompatible with ESC/POSCash Drawer ControlDC24V/1APaper Thickness0.06-0.08mm |
| CODE128 Printing Speed 260mm/sec Input Buffer 1024K bytes Paper Width 79.5±0.5mm MCBF(life) 100km Printing Command Compatible with ESC/POS Cash Drawer Control DC24V/1A Paper Thickness 0.06-0.08mm |
| Printing Speed260mm/secInput Buffer1024K bytesPaper Width79.5±0.5mmMCBF(life)100kmPrinting CommandCompatible with ESC/POSCash Drawer ControlDC24V/1APaper Thickness0.06-0.08mm |
| Input Buffer1024K bytesPaper Width79.5±0.5mmMCBF(life)100kmPrinting CommandCompatible with ESC/POSCash Drawer ControlDC24V/1APaper Thickness0.06-0.08mm |
| Paper Width 79.5±0.5mm MCBF(life) 100km Printing Command Compatible with ESC/POS Cash Drawer Control DC24V/1A Paper Thickness 0.06-0.08mm |
| MCBF(life) 100km Printing Command Compatible with ESC/POS Cash Drawer Control DC24V/1A Paper Thickness 0.06-0.08mm |
| Printing Command Compatible with ESC/POS Cash Drawer Control DC24V/1A Paper Thickness 0.06-0.08mm |
| Cash Drawer Control DC24V/1A Paper Thickness 0.06-0.08mm |
| Paper Thickness 0.06-0.08mm |
| |
| |
| Cutter Manual Cutter |
| Roll Paper 79.5±0.5mm* φ83mm |
| Interface Serial + USB + LAN |
| Drivers Win 9X/Win ME/Win 2000/Win 2003/Win NT/Win XP/Win Vista/win |
| 7&8/Linux/win10 |
| Power Supply DC24V/2.5A |
| Power Adapter Input AC 110V/220V, 50~60Hz ;output:DC 24V/2.5A |
| Dimension 185x140x134mm(L*W*H) |
| Weight 1.48kg |









FAQ

1. MOQ policy

No MOQ limitation for the standard products, but the unit price is different, bigger quantity better price.

For customized production, you can discuss the MOQ with our sales representative directly.

2. Sample Availability & Policy

After customers confirmed the specification, we are very glad to provide samples for testing and qualification.

All samples should be paid before shippment, the samples price is a higher than mass order. When the mass order placed, we can return you the samples cost, or send you more piece products with the shippments.

You can buy the samples from us directly using t/t, western uion, or paypal. And you can also buy it on our online store at aliexpress:http://www.aliexpress.com/store/403448?tracelog=minisite CI.

3. Warranty

OCOM is dedicated to providing most cost-effective products and services with reliable quality that will

meet customers'satisfication;

We was qualified by global fortune 500 company, and we have the top 1 level trade assurance which 100% protect your money and lead time.

Our warranty of the products is about 12+1 months from the shipment normally, some designated models can have as long as 24 months warranty;

Any product within 30 days of delivery failure occurs shall be deemed invalid delivery (DOA). DOA products will give priority to the replacement, and shipped by courier.

For mass order, we would like to supply some spare parts with shipment for local quickly repair. And after that, you can returned failure parts for rework and analysis.

4. Payment Terms

For mass order, you can pay us by using T/T, LC, Western Union, Escrow or others. About samples order, T/T, Western Union, Escrow, Paypal are acceptable. Escrow Service is powered by Alipay.com. Currently, you can pay using Moneybookers, Visa, MasterCard and bank transfer. You can also pay with select debit cards including Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B and Euro6000.

5. Shipment

We accept all kinds of shipping ways including: express, air, sea, truck, or pick up by customers personally.

6. Customer

Our main customers from Eruopean, Australia, and the fast growing South America, Africa, Russia...,

We have servered more than 1300 customers from 133 countries, including the global fortune 500 company like Unilever, O2.....50 of them are the biggest distributor in the local teritories.