# LED POS Customer Pole Display
# (Model: LED8A)

## Specifications:

| | |
|---|---|
| Communication | |
| Interface: | RS232 communication, USB power supply (DC optional) |
| Baud rate: | 2400/9600BPS |
| Brightness: | 1500cd |
| Handshake signal | No |
| Electrical | DC5V (from host computer USB interface) |
| Display: | LED Bright yellow-green digital display |
| Display characters: | 8 Numbers (0~9) |
| Display area: | 160mm ×30.8mm |
| Font size: | 13MM*7.6MM |
| MTBF: | 25,000 hours |
| Physical | |
| Panel dimensions: | 224(L)X88(W)mm |
| Support dimensions: | Height: 400---442mm<br>Base: 185(L) x95(w) x25(H) mm |
| Pitching move angle: | 8°~120° |
| Color | White or Black |
| Weight: | 520g (without base);850g (with base);1100g (including packing) |
| Packing Size | 255(L) x 210(W) x 96(H) mm |
| Environment | |
| Operating Temp: | -40℃--50℃ |
| Storage  Temp; | -60℃--80℃ |
| Humidity: | 30%--85% |

## Product Details:

# LED Customer Display

## LED8A

## Product Picture

## Features

### *Simple but not easy*

8 characters LED display;

Pole height is adjustable;

360 degree rotation angel;

Compatible with "ESC / POS"

standard common instruction set,

no need driver, plug and use;

## All-round show

## Application Area

Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop
Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop
Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket

Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf

## Parameter

| | |
|---|---|
| **Communication** | |
| Interface: | RS232 communication, USB power supply (DC optional) |
| Baud rate: | 2400/9600BPS |
| Brightness: | 1500cd |
| Handshake signal | No |
| Electrical | DC5V (from host computer USB interface) |
| Display: | LED Bright yellow-green digital display |
| Display characters: | 8 Numbers (0~9) |
| Display area: | 160mm ×30.8mm |
| Font size: | 13MM*7.6MM |
| MTBF: | 25,000 hours |
| **Physical** | |
| Panel dimensions: | 224(L)X88(W)mm |
| Support dimensions: | Height: 400---442mm<br>Base: 185(L) x95(w) x25(H) mm |
| Pitching move angle: | 8°~120° |
| Color | White or Black |
| Weight: | 520g (without base);850g (with base);1100g (including packing) |
| Packing Size | 255(L) x 210(W) x 96(H) mm |
| **Environment** | |

| | |
|---|---|
| Operating Temp: | -40℃--50℃ |
| Storage Temp; | -60℃--80℃ |
| Humidity: | 30%--85% |

## Production Line

## Capacity

| Verified | Product Name | Production Line Capacity | Actual Units Produced(Previous Year) |
|---|---|---|---|
| ✓ | Thermal Printer | 40,000 Sets / Month | 250,000 Sets |
| ✓ | Dot Matrix Printer | 15,000 Sets / Month | 10,000 Sets |
| ✓ | Bluetooth Printer | 30,000 Sets / Month | 20,000 Sets |
| ✓ | Barcode Scanner | 40,000 Sets / Month | 20,000 Sets |
| ✓ | POS Machine | 5,000 Sets / Month | 10,000 Sets |
| ✓ | Magnetic Card Reader and Writer | 45,000 Sets / Month | 50,000 Sets |

✓ *Indicates information has been verifed onsite by TUV on 2013.7.15*

## Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfication.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment.Some designated models can have as long as 24 months warranty.

## Test Equipments

| Verified | Machine Name | Brand & Model No. | Quantity |
|---|---|---|---|
| ✓ | Ageing Tester | No Information | 6 |

| | | | |
|---|---|---|---|
| ✓ | Withstand Voltage Tester | CC2670A | 1 |
| ✓ | Oscilloscope | TBS1102 | 1 |
| ✓ | DC Power Supply | PS-305DM | 6 |
| ✓ | Digital Torque Meter | HP100 | 1 |
| ✓ | Calliper | GUANGLU | 2 |
| ✓ | Multi-meter | VC890D | 7 |
| ✓ | Test Computer | No Information | 13 |

✓ *Indicates information has been verifed onsite by TUV on 2013.7.15*

## Certifications

## Packing and Shipment



CHINA POST

## Payment

## Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have estabilshed goods relationship with our customers and have friendly communication with each other.

## Why you choose us?

# Company Profile

## This Assessed Supplier Has Been
## Independently Verified

Build Your Growth On Trust

TÜVRheinland®
Precisely Right.

OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal, and POS peripherals . Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Eruope, Australia, Asia, and other area.

OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.

## Contact us

**Any queries, please contact us immediately, big supprise is waiting for you.**

Sales Center:

Address: Unit 701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China;
Websites: http://www.possolution.com.cn ; http://www.ocominc.com ;
E-mail: ocom@ocominc.com , ocomtech@gmail.com ;
Skype: ocominc2000, ocominc;
MSN: ocomtech@hotmail.com, ocominc@hotmail.com;
Trademanager: szocominc, cn1500439666;
QQ: 2485890637,190852203;
Tel/Fax: +86.755.8605.3207.

## Relevant documents:

**Do you want to know more product information?Please Click here.**

**Specification**
**User Manual**
**Driver**