# Mini 1d 2d desktop rugged tablet with barcode scanner vaccine passport qr scanner

(Model No.: OCBS-2017)

## Feature:

High performance imaging technology;

Omni-directional scanning;

4 mil excellent scanning accuracy;

Multi special function setting supported;

High compatibility for all major 1D and 2D symbols;

Can read the barcode on the screen and color barcode;

# Specification:

Interface		USB; USB virtual COM; RS232
System support		Linux  Android  Windows XP  T  B  Linux  Android  Windows XP  T  B  Linux  Android  Windows XP  T  Linux  Android  Windows XP  T  Linux  Linux  Android  Windows XP  T  Linux  Linx  Linux  Linx  Li
Sensor		CMOS sensor
Light source		Red LED(Aiming)+White LED(Lighting)
Processor		32-bit ARM MCU + DSP
Resolution		≥4mil[PCS90%,CODE 39[]
Error rate		1/5 million
Movement tolerance		25cm/s
Reading Mode		Image
Trigger mode		Manual,Continuous scanning,Auto-sensing
Prompt mode		Buzzer, indicator(LED)
Print contrast		≥25%
Material		ABS+PC
Power supply		DC 5V ±5%
Power consumption		375mW(Working);226mW(standy);750mW(Max)
		□Average Power consumption□
Weight		289g±5g
Inner Box Size		L*W*H: 180 * 115 * 85 (unit□mm)
Package info.		60*45*38.5 cm 50 pcs/carton, NW.=14.45kg , GW.=16.15kg
Color		Black
Decoding Capability	1D	Code25-Interleaved Code25-Standard Code25-Matri
		Code39-Regular Code39-FullASCII Code32
		Code93-Regular Code93-FullASCII Code128
		EAN/GSL/UCC-128Auto Codabar MSI
		EAN/JAN-13 UPC-A JAN-8 UPCE
	2D	QR Data Matrix PDF417
Scanning Angel		Roll360°,Pitch30°,Yaw45°
Scanning Depth		Code39 4.17mil(15 bytes): 4cm - 8cm
		Code128 4.17mil(16 bytes):7cm - 15cm
		Data Matrix 10.83mil(8 bytes):3cm - 9cm
		Code QR 20mil (8 bytes):1cm - 19cm

Environmental parameter		
IP grade	IP42	
Operating temperature	0 to 50°C / 32 to 122°F	
Storage temperature	0 to 50°C / 32 to 122°F	
Operation humidity	20% to 85%(No condensation)	
Storage humidity	20% to 85%(No condensation)	
ESD Protection	15KV air discharge	
Shock resistance	1.5m free fall on concrete surface	









# Company

















# Certificates











# Payment

















# **FAQ**

#### 1. MOQ policy

No MOQ limitation for the standard products, but the unit price is different, bigger quantity better price. For customized production, you can discuss the MOQ with our sales representative directly.

## 2. Sample Availability & Policy

After customers confirmed the specification, we are very glad to provide samples for testing and qualification. All samples should be paid before shippment, the samples price is a higher than mass order. When the mass order placed, we can return you the samples cost, or send you more piece products with the shippments. You can buy the samples from us directly using t/t, western uion, or paypal.

## 3. Warranty

OCOM is dedicated to providing most cost-effective products and services with reliable quality that will meet customers'satisfication;

We was qualified by global fortune 500 company, and we have the top 1 level trade assurance which 100% protect your money and lead time.

Our warranty of the products is about 12+1 months from the shipment normally, some designated models can have as long as 24 months warranty;

Any product within 30 days of delivery failure occurs shall be deemed invalid delivery (DOA). DOA products will give priority to the replacement, and shipped by courier.

For mass order, we would like to supply some spare parts with shipment for local quickly repair. And after that, you can returned failure parts for rework and analysis.

#### 4. Payment Terms

For mass order, you can pay us by using T/T, LC, Western Union, Escrow or others. About samples order, T/T, Western Union, Escrow, Paypal are acceptable. Escrow Service is powered by Alipay.com.

### 5. Shipment

We accept all kinds of shipping ways including: express, air, sea, truck, or pick up by customers personally.