

# Mini 1d 2d desktop rugged tablet with barcode scanner vaccine passport qr scanner

**(Model No.: OCBS-2017)**

## Feature:

- High performance imaging technology;
- Omni-directional scanning;
- 4 mil excellent scanning accuracy;
- Multi special function setting supported;
- High compatibility for all major 1D and 2D symbols;
- Can read the barcode on the screen and color barcode;

## Specification:

Interface	USB; USB virtual COM; RS232			
System support	Linux Android Windows XP 7 8 10 MAC			
Sensor	CMOS sensor			
Light source	Red LED(Aiming)+White LED(Lighting)			
Processor	32-bit ARM MCU + DSP			
Resolution	≥4mil PCS90%, CODE 39			
Error rate	1/5 million			
Movement tolerance	25cm/s			
Reading Mode	Image			
Trigger mode	Manual, Continuous scanning, Auto-sensing			
Prompt mode	Buzzer, indicator(LED)			
Print contrast	≥25%			
Material	ABS+PC			
Power supply	DC 5V ±5%			
Power consumption	375mW(Working);226mW(standy);750mW(Max) Average Power consumption			
Weight	289g±5g			
Inner Box Size	L*W*H: 180 * 115 * 85 (unit mm)			
Package info.	60*45*38.5 cm 50 pcs/carton, NW.=14.45kg , GW.=16.15kg			
Color	Black			
Decoding Capability	1D	Code25-Interleaved	Code25-Standard	Code25-Matri
		Code39-Regular	Code39-FullASCII	Code32
		Code93-Regular	Code93-FullASCII	Code128
		EAN/GSL/UCC-128Auto	Codabar	MSI
		EAN/JAN-13	UPC-A	JAN-8 UPCE
	2D	QR	Data Matrix	PDF417
Scanning Angel	Roll360°,Pitch30°,Yaw45°			
Scanning Depth	Code39 4.17mil(15 bytes): 4cm - 8cm			
	Code128 4.17mil(16 bytes):7cm - 15cm			
	Data Matrix 10.83mil(8 bytes):3cm - 9cm			
	Code QR 20mil (8 bytes):1cm - 19cm			

Environmental parameter	
IP grade	IP42
Operating temperature	0 to 50°C / 32 to 122°F
Storage temperature	0 to 50°C / 32 to 122°F
Operation humidity	20% to 85%(No condensation)
Storage humidity	20% to 85%(No condensation)
ESD Protection	15KV air discharge
Shock resistance	1.5m free fall on concrete surface





OCBS-2017





OCBS-2017





OCBS-2017





## ▶ Company



## ▶ Certificates



## ▶ Payment



# FAQ

## 1. MOQ policy

No MOQ limitation for the standard products, but the unit price is different, bigger quantity better price. For customized production, you can discuss the MOQ with our sales representative directly.

## 2. Sample Availability & Policy

After customers confirmed the specification, we are very glad to provide samples for testing and qualification. All samples should be paid before shipment, the samples price is a higher than mass order. When the mass order placed, we can return you the samples cost, or send you more piece products with the shipments. You can buy the samples from us directly using t/t, western uion, or paypal.

## 3. Warranty

OCOM is dedicated to providing most cost-effective products and services with reliable quality that will meet customers'satisfaction;  
We was qualified by global fortune 500 company, and we have the top 1 level trade assurance which 100% protect your money and lead time.  
Our warranty of the products is about 12+1 months from the shipment normally, some designated models can have as long as 24 months warranty;  
Any product within 30 days of delivery failure occurs shall be deemed invalid delivery (DOA). DOA products will give priority to the replacement, and shipped by courier.  
For mass order, we would like to supply some spare parts with shipment for local quickly repair. And after that, you can returned failure parts for rework and analysis.

## 4. Payment Terms

For mass order, you can pay us by using T/T, LC, Western Union, Escrow or others. About samples order, T/T, Western Union, Escrow,Paypal are acceptable.Escrow Service is powered by Alipay.com.

## 5. Shipment

We accept all kinds of shipping ways including: express, air, sea, truck, or pick up by customers personally.