

## New design portable POS payment machine with 58mm printer built in (POS-Z90)

### Feature:

- | Android 5.1 operating system
- | 5.0 inch screen touch
- | Long standby battery capacity is 3600 mAh
- | 58mm thermal printer
- | 5 million pixels camera
- | 2G /3G/4G wifi, bluetooth communication,
- | Integrated magnetic card reader, induction IC card reader and contact IC card reader
- | Passed the EMV L1 L2 and PBOC bank payment certification
- | The cradle can be used for communication, charging, power bank, and providing wireless network (Optional)

### Application :

apply chain supermarkets, restaurants, convenience stores, clothing store, premises, bakery, cashier, pay, enters, sells, saves the business management function.

### Technical Specification:

| Basic Information       |   |
|-------------------------|---|
| Operating system        | Android 5.1   |
| RAM                     | RAM:1GB   |
| Extended stored         | FLASH:8GB   |
| Display screen          | 5.0 inch  |
| Touch screen            | Capacitive touch screen, support the electronic signature   |
| Battery                 | Lithium battery 3600 mah, 3.7 V   |
| Bluetooth               | Bluetooth 4.0   |
| Camera                  | 5 mega-pixel camera   |
| Positioning function    | GPS AGPS WLAN for Positioning   |
| Printer                 | 58mm thermal printer 30mm diameter Paper roll   |
| Interface               | Micro USB   |
| POS Function            |   |
| Magnetic card reader    | Full track magnetic card reader<br>Support ISO1788/7812, AAMVA protocol   |
| IC card read-write      | Support ISO7816 protocol  |
| Non-contact card reader | Support ISO/IEC 14443 Type A&B, Mifare, felica card, in line with the EMV/PBOC PAYPASS specification  |
| PSAM Card               | Bank security payment chip card   |
| Certification           | Unionpay card acceptance terminal network detection<br>EMV/PBOC3.0 L1 and L2 certification<br>EMV/qPBOC3.0 L1 and L2 certification<br>Unionpay intelligent safety standards point-of-sale terminals |
| Network Parameters      |   |
| Network Type            | GSM, WCDMA, TD-SCDMA, FDD-LTE, TDD-LTE  |

|                     |                                  |
|---------------------|----------------------------------|
| Network Spectrum    | GSM850/900/1800/1900             |
|                     | WCDMA2100/1900/900/850           |
|                     | TD-SCDMA B34/B39                 |
|                     | FDD-LTE B1/B2/B3/B4/B5/B7/B8/B20 |
|                     | TDD-LTE B38/B39/B40/B41          |
| WLAN                | IEEE802.11.b/n/g                 |
| Physical Parameters |                                  |
| Size                | 191mm×80mm×46mm                  |
| Weight              | 650g                             |
| Operating Temp      | -20°C ~ 60°C                     |
| Storage Temp        | -40°C ~ 80°C                     |
| Humidity            | 10%~90% RH non-condensing        |



# POS-Z90



[www.ocominc.com](http://www.ocominc.com)





# POS-Z90



[www.ocominc.com](http://www.ocominc.com)





# POS-Z90



[www.ocominc.com](http://www.ocominc.com)





# POS-Z90



[www.ocominc.com](http://www.ocominc.com)



**OCOM is a leading One-stop POS and Auto-ID Related Products Supplier which is qualified by Global Fortune 500 company. We have Top 1 level Trade Assurance guarantee,so that your funds and delivery period can be guaranteed 100%.**

OCOM's products portfolio covers Thermal Printer, Barcode Printer, DOT Matrix Printer, Barcode Scanner, Data Collector, POS Machine and other POS Peripherals products, which are widely used for retailing, restaurant, bank, lottery, transportation, logistics, and other applications. We have ISO, CE, FCC,BIS and other required certifications.