

High Printing Speed 4 Inches Direct Thermal Barcode Label Printer

(M/N:OCBP-014B)

Features:



It's shell design looks so elegant;

Compatible with multiple system such as windows and MAC;

Space-saving body but keeping a large paper loading container;

One multi-functional button and one two-color indicator, simple operation;

Print head temperature intelligent control system make sure printer output stably;

Various Detection Functions:open cover detection, high temperature detection, out of paper detection.

Specification

General	
Model	OCBP-014B
Material	White plastic housing
Interface	USB
Processor	32-bit CPU
Memory	8MB Flash Memory, 8MB SDRAM
Printer Head life	30KM
Power supply	Input□AC 100V-240V,50-60Hz,Output□DC 24V/2.5A
Sensors	Gap sensor,Blackmark sensor,Case-opening sensor
Gap height	2mm Min
Blackmark height	2mm Min
Font and barcode rotation	0°,90°,180°,270°
Compatible command	TSPL EPL ZPL DPL
Printing capability	
Printing method	Direct Thermal
Resoluiton	203 DPI
Print speed	152mm/s Max
Print width	108mm Max
Print length	1778mm Max
Barcode and character	
Barcode	1D barcode: Code 39, Code 93, Code 128UCC, Code 128 subsets A, B, C, Codabar, Interleaved 2 of 5, EAN-8, EAN-13, EAN-128, UPC-A, UPC-E, EAN and UPC 2(5) digits add-on, MSI, PLESSEY, POSTNET, China POST 2D barcode: PDF-417, Maxicode, DataMatrix, QR code
Media	
Media type	Continuous, gap, folded and punched hole
Media width	20-116mm
Media thickness	0.06-0.20mm

Label roll capacity	101 mm OD (outside wound)
Label length	10-1778mm
Physical	
Dimension	189.62 mm(W)× 178.5 mm(H)× 219.03 mm(D)
Weight	Net:1.78kg Gross: 2.38kg
Package box	335*225*235mm
6 in 1 carton	713*350*510mm/15.74kg
Environment	
Working temperature& humidity	0 to 45 degrees centigrade, 10%~80% No condensation
Storage temperature& humidity	-20 to 60 degrees centigrade , 10%~90% No condensation





















Thermal Label Printer
Model: OCBP-014B
Interface: USB
Paper Width: 104mm
Print Speed: 152mm/s
Power Input: 24V/2.5A
Cash Drawer: 24V/1.0A



OCBP014B2262700003

CE FC  Made in China









Relevant documents:

[OCBP-014B Diagnostic Tool](#)

[OCBP-014B Label Making Software](#)

[OCBP-014B Windows Driver](#)

