# High Printing Speed 4 Inches Direct Thermal Barcode Label Printer

(M/N:OCBP-014B)

## Features:

It's shell design looks so elegant;

Compatible with multiple system such as windows and MAC;

Space-saving body but keeping a large paper loading container;

One multi-functional button and one two-color indicator, simple operation;

Print head temperature intelligent control system make sure printer output stably;

Various Detection Functions:open cover detection, high temperature detection, out of paper detection.

## Specification

| **General** | |
|---|---|
| Model | OCBP-014B |
| Material | White plastic housing |
| Interface | USB |
| Processor | 32-bit CPU |
| Memory | 8MB Flash Memory, 8MB SDRAM |
| Printer Head life | 30KM |
| Power supply | Input□AC 100V-240V,50-60Hz,Output□DC 24V/2.5A |
| Sensors | Gap sensor,Blackmark sensor,Case-opening sensor |
| Gap height | 2mm Min |
| Blackmark height | 2mm Min |
| Font and barcode rotation | 0°,90°,180°,270° |
| Compatible command | TSPL EPL ZPL DPL |
| **Printing capability** | |
| Printing method | Direct Thermal |
| Resoluiton | 203 DPI |
| Print speed | 152mm/s Max |
| Print width | 108mm Max |
| Print length | 1778mm Max |
| **Barcode and character** | |
| Barcode | 1D barcode:<br>Code 39, Code 93, Code 128UCC, Code 128 subsets A, B, C, Codabar, Interleaved 2 of 5, EAN-8, EAN-13, EAN-128, UPC-A, UPC-E, EAN and UPC 2(5) digits add-on, MSI, PLESSEY, POSTNET, China POST<br>2D barcode: PDF-417, Maxicode, DataMatrix, QR code |
| **Media** | |
| Media type | Continuous, gap, folded and punched hole |
| Media width | 20-116mm |
| Media thickness | 0.06-0.20mm |

| | |
|---|---|
| Label roll capacity | 101 mm OD (outside wound) |
| Label length | 10-1778mm |
| **Physical** | |
| Dimension | 189.62 mm(W)× 178.5 mm(H)× 219.03 mm(D) |
| Weight | Net:1.78kg  Gross: 2.38kg |
| Package box | 335*225*235mm |
| 6 in 1 carton | 713*350*510mm/15.74kg |
| **Environment** | |
| Working temperature& humidity | 0 to 45 degrees centigrade,  10%~80%  No condensation |
| Storage temperature& humidity | -20 to 60 degrees centigrade ,  10%~90%  No condensation |

Aocom

ocom

Aocom

ocom

Thermal Label Printer
Model:OCBP-014B
Interface:USB
Paper Width: 104mm
Print Speed: 152mm/s
Power Input: 24V/2.5A
Cash Drawer: 24V/1.0A
OCBP014B2282700003
Made in China




## Relevant documents:

OCBP-014B Diagnostic Tool

OCBP-014B Label Making Software

OCBP-014B Windows Driver