

OCBP-018 4 inch package address label stickers printer adhesive price tag thermal label barcode printer (M/N:OCBP-018)

Features:



Compact and stylish design;

Support single sheet printing;

152 mm(6")/s printing speed, less than a Second per Label;

Side cover-opening make paper installation easily;

It can intelligently adjust the temperature during continuous printing;

Various Detection Functions:open cover detection, high temperature detection, out of paper detection.

Specification

| | |
|-------------------------------|--|
| General | |
| Model | OCBP-018 |
| Material | White plastic housing |
| Interface | USB |
| Processor | 32-bit CPU |
| Memory | 8MB Flash Memory, 8MB SDRAM |
| Printer Head life | 30KM |
| Power supply | Input□AC 100V-240V,50-60Hz,Output□DC 24V/2.5A |
| Sensors | Gap sensor,Blackmark sensor,Case-opening sensor |
| Gap height | 2mm Min |
| Blackmark height | 2mm Min |
| Font and barcode rotation | 0°,90°,180°,270° |
| Compatible command | TSPL EPL ZPL DPL |
| Printing capability | |
| Printing method | Direct Thermal |
| Resolution | 203 DPI |
| Print speed | 152mm/s |
| Print width | 108mm Max |
| Print length | 1778mm Max |
| Barcode and character | |
| Barcode | 1D barcode: Code 39, Code 93, Code 128UCC, Code 128 subsets A, B, C, Codabar, Interleaved 2 of 5, EAN-8,EAN-13,EAN-128, UPC-A, UPC-E, EAN and UPC 2(5) digits add-on, MSI, PLESSEY, POSTNET, China POST 2D barcode: PDF-417, Maxicode, DataMatrix, QR code |
| Media | |
| Media type | Continuous, gap,blackmark, folded and punched hole |
| Media width | 26-116mm |
| Media thickness | 0.06-0.20mm |
| Label roll capacity | No paper house |
| Label length | 10-1778mm |
| Physical | |
| Dimension | 185 mm(W)×85mm(H)× 85 mm(D) |
| Weight | Net:1.14kg Gross: 1.3kg |
| Package box | 220*180*130mm |
| 12 in 1 carton | 560*460*285mm/17.1kg |
| Environment | |
| Working temperature& humidity | 0 to 45 degrees centigrade, 10%~80% No condensation |
| Storage temperature& humidity | -20 to 60 degrees centigrade, 10%~90% No condensation |





























Relevant documents:

[OCBP-018 Diagnostic Tool](#)

[OCBP-018 Label Making Software](#)

[OCBP-018 Windows Driver](#)

