3 Inch Front Feed Paper Bluetooth Thermal Label Printer with LCD Screen

(Model Number: OCBP- M87)

Features:

Front paper structure make the printer more cost-effective; Support label interval sensor; The width of the paper bin can be adjusted; 45mm diameter paper rolls can be installed; Compatible with Android and IOS; 2200mAh, 7.2V 15Wh Non-removable battery; The USB Type-C interface can both charge and communication; Can switch between receipt mode or label mode; Support TSPL, ZPL, CPCL, ECS/POS Command; The LCD screen can directly observe the printer status; Support use the physical buttons to set printer parameter; Can Print 5 hours continuous 7 days long standby time; 90mm/sec print speed; 8MB DRAM and 8MB Flash memory; Compatible with bartender software; Free label editing software, convenient for end users to use directly.

Print method	Thermal line printing
Print commands	ESC/POS, TSPL CPCL ZPL command
Effective print width	Max=72mm, 576 dots
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Paper dimensions	79.5.±0.5mm x diameter 45.mm
Paper thickness	0.05 to 0.12mm
Character set	Alphanumeric/ Chinese
Interface	USB type-C and Bluetooth
Flash	8MB DRAM and 8MB Flash memory
Bar code type	1D bar code Code 39, Code 93, Code 128UCC, Code 128 Codabar, Interleaved 2 of 5, EAN-8,EAN-13, EAN-128, UPC-A, UPC-E, EAN and UPC 2(5) digits add-on, MSI, PLESSEY, POSTNET, China POST 2D bar code: PDF-417, Maxicode, DataMatrix, QR code
Power Adapter	5V DC/2A
Charging time	4-5 hours
Battery Power	2200mAh, 7.2V 15Wh Non-removable battery
Working time	5 hours continuous, 7 days standby time
Printer head life	50 KM
Other features	Paper detection, manual shut down
Working conditions	Temperature: -10~50 degC, Humidity: 10%□90%

Specification:

Storage conditions
Weight







OCBP-M87





OCBP-M87









